# The Control of the Parish of t



### CHIPS - special 12-page guide to CPUs

Exclusive reviews: Multi-user Seiko 8600
New 64K Tandy Color Computer LSI Octopus
Save on heating bills with a BBC Micro
Interfacing Apple II Commodore 64 games

Denmark DKr34.50, Greece Dra 245, Holland DFL8.50, Italy L4100, Spain Pts 360, Switzerland SFr7.40, Germany DM8.50, France Fr32.60, Canada C\$4.50, Australia A\$3.00, Singapore M\$6.35, USA \$3.95(D72162)

# IS THIS LEVEL OF RELIABILITY REALLY NECESSARY? **ACCUTRACK**



If you've ever lost data due to a faulty disk, you know how important reliability can be.

That's why Accutrack disks are critically certified at 2-3 times the error threshold of your system. Why they're precision fabricated for higher signal quality, longer life and less head wear. And why we take such extra steps as testing single-density mini disks at double-density levels. So you don't have to worry about the reliability of your media.

Accutrack disks. OEMs have specified them for years. You

can trust them for your data.

#### Distributed in the United Kingdom by:

Penbie International (C.A.) Ltd. 23 Addington Road Reading RG1 5PZ Berkshire

Tel: (734) 664361

#### **ACCUTRACK** Dennison KYBE (UK)

9 Colonial Way Watford WD2 4JY Tel: (923) 50596 Telex: 923321

Offices and representatives worldwide

# BLIST

#### PRACTICAL COMPUTING FEBRUARY 1984

#### >NEWS

13 HARDWARE NEWS
More new micros, including
professional models from Tandy and
Texas, plus the Koala graphics tablet
for the Commodore 64.

21 SOFTWARE NEWS
Digital Research's new languages, compilers for the Commodore 64 and Apple program generators.

29 PRINTOUT EXTRA
VISITS DEBENHAMS
Glyn Moody on how a major chain
store is aiming for business buyers.

49 IBM PC NEWS
More details of the XT/370,
more look-alikes, more add-ons and
more software.

#### >REVIEWS

50 IBM PC JUNIOR
More details of the
forthcoming Peanut — the newest
low-cost PC-compatible micro.

64 NEW 64K TANDY
COLOR COMPUTER 2
A hands-on review of a micro
launched at the Which Computer
Show.

66 LSI OCTOPUS
EIGHT/16-BIT MICRO
An expandable British micro,
previewed by Glyn Moody.

**70** SEIKO 6800
We set a pair of reviewers
working together on this smart new
Japanese machine.

74 NEC'S MODEL 8201A
LAP COMPUTER
Chris Bidmead compares the NEC

Chris Bidmead compares the NEC offering with its brother, the Tandy Model 100.

77 BBC DIARY
Battery-backed ROM
makes life pleasant for Neville
Maude, trying out the Acacia diary.

**78** WINDOWS IN VISI ON Ian Stobie looks at Visicorp's long-awaited Lisa-like integrated software Visi On, and its forthcoming competitors.

118 COMMODORE 64 GAMES

Paul Bond tried over 30 games for the 64. This is his selection.

**161** BOOK REVIEWS 8086/8 ASSEMBLER Paul Myerscough reviews books for programmers of the IBM PC and similar 16-bit micros.

#### >CHIPS



102 ALL YOU NEED TO KNOW ABOUT CPUS

Ray Coles presents a special 12-page guide to the major microprocessors, including eight-bit favourites like the Z-80 and MOS 6502, and the popular 16-bit types currently competing for a share in the market.

#### >FEATURES

80 INSURING YOUR MICRO Ian Hopkins provides a guide to keeping your micro covered.

82 SAVE MONEY ON CENTRAL HEATING Use John Smith's BBC Micro program before you call in the plumbers.

86 APPLE II
INTERFACING
Part 1 of a beginners' guide to the ins and outs of connecting an Apple to

90 PROGRAMMING AN INDEX

the outside world.

How to use the Soundex algorithm to code a useful phone index or similar database, with a listing for the Pet.

94 FICTION
Andrew Walker's latest story explore

Andrew Walker's latest story explores the world somewhat beyond 1984.



**99** TOP 10 POCKETABLES
Ian Stobie surveys the pocket-computer world to see what's

#### >REGULARS

available.

**5** EDITORIAL — TOP 10 Do we need lists of the top micros and software? If so, who should prepare it?

**7 FEEDBACK**The morality of war games is among the topics raised by readers this month.

35 CHIP-CHAT
THE TRANSPUTER
Ray Coles' monthly column turns to
Inmos and the British challenge.

88 PROGRAMMERS' PAGES TABLE MANNERS

Mike Lewis introduces a new monthly column written from the programmer's point of view.

129 OPEN FILE SOFTWARE
Listings for the BBC, Apple, Commodore, Sharp, Sinclair, Atari, Newbrain and Tandy.

173 LAST WORD
Chris Naylor, expertsystems expert, plans to computerise
the human brain.

Thanks to Motorola, Intel, Zilog, Maplin, and Rapid Terminals for supplying the processors shown on the cover.



You've a deadline to meet, the right CP/M Software package is needed, the right decision has to be made; which format, which product, when can it be delivered, at what price?

You need good advice, and just as important, you need to talk to someone who has a large enough range to be able to offer honest advice. Someone who can then deliver on time, someone whose catalogue is fast becoming the byword of the software industry.

So don't expose yourself, talk to Software Limited. Choice, advice and delivery, all aimed at meeting your deadline.

Software Limited... Because there's more to choose from, we're the only choice to make.

01-833 1173/6

Software Limited No. 2 Alice Owen Technology Centre 251 Goswell Road, London EC1

CP/M is a trademark of Digital Research



# Pressent Computing

EDITORIAL 01-661 3609

Editor Jack Schofield Assistant Editors Ian Stobie Glyn Moody

Art Editor Steve Miller Production Editor

John Liebmann Sub-editor Carol Hammond Editorial Secretary

Sue Jordan Consultants Chris Bidmead Peter Laurie

ADVERTISING 01-661 3612

Advertisement Manager lan Carter 01-661 3021 Assistant Advertisement Manager

Paul Braybrooke 01-661 8626

Advertisement Executives Jacqui Ball 01-661 3633 Lynne Brennan 01-661 8100 Mike Crimp 01-661 8425

Mike Crimp 01-661 8425
Advertisement Secretary
Janet Thorpe

Midlands office: David Harvett 021-356 4838

Northern office: Geoff Aikin 061-872 8861 PUBLISHING DIRECTOR Chris Hipwell

Published by Electrical Electronic Press, Quadrant House, The Quadrant, Sutton, Surrey SM25AS, Tel: 01-661 3500, Telex/grams 892084 BISPRS G.

Distributed by Business Press International Ltd, Quadrant House The Quadrant, Sutton, Surrey SM2 5AS.

Subscriptions: U.K. £13 per annum; Overseas £19 per annum; selling price in Eire subject to currency exchange fluctuations and VAT; airmail rates available on application to Subscription Manager, Business Press International Ltd. Oakfield House, Perrymount Road, Haywards Heath, Sussex RH16 3DH. Tel: 0444 459188.

Printed in Great Britain for the proprietors Business Press International Ltd by Eden Fisher (Southend) Ltd, Southend-on-Sea. Typeset by Centrepoint Typesetters, London EC1.

© Business Press International Ltd 1984

Would-be authors are welcome to send articles to the Editor but PC cannot undertake to return them. Payment is at £35 per published page. Submissions should be typed or computer-printed and should include a tape or disc of any program, Handwritten material is liable to delay and error.

Every effort is made to check articles and listings but PC cannot guarantee that programs will run and can accept no responsibility for any errors.

# Who needs a top 10?

LISTS OF the top 10 records, cars, books and television programmes exercise a curious fascination. It is hardly surprising that a number of micro magazines publish top 10s or 20s of computers or programs.

At best a top 10 can provide three things: first, entertainment; second, an indication of which companies and/or products are selling; third, help in deciding which products might be worth looking at in more detail.

In the first case, it does not matter much if the list is accurate or not. Who cares if the 10 most beautiful words or top 10 tie-wearers really are or are not the top 10?

In the second case, however, accuracy is essential. A top 10 sales chart is worth only as much as the data on which it is based. Even then, a guide to sales is not necessarily a guide to success. For example, Texas Instruments has just dropped out of the home-micro market when, according to Dataquest, it was number 2 in the world after Commodore in the category of micros under \$1,000. The company's recent huge quarterly losses show that even these sales were unprofitable.

In the third case, the value of even an accurate list is very much a matter of taste. There is not necessarily a connection between any of the items listed. All that *Coronation Street* and *This is Your Life* have in common, essentially, is that they are popular.

Neither is popularity a guarantee of quality. The Sun newspaper sells twice as many copies as The Times, Guardian, Daily Telegraph and Financial Times put together. This does not make it a more comprehensively reliable guide to world affairs. It is certainly a more accurate indicator of popular taste and is also cheaper, which counts for a lot in the U.K.

Yet in the microcomputer business there is nothing quite as strong as the bandwagon effect.

The whole industry is crying out for standards, and quality may take second place to the widespread use which establishes a *de facto* standard.

Few people would claim that CP/M is the best possible micro operating system, or that in hardware terms either the Sinclair Spectrum or IBM PC represent the optimum hardware for games playing or business use. These products do not sell only insofar as they are good or bad: they sell because they sell.

Another factor is that, by and large, most of the people currently buying micros and software do not have the slightest idea what they are doing. It is easy to buy, say, a Commodore 64 without knowing it needs a considerable amount of programming just to draw a straight line. It is easy to order an Electron without considering how joysticks, discs and printers can be plugged into it. That is not to say that these are rotten machines, but it is the case that most of the people who buy them are, in computer terms, innocents. The problem is that a list of bestsellers can be used to avoid thinking about what is being purchased. "Thousands of other people have bought it so it must be good" - if only that were true.

So top 10 lists are important in computing, and we only wish there was one we felt we could rely on. Unfortunately a reliable guide is only likely to come from the independent analysis of confidential sales figures. In the current market, where whopping lies are far from unknown, which companies would be willing to release them, and to whom?

The Computer Retailers Association, as desperate for information as the rest of us, is trying to answer this very question. It is possible the CRA will produce a guide, at least to the best-selling business software.

It would be a start. We live in hope.

5 Years ago ...

Commodore has reduced the price of its Kim 1 to £99.95. This price puts it well in the range of students, hobbyists and schools, but it remains ideal for control applications and training industry.

Commodore stresses that the Kim 1 is not a kit, but a complete microcomputer with a fully assembled PC board, needing only a power supply to operate. Based on the MOS 6502 microprocessor, it has 2K bytes of ROM, 1K byte of RAM, a keyboard and six-digit LED display. The system can be expanded significantly, starting with the Kim 3 8K

RAM memory boards (£193.32 inc VAT). This can be wired in by the user — all the required connectors are built-in — or attached more neatly by using a Kim 4 motherboard (£96.12 inc VAT).

An ordinary audio cassette unit can be attached to provide auxiliary storage. All interface circuits provided on the Kim 1 board including a Teletype interface are ready for connection. If the Teletype has the facility, Kim can also handle paper-tape input and output.

Practical Computing, Volume 2 Issue 2

The Abbey National Building Soci 127 Cross Street Manchester M49 3SC

October 18th 1983

Dear Sir,

would be much obliged if you cion to the repaymen

Mr A Carter, Brown, Carter & Co., 118 Smallbridge Road, Edenbridge KT15 4NW

Dear Mr Carter,

Please find your copy of FETCH truction sheet you should

The Chief Engineers Department, Tapex Computer Limited, North Hill, B63 1NJ Birmingham

Dear Sir,

This is the fourth time it has you with respect to the noisy and effective action

Mr P W Brown, Manager Barclays Bank Ltd 175, The High Street N22 LONDON

your ref: 90564435

Dear Mr Brown,

In response to your letter of effort will be r

# For £46, your word processor can get personal.

The trouble with most CP/M\* word processors is that they can't work out who's who.

While they're fine at sending one letter to large lists of people, they're virtually useless for one-off communications.

In fact, getting one name from your name and address file is such hard work that your secretary probably retypes it every time it is needed, wasting time, money and an expensive name and address file that is only used for mailing

Business Data Capture, however, have now developed a new program which personalizes CP/M\* word processing.

It's called FETCH. And that's exactly what it does.

When you call up a key name or number, it dives into your name and address file and transfers the name and address that you need to the document you're processing.

It can be formal or familiar, according to the relationship you have with each individual.

It also adds the day's date automatically. And a reference if necessary.

There's no limit to the number of names and addresses that FETCH can handle, even if they are in Datastar

So besides saving a great deal of time, it cuts out all

possibility of error and embarrassment with your clients.

Yet, the cost is only £46, including VAT, post and packing. lust send the coupon with your cheque or credit card number to: Business Data Capture Ltd., 262 Regents Park Road, London N3 3HN.

Or if you would like to order by telephone with your credit card, ring 01-349 4095.

You'll receive your program disc with a clear instruction manual within 14 days.

And if you are not satisfied for any reason, you are free to return them to us within 7 days for a full refund. The program that names names.

l enclose a cheque for £46	H program disc and instruction manual, including VAT, post and packing, payable to Busines
Data Capture. I would like to pay by credi	card. My number is
Trodia inc to pay by crea	(VISIACCESS ON)
My computer is:	My disc size is: 5 inch/8 inc
Name	
Address	

\*CP/M is the registered trade mark of Digital Research. Registered at 262 Regents Park Road, London N3 3HN. Registered in England No. 1326021.

Circle No. 257

# War games

IN THE December issue of *Practical Computing* you reviewed several games, among them Eastern Front. You praise it as a good game with amazing graphics.

Is that all you have to say about it? After all, the object of the game is to plan the death of men most effectively. The player is encouraged to do better than Hitler while sitting in the armchair.

Children might believe that this is what war is like. Adults should know that war is no fun and Hitler is not JR.

Oliver Völckers, Osnabrück, West Germany.

● The Editor replies: Does the fact that Eastern Front offers a fairly accurate historical simulation of the Barbarossa campaign make it less acceptable than other war games such as chess, or make it more educational? What do other readers think?

#### **HP Model 16**

MANY THANKS for the copy of December's *Practical Computing*, and your review of the HP series 200 Model 16. I thought I had best let you know of a few inaccuracies which have crept in, just to keep the record straight.

HPL is not a version of APL, nor indeed does it resemble it. The nearest one can say is that it looks rather like a cross between Basic and Algol 60.

The Model 16, unlike some other members of the HP Series 200, cannot run Unix. Finally, the Basic manuals described are included in the cost of the system.

All of these are relatively minor matters and in no way spoilt my appreciation of your very good review.

> Ron F Weeden, Hewlett-Packard Ltd, Wokingham, Berkshire.

#### **Bad service**

I HAVE BEEN trying to use a 48K Spectrum to help in the day-to-day running of my dental practice for the last 12 to 14 months or so. I have written my own software, which I also sell to my professional colleagues in a small way. The system is now proving to be a great help.

However, one thing that has certainly not helped is the unhelpful and ill-mannered attitude of the majority of firms

in the British computer hardware / peripheral industry. I no longer expect to receive replies to eight out of 10 letters of enquiry that I write, even though I always send an SAE.

When I eventually do find a firm that will condescend to soil its hands with the sordid business of actually selling me something, I no longer expect the things to function as advertised, if at all,

One of the latest offenders has been Kempston Electronics - a Centronics interface that had the driving software recorded on the leader tape of the cassette, and an interface unit that locked up the computer completely. These were eventually replaced, but two enquiries that I have made to the firm since then have had no reply. One of them was to ask why I cannot use the complete character set supplied with my printer, a Star DF-510, or even the complete character set of my Spectrum. The printer is recommended in Kempston's advertising as being completely compatible.

The other firm that I have had recent contact with is the Spectrum group. I phoned a number of the group's local dealers to enquire about the Viscount disc drives for the Spectrum and was greeted with ignorance, apathy and downright rudeness. One salesman was helpful—I expect he's been sacked by now.

I daresay we shall all soon be treated to the sight of the British computer retail and manufacturing trade wringing its collective hands, and bemoaning the fact that they are going out of business, while the Japanese — or whoever happens to be the latest scapegoat — are flourishing. Will I feel sorry for them? I'll leave you to guess the answer to that one.

I realise that my experiences are far from unusual - indeed. a lot of people will probably feel that I've got off very lightly so far. However, I don't see why we should have to put up with this situation. The money comes from our pockets, after all, and if the bad firms are constantly exposed, then maybe other customers will go elsewhere, until only the decent firms are left. My local Micromanagement dealer was most helpful recently when I was looking for a new printer - needless to say, he got my order.

W H Roberts, Pencoed, Mid Glamorgan.

#### IBM PC XT

PERHAPS you would care to note the following points relating to your review in the October issue of *Practical Computing*.

The use of the word Multiplan is invalid since it is more than eight letters long, so it is thus shortened by DOS to Multipla.

When creating a path, there should not be any spaces after the \symbol. The current path can be checked simply by typing Path, when at command level. This would have shown up these points. The Path command is only for use in batch or command situations, and is not a default route to a data file if not in the current directory.

When searching for a file not in the current directory, DOS expects the drive letter as part of the file identifier; otherwise it only searches the logged drive. Furthermore, directory searches are carried out on each drive only by the previously set CHDIR pathways for the individual drive, and files that are actually in the volume may be invisible.

By keeping important files, such as utilities, in a specific directory and setting the appropriate path, it may be possible to use them from any current drive or directory position.

To a newcomer, the DOS 2.0 manual is without doubt an intellectual challenge second to none. It makes learning the Highway Code an exercise to be enjoyed in comparison.

Martin Guyer, London SW6.

### What about Tandy?

IN OUR FAMILY we have several systems which we use for the normal home-computing activities, and we often get asked for advice on purchasing computers. Therefore we were interested in Jack Schofield's article "Home Truths" and recognise the validity of his general principles.

Many journalists, including some in *PC*, mention way-out ideas such as the Spectrum and Microdrives for business use. A basic knowledge of business costs would show that a cheap unit and expensive labour are not cost effective. Any competent typist will double their output on a good keyboard, and the error-count on a poor machine will prohibit its use for business.

Where we would disagree with Jack Schofield is that the TRS-80 is, by implication, considered poor. It is a reliable machine that has suffered no significant compatibility problems for years and has a mass of good software at all prices. We consider that LDOS and Newdos 80 are superior to the DOSs available for the Apple and certainly the Commodore 64.

The ROM-based word processor of the BBC is simple to use but lacks the power of Scripsit, let alone Superscripsit; and Enhanced VisiCalc for the TRS-80 seems to have more commands than the Apple (continued on next page)

Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback — it is your chance to keep in touch.

(continued from previous page)
version. We have never
bothered to add the highresolution peripherals as colour
and high resolution gobble up
memory.

When our TRS-80 was destroyed by fire we had the opportunity to purchase some new equipment at the insurance company's expense. Sharing Jack Schofield's view that in a few years there will be much better machines, we chose to buy a Model 1 TRS-80 which was available from our local Tandy store, but added a non-Tandy 64K memory which brought the total cost to just over £200. A further £230 added

a single disc drive.

During the period when we were without a computer, we were able to walk into any Tandy store and the management were pleased to let us use the demo machine. Despite the fact that Tandy is now using the Model 4, all our Model I software can be made to run under LDOS without problems. This, combined with the fact that Tandy actually makes a profit on computer sales and is therefore likely to stay in business, must make them at least a reasonable buy.

W Trayler, Hornchurch, Essex.

### Calling by name

I was very interested to read John Hooper's article in the November *Practical Computing*. Calling subroutines by name certainly aids readability of Basic programs but, as I am sure many readers will have realised, in many dialects of Basic there are better ways of achieving it.

If the line number in Goto can be an expression, as on the

Atari, Spectrum or Oric, then Hooper's switching routine can be eliminated completely. Instead the subroutine names are simply the names of variables, initialised to the appropriate line numbers. For instance, in his example he enters subroutine Answer via 5040 SUB\$ = "ANSWER":

GOSUB 100 in the main program, and 120 IF SUB\$ = "ANSWER"

THEN 1200 in his switching routine. We can streamline these by

5040 GOSUB ANSWER plus an earlier initialisation statement

ANSWER = 1200

The result is clearer to read and more efficient.

If this is not permitted, many dialects — Commodore is one — allow the switching to be improved by means of On Goto, which is much more efficient than a string of If statements. The switching routine is now a single statement:

100 ON SUB GOTO 100,

the jumps to the switching routine look like

5040 SUB = ANSWER: GOSUB 100

and we still need an earlier initialisation like

ANSWER = 2

Admittedly, in neither of these methods can we pass arguments by concatenating on to the subroutine name, but surely it is anyway clearer and more efficient to use a separate argument variable? Referring again to John Hooper's example, the line:

1260 SUB\$ = "DELAY01": GOSUB 100

with the associated decoding exercises

130 IF LEFT\$ (SUB\$,5) =
"DELAY" THEN 1300

1310 DEL\$ = RIGHT\$ (SUB\$,2):
DEL = VAL (DEL\$)

would be replaced by 1260 ARG = 1: GOSUB DELAY

in the first method; or, in the

second method, by 1260 SUB = DELAY: ARG = 1: GOSUB 100

and no decoding is required. Furthermore, explicit argument passing is much better when the argument is not a constant, as is nearly always the case. Compare:

1260 SUB\$ = "DELAY" + STR\$(X + Y): GOSUB 100 1310 DEL\$ = RIGHT\$(SUB\$, LEN(SUB\$) - 5): DEL = VAL(DEL\$)

with

1260 ARG = X+Y: GOSUB DELAY

or

1260 SUB = DELAY: ARG = X + Y: GOSUB 100

Tony O'Hagan, Department of Statistics, University of Warwick.

## Commodore 64 bugs?

I HAVE JUST COMPLETED a writing Study Guide to the Commodore 64 for Pitman Books and have discovered various bugs in the Commodore 64 and Vic-20 Basic ROM.

Commodore 64 owners should try

10 T = 1 20 T = T/2 PRINT T: GOTO 20 to produce a long sequence of numbers, becoming smaller. After a time the numbers go to zero:

5.87747176E - 39 2.93873588E - 39

which is what should occur. Altering the value of T in line 10 to -1 while keeping line 20 exactly the same, produces a sequence which ends

- 1.17549435E - 38 - 5.87747176E - 39 2.93873588E - 39

which is in no way correct. There should not be a change from a minus to a plus.

Now try T = 4.25352959E + 37 : PRINT \*2 to which the response is ?OVERFLOW ERROR

Entering Print T+T produces the value 8.50705917E+37.

For further interesting results

V=1.70141183E+38: PRINT V V=(V/2)\*2: PRINT V to gauge the amusing possibilities open to the

> Boris Allan, Stockport, Cheshire.

#### Not Julian, but Gregorian

adventurous user.

I AM SURPRISED and alarmed to learn from your November 1983 issue, pages 161 and 178, that the present calendar is Julian. During my lifetime so far all calendars and diaries for use in this country have used the Gregorian, not the old-style calendar which was abolished in Britain and Sweden in September 1752.

Perhaps this explains why I am always about a fortnight behind in my work, but more likely someone has confused the Julian calendar with the Julian day used by astronomers. This day runs from noon to noon, not midnight to midnight, and starts on noon Monday -4712, ending noon, Sunday December 31, 3268. The cycle of 7,980 years then repeats, various lunar and solar cycles starting off again in step. Noon on January 1, 1984 is the start of Julian day 2,445,701.

However confused the nomenclature, Mr Wade's program rises above it. I have not tried it out, having neither an Atari nor the time, but line 70 is essentially Gregorian.

R A Fairthorne, Farnborough, Hampshire. [1]



## Tandy TRS-80 Setting The Standard

### With Dot Matrix Printers...



#### 91/2" Dot-Matrix

£399

 With Colour Computer and Parallel Interfaces

**DMP-120.** This versatile 9½" dot-matrix printer has high speed data processing and graphics modes, that makes light work of many many tasks. It prints ten and 16.7 characters per inch, or elongated five and 8.3 characters per inch at up to 125 characters per second. A very compact printer it uses fanfold, single sheet or roll paper and has built in parallel and colour computer compatible serial interfaces. **26-1255** 

#### **Colour Graphics**

£149

 Uses Easily Replaceable Ink Cartridges

CGP-115. Ultra-compact colour graphics printer helps you create beautiful graphics in red, green, blue and black, and it prints alphanumerics. Built-in commands make it easy! Text mode prints 40 or 80 characters per line at 12 characters per second. Uses easily replaceable ink cartridges. A selection of colour pens is available. Set measures 2<sup>15</sup>/<sub>16</sub> x 8<sup>1</sup>/<sub>4</sub> x 8<sup>1</sup>/<sub>2</sub>". **26-1192** 



#### **Low Cost Dot-Matrix**

£7995

- Print Graphics and Alphanumerics
- Whisper Quiet!

**TP-10 Thermal Printer.** Perfect for use with the MC-10 Colour Microcomputer, and our other colour computers. You can print both screen graphics and alphanumerics. Textmode prints 32 characters per line at 30 characters per second on 41/8" wide thermal paper. Special repeat function to make graphics programming easier. Colour computer-compatible serial interface only (600 baud). **26-1261** 



#### Computer Cassette Recorder

£3995

- Designed For The TRS-80
- Mains Or Battery Operated

Specially designed for use with TRS-80 microcomputers, the CTR-81 computer cassette recorder is ideal for loading and recording programs and data on cassette tapes. It can easily be connected to Models I, III, 4 and the new TRS-80 Model 100 portable computer. Smart white finish. Mains operation or requires four "C" batteries (not included). 26-1208



#### ...Or Choose The Daisy Wheel Printer To Meet Your Needs



"Letter Perfect"

£1199

With Free Bi-Directional Tractor Feed (26-1459) "Letter Quality"

£599

 With Automatic Wheel Positioning



DWP-410. Ideal for SCRIPSIT<sup>™</sup> word processing! Select ten or 12 characters per inch, or proportional pitch. Forward and reverse paper feed and ½ line feed, underline and programmable backspace. Includes ½ line feed, underline feed. Automatic paper set makes paper insertion easy. Uses interchangeable print wheels for type selection. EPM mode for special wheels, 26-1250

DWP-210. A low-cost printer for that "professional look"! Select ten or 12 characters per inch, or proportional pitch. Prints over 200 words per minute (18 characters per second) at ten characters per inch. Easily handles an original plus two copies, features 1/200" space and 1/48" line feed, ribbon end, cover open and paper empty sensing. With carbon ribbon and Courier 10 print wheel. 26-1257

# This compute to be desig



precisely the right computer for your business.

You.


But unless your name is Clive Sinclair, you'll probably need help from someone with a little more experience.

Like LSI computers. (That's us.)

#### Computer design starts here, here or here.


Around fifteen hundred pounds will buy you an Octopus system at its simplest.

The central computer with a fully programmable keyboard and one disc drive. With the optional carrying case, you can take it home, to business meetings,



'A couple of thousand pounds will buy a fullyfledged business computer system, including two disc drives and a high resolution monitor. And, quite free, over a thousand pounds worth of software: a package called 'Axis.'


It's capable of controlling stock, invoicing and keeping your sales, purchase and nominal ledger, and would almost certainly be the first software package you'd have to buy.



We've had seven years' experience of developing micros and software exclusively for business. (You won't find us in primary schools or amusement arcades.)

The result of which is the most flexible system ever offered - Octopus.





For an appreciably greater investment the ultimate Octopus starter kit offers the extra speed and capacity of a Winchester disc drive, integrated with the central computer.

#### Keep your options open.

This is where your designing comes in. (And the back of the box is where it goes in.)

# er is designed ned by you.

We've left room for four option boards and are offering, already, a choice of seven.

For example, a telecommunications board facilitates all kinds of links through the standard Telecom network.

co sh.

A graphics board conjures up all kinds of shapes and sizes.

Others offer colour display, expanded RAM, links for printers and other peripherals and, ultimately, the ability to connect up an

entire Octopus network.

And because you'll be able to get up-dated option boards, the Octopus system means you can keep your options open for the foreseeable future.

#### Better by a Zilog.

With all this inbuilt flexibility, we had to be doubly sure about the abilities of the central processor.

So we included two of them.

#### , AND ASSESSED ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASSESSEDA ASS

Namely the Intel 8088-2 and the Zilog Z80B.

In plain English (well, plainish), this means

Octopus can operate both the tried and tested 8-bit programs and the new, faster 16-bit ones; even, if



necessary, switching between the two.

It can also speak five languages or more and work on any of five operating systems.

Which adds up to the fact that Octopus will accept virtually all of the business

micro software that's currently on the market.

#### Hard-nosed software.

Not that we let that stop us from designing our own. And designing it better, with the kind of thoughtful detail that makes for real convenience.

For instance, we provide a mat to lay over the keyboard when its function keys are re-programmed. So you won't have to re-train staff to use a keyboard that says one thing and means another. Or re-train them whenever you up-date or expand the program.

An advantage, we might add, which you could only enjoy with a computer system that doesn't become obsolete or outgrown.

No matter what size of business you've got designs on.



Please send me details of the Octopus computer system.
Name
Position
Company
Postcode
1.00
OCTOPUS
T T T T
The growing business computer. To LSI Computers, Copse Rd., St Johns, Woking, Surrey GU21 1FX Tel: 04862 23411.
PC7/84

Never before has so much been available from so little, to so many.



Never before in the history of modern computers has there been available a totally portable machine with the ability to cope with so many demands, to so many people, in so many different business areas.

Epson, with over 20 years experience in designing and manufacturing high quality printers, have produced the HX-20, a precision machine with its own rechargeable power supply that can be used for just about any task within todays discerning business: from data capture to word processing, from card indexing to sales order entry. Communicating with other machines is no problem and the HX-20 is easily coupled to one of our fine printers. You can even link in another main computer system by using an

acoustic coupler. Don't be fooled by its size, the HX-20 has all the software back-up you'd expect from a much larger machine and incorporates many "bigger computer" features – 16k RAM expandable to 32k with serial interfaces, a full size typewriter keyboard, it's own built in LCD screen and a dot matrix microprinter. A microcassette facility is available as an optional extra.

A complete computer that will either stand on its own or could be the obvious extension to your existing system.

More and more people are finding out just how big the small compact HX-20 is. Why don't you find out for yourself - you owe it to your business.

#### Extraordinary product. Exceptional quality.

Epson (UK) Limited, Freepost, Wembley, Middlesex HA9 6BR Sales Enquiries: Freefone EPSON. General Enquiries: 01-902 8892. Telex: 8814169.

□ I wo	uld like	a demonstration	of the	HX-20
Port	able Co	mputer.		

☐ Please send me details of my local stockist.

Name \_

Position

Company\_

Tel:\_

Address \_

PC2/20

#### Intertec Headstart

INTERTEC'S 16-bit Headstart, successor to the Superbrain, is now distributed by Icarus in the U.K. Combining eight- and 16-bit processors, the machine offers one 0.5Mbyte microfloppy as standard, together with 512K RAM. Both can be upgraded to 1Mbyte. A key feature is the RAM-disc option whereby the RAM may be partitioned into a virtual-disc area.

The system has been built with networking in mind. Four stations and a 10Mbyte file



server will cost about £10,000. The basic 512K system, complete with 12in. screen and detachable keyboard, costs £2,895 plus VAT.

Further details from Icarus Computer Systems Ltd, Deane House, 27 Greenwood Place, London NW5 1NN. Telephone: 01-485 5574.

#### Koala graphics

A GRAPHICS PAD for the Commodore 64 has been produced by Audiogenic. The Koala Painter allows colour graphics to be drawn, stored and manipulated using menus of commands. As well as drawing with a stylus on the 4in. by 4in. pressure-sensitive pad, standard routines for lines, circles, etc. can be called, and colours added successively. Individual portions of the



screen can be blown up and worked on in detail.

The system is disc based and costs £89.95 including VAT. The curious name apparently stems from the original American designers. Further details from Audiogenic Ltd, PO Box 88, Reading, Berkshire RG1 2SN. Telephone: (0734) 595647.

### **Bromley's Superstar**

SUPERSTAR 16 is a 16-bit multiuser system from Bromley Computers. It has an interesting dual-processor architecture surrounding a 16-bit master processor. Multi-user units can be added by buying additional eight- or 16-bit processors which plug inside the main Superstar unit. Terminals are then connected and may be run as independent systems. This contrasts with the normal system of distributed processing power in the terminals.

The new machine runs CP/M, MS-DOS and Xenix. Bromley Computers has



produced a range of applications software.

The entry system comes with an eight-bit slave, 10Mbyte Winchester, one 400K floppy, screen and keyboard, and costs £2,450. Up to 16 users can be accommodated sharing a Winchester storage capacity of 160Mbyte. Further information from Bromley Computer Consultancy Ltd, 417-421 Bromley Road, Bromley, Kent. Telephone: 01-697 8933.

#### Micro modem

A NEW low-cost ultra-miniature modem measuring just 4.5cm.



by 2.2cm. By 10.6cm. has been produced by Tech-Nel. Designed for short-range data transmission up to 25km., the unit requires no power supply or batteries.

The modem plugs directly into the standard RS-232C port and is powered from signals emitted by the host machine. Transmission rates of up to 19,200 baud are possible. A pair of SRM-6 units costs £140. Contact Tech-Nel Data Products Ltd. Telephone: (0295) 65781.

### Removable Winchesters

COUNTRY COMPUTERS has extended its range of computers with the C-3010, featuring one fixed Winchester and one removable cartridge version. This particularly lends itself to security-sensitive data and situations. The Z-80A system

can be expected to run with 192K RAM using bank switching. A multi-user version is also promised later in the year.

The 5+5Mbyte system costs £4,500 plus VAT; a 10+10Mbyte version is planned.

More details from Country Computers Ltd, Pipers Road, Park Farm Industrial Estate, Redditch, Worcestershire B98 0HU. Telephone: (0527) 29826.

#### Xmas cheer

AT A SPECIAL ceremony held to celebrate the millionth Spectrum rolling off the production line on December 9, Sir Clive Sinclair was given his Christmas present a little early. Yes, it was a Spectrum.

Oric also obtained a useful Christmas bonus in the form of £4 million raised through its new parent company called Edenspring. The money will fund new developments and a substantial advertising campaign.



### A multi-user CP/M compatible system with high performance and reliability.

### The Sirton MIDAS-MPS

Sirton Computer Systems' new Distributed Processing System; MIDAS-MPS, has been specially designed to be a flexible, multi-user system. Each user terminal added to the system has its own local processor, expanding the computing capacity of the system. The MIDAS-MPS is CP/M compatible,



has sophisticated password protection. it is easily installed and, as with all our systems, reliable.

If you'd like to learn more about MIDAS-MPS why not write or 'phone for our leaflet which includes full specification. We'd be pleased to help you with your enquiry.

#### Features:

- ★ CP/M Compatible
- Hierarchical Access
- **★** Easily Expandable
- ★ High Throughput
- ★ High Speed Communication
- ★ Multiple Directories with ★ Individual Processors at each Terminal
  - **★** Easily Installed
  - \* Reliable
  - **★** User Friendly



Sirton Computer Systems

Unit 14, 29 Willow Lane, Mitcham, Surrey, CR4 4NA. Telephone: 01-640 6931/2/3



If your microcomputer job involves managing information, you'll need a Compsoft Data Management System. It's your guarantee that computerisation will be a success.


Compsoft are world leaders when it comes to easy to use database programs. There is nothing quite so genuinely user friendly, and nothing quite as powerful. And Compsoft were the winners of the 1983 RITA (Recognition of Information Technology Achievement) Awards 'Software Product of the Year'.


We can give your \*Computer the power to breeze through the management of any record keeping situation, — effortlessly, efficiently, and more accurately than you ever dreamed possible. From sales ledger to stock control, purchaser ledger to personnel, clubs to customers, and in a thousand other ways, we can lend a helping hand.

You don't have to be a computer expert to use Compsoft's DMS or Delta. Both programs offer fast, accurate and elegant database power for both first time computer users and professional systems designers.

You owe it to yourself to know more. Either return the coupon to us, or simply telephone the office and we'll send you a complete guide to our versatile database programs — today.

\* Delta is available for almost any microcomputer with the MSDOS, PCDOS, CP/M, or MP/M operating systems, including IBM, DEC Rainbow, SIRIUS, XEROX, ICL, EPSON and many others.





# AT YOUR FINGER WHILL SHOW CONDITION AND THE RANGE AND THE R COMPLETE NEW RAN

Position in Company

Telephone No.

Return to Marketine Department Sanso Marketine Department Sanso Lighter & Crescoine Continent

This is Sanyo's new range of normal to high resolution graphic display monitors. Designed for the customer who specifically demands a high quality product at a realistic price.

A complete range in every sense (size, colour capability and input versatility) that has evolved directly from the experience and advanced technology of one of the



# TIPS, THE KEY TO A CE OF DATA MONITORS.

world's leading colour television and computer product manufacturers.

A range that's available now at your fingertips.

If you're investing in business micros for the first time, or just simply extending your present system, phone STC on 0279 26777 or Micro Peripheral on 0256 3232.

Alternatively, clip the coupon and we'll tell you all about Sanyo,

the key to a complete new range of data monitors.

SEE SANYO, THEN DECIDE

### SOFTWARE AND TECHNOLOGY 4

A disk for every micro. While 8-bit micro-computers may boast a 'standard' operating system, one of its gravest shortcomings has been the lack of a common disk format. It has meant that data created with the same software package but on different computers could not be moved from one machine to another running the same operating system. With 16-bit micros running MS-DOS, this situation has been remedied. MS-DOS uses one data format common across all machines. This means that files from Multiplan or documents from Microsoft Word are completely transferable between any MS-DOS micros.

Enhancing high-level languages. Today's computer hardware offers a staggering array of new facilities, particularly where graphics and sound are concerned. As hardware develops, software writers have a choice between buying a special package just to achieve the most rudimentary onscreen graphics or music, or using a high-level language with built-in graphics and music commands. In fact, it would be foolish to expect proven languages like BASIC not to evolve as hardware becomes more sophisticated. With the latest version of its GW BASIC Interpreter, Microsoft has enhanced BASIC one step further for this new hardware. The language has a large number of graphics and sound extensions supporting new input devices such as joysticks and light pens, with graphics commands that can rotate defined objects at will on the screen, and the ability to open windows and see objects shrink or expand automatically as window sizes alter. The combination of advanced hardware and software like GW BASIC means that programs written in Interpretive BASIC can now run at speeds approaching those of programs written in lower-level languages. Features of this type would have been unheard of two years ago – but just think what sort of facilities may be available in tomorrow's high-level languages.

Europe's leading Financial Planning package. Even though the European Economic Community sometimes finds it hard to agree just who pays how much to whom and for what, it has at least reached a firm decision on one aspect of financial planning. When it comes to spreadsheets there appears to be great accord between France, Germany and the UK. Microsoft's Multiplan, translated to work in the natural languages of those countries has come out as the number one European spreadsheet package. According to a recent European survey in one of the monthly computer journals, Multiplan has emerged as the favourite spreadsheet. Microsoft has brought the same linguistic resources to bear on Word, its text processing package, and hopes that in 1984 Word will achieve the same international success as Multiplan.

How does a standard evolve? The microcomputer industry has traditionally established its standards by two routes. The S-100 bus, MS-DOS and 8-bit CP/M evolved while some manufacturers have consciously attempted to set standards as with the Ethernet network and the 3.5" Winchester disk format, hoping that others will follow in their footsteps. There has, however, recently been a new approach. At the end of 1983, an unprecedented commitment was made by 23 of the industry's leading microcomputer manufacturers to a new product from Microsoft. The product was Microsoft Windows – an enhancement to the MS-DOS operating system. Never before in microcomputing history has such a forceful public committment been made to one product. Companies like DEC, Wang, Tandy, Apple/Rana, Altos, NCR, Compaq, TeleVideo and Eagle will all be offering the product on their MS-DOS based micros in 1984. More recently, the UK's leading 16-bit microcomputer manufacturer, ACT announced that it too, would be supporting Windows on the hugely successful Apricot. By mid-1984 we will be reaping the benefits that such standardisation offers – portable software running in the same manner on different machines; integrated software with different applications running together on the same machines; and software that's a whole lot easier to use.

**MICROSOFT** 

Microsoft Ltd, Piper House, Hatch Lane, Windsor, Berkshire.

# Digital Research's new language strategy

DR FORTRAN 77 is the first of five planned new language compilers from Digital Research. Pascal, C, PL/1 and CBasic compilers will follow shortly. All these languages will use a new compiler writing technique which promises to increase the portability of application programs between systems, and to make new language compilers available more quickly across the range of microcomputers.

A major problem facing a system-software company like Digital Research is the number of different operating systems and processors used on microcomputers. Suppose seven language compilers were to be produced to run under, say, four different operating systems

on micros built around the 8086, 8088 and 68000 chips. This means producing, if not quite 84 separate products, still a large number of completely different pieces of code.

Digital Research's new approach is to split each compiler into two, with a frontend syntax processor and a back-end code generator. This way the front-end syntax processor only has to be written once for each language. The Digital Research front-end processors all generate a common intermediate language. This CIL code is then fed into the back-end code generator for each operatingsystem/processor combination to produce the final optimised machine-code program.

Although this approach is not new - it has been used with mini and mainframe languages for years and is reminiscent of the Pascal p-code system -Digital Research's across-theboard use of the technique represents a further growth of professionalism in the microcomputer software market. The advantage to language users claimed by Digital Research is that source code written in a given language on one system will work across the complete range of micros.

Designed for scientific and engineering programmers, DR Fortran 77 supports 32-bit real numbers and runs programs up to the IMbyte addressing

capacity of the 8086 and 8088 processor family. On smaller systems large programs can be overlayed in 128K chunks. Digital Research says the new compiler is a full implementation of the ANSI-77 Fortran standard.

Concurrent CP/M and CP/M-86 versions should be available immediately, and MS-DOS and IBM PC versions are promised for March, priced at £385. Further versions will probably follow, with Unix high on the list.

These products will be available through retail channels, but if you require further information Digital Research's telephone number is Newbury (0635) 35304.

#### Commodore/ Atari program generator

HOME FILEWRITER is a program generator for disc-based Atari and Commodore 64 systems. It will be most useful for database applications. The user types a layout on to the screen and Home Filewriter then generates the necessary code. A typical application would be club membership records.

Home Filewriter costs £39.95. Details from Dynatech Microsoftware, Rue du Commerce, Bouet, St Peter Port, Guernsey, Channel Islands. Tel: (0481) 20255.

# Applesoft compiler

THE EINSTEIN compiler is for Apple IIe and Apple II Plus disc-based systems. It is an optimising compiler for translating Applesoft Basic programs into Apple machine code. The £89 utility program supports the full range of Applesoft and

DOS 3.3 commands, including high- and low-resolution graphics and shape tables.

Details from Pete and Pam Computers, New Hall Hey Road, Rossendale, Lancashire BB4 6JG. Telephone: (0706) 212321.

#### Version 3 of The Last One


VERSION 3.0 of The Last One — which must surely be a contradiction in terms — is now out. The Last One is a program generator, and one of the most heavily publicised programs of all time. Version 3.0 has several enhancements, including the ability to have final programs in any national language. It costs £330 for the IBM PC, Apricot, Sirius, DEC Rainbow, Orion and most CP/M machines, and £199 for the Apple II Plus and IIe.

Version 2.0 of The Last One is still available for the Commodore 64, with disc drive, for £85. Contact D J AI Systems, Station Road, Ilminster, Somerset TA19 9BQ. Telephone: (04605) 4117.

(More news on page 23)

#### In brief

Battle 1917 is a World War I strategic simulation game for several players, running on the Spectrum. The price is £6 from Cases Computer Simulations. Telephone: 01-858 0763.



The Incredible Jack is an integrated software package for the Apple IIe. Word processing, calc, filing and mailing are all integrated and run off one disc. The price is £129.50 from Pete and Pam Computers.

Base Invaders is a game with a more modern scenario. You have to dodge policemen and cut down the fence at Greenham Common to get to the cruise-missile bunkers. Running on the Sinclair Spectrum or BBC Micro it costs £8 from Magination. Telephone: Newcastle (0632) 653224.

Total Health for the Commodore 64 helps you plan a balanced diet and exercise program. Tape and disc versions cost £17.95 and £19.95 respectively from Marketing Micro Software Ltd. Telephone: Ipswich (0473) 462721.

Epson has issued a free brochure explaining how to get the best out of its printers when connected to the BBC Micro. Telephone: Freephone Epson.



The Graphics Solution is a graphics editor and animation system for the 64K Apple II Plus or IIe with disc drive. It lets you prepare mixed text and high-resolution charts, three-dimensional graphs and animated sequences. It costs £99 from Pete and Pam Computers.

# HIGH QUALITY GREEN SCREEN VIDEO MONITORS Designed for use with Professional and Personal Microcomputers where a high resolution display is required. Ideal for

CHECK THESE FEATURES:-

- ANTIGLARE SCREEN
- P31 GREEN FOR MINIMUM FATIGUE
- VIDEO RESPONSE 10Hz 22MHz ± 3db
- SUPERB RESOLUTION—UP TO 132 CHARS/LINE
- EXCELLENT GEOMETRY/LINEARITY
- HIGH STABILITY
- 230 VOLT 50Hz MAINS OPERATION
- COMPOSITE VIDEO 0.5/2.0V INPUT
- FLICKER FREE DISPLAY



resolution display is required. Ideal for applications requiring 80 column mode or higher, high resolution graphics, etc.

**281** 

ADD £5 Carriage/Postage



▲ 9" MODEL HM911

▲ 9" MODEL HM910

# THE LOWEST PRICE ANYWHERE



ADD £9 Carriage/Insurance

FOR A PC WITH THESE
FEATURES . . . LOOK AT
THE SPEC. OF THE AMAZING
UNITRON 2200 . . . .

Dual processors - 6502 and Z80

- 64K of RAM
- 24K ROM with softswitch control
- Selectable 80 or 40 column text display
- Detachable keyboard
- Apple® II-compatible
- CP/M<sup>®</sup> compatible
- High and low resolution graphics capabilities
- Two disk I/O for your disk drives
- Game paddles/cassette/video interfaces

Prices exclusive of VAT
Same day despatch. Access welcome.

#### CHILTERN ELECTRONICS

HIGH STREET, CHALFONT ST. GILES, BUCKS. HP8 4QH TELEPHONE: 02407 71234 TELEX: 262284

#### News: software

#### Compilers for Commodore Basic

OXFORD COMPUTING SYSTEMS has launched a range of discbased Basic compilers covering the whole Commodore range. Most interesting is Portspeed, costing £125, a cross-compiler generating Commodore 64 machine-code programs from 8000-series Pet Basic source code.

Petspeed, also costing £125, is a conventional compiler for 4000- and 8000-series Pet Basic. It optimises the output machine code, ensuring that the resulting programs are not prohibitively long, a problem with non-optimising compilers. Oxford Computing Systems also has a £75 Integer Basic Compiler for 3000-, 4000- and 8000-series Pets.

Contact Oxford Computer Systems, Hensington Road, Woodstock, Oxford OX7 1JR. Telephone: Woodstock (0993) 812700.

#### HX-20 nominal ledger and cash register

PHIPPS ASSOCIATES has produced a nominal-ledger package for the battery-powered portable Epson HX-20. It can analyse accounting data over 100 headings. The audit trail is produced on the Epson's built-in printer. Phipps says the program, which costs £26, is suitable for the travelling



auditor or anyone faced with a complicated multi-column epxense sheet.

Phipps Associates also does a program called Cash Register, which turns the HX-20 into a point-of-sale terminal. Used in conjunction with the Epson barcode reader package it can be

used to read EAN/UPC-coded labels directly from products. Another option is a cash drawer which links to the HX-20 through its remote On/Off socket. Phipps Associates says the program is also likely to appeal to van salesmen.

Further details from Phipps Associates, 172 Kingston Road, Ewell, Surrey KT19 0SD. Telephone: 01-393 0283.

#### K-tel doublesiders

K-TEL, of TV-advertised record fame, is launching a series of TV-advertised Spectrum and Vic-20 games. Under the slogan "twice the fun with two on one"



the programs will come two at a time on a double-A-side cassette for a price of £6.95.

The initial five cassettes include It's only Rock 'n' Roll plus Tomb of Dracula, and Battle of the Toothpaste Tubes plus Castle Colditz, both for the Spectrum, with Supavaders/Bomber Run for the Vic. Commodore 64 programs will follow in a later batch.

The programs should be readily available at the usual retail outlets. Otherwise contact K-tel on 01-992 8055.

#### Hands-On training packs

HANDS-ON MULTIPLAN and Hands-On dBase II will be the latest additions to the Hands-On range of self-teaching microcomputer-training products. Although prices have not yet been announced, the packages

should be available in early 1984.

Hands-On CP/M Plus, Hands-On MS-DOS 2 and Hands-On CP/M 2.2 are already obtainable, price £80, for the majority of computers running these operating systems. Hands-On Basic, based on Microsoft MBasic, and Hands-On Cis Cobol, cost £150.

The Hands-On range all use a split-screen technique. The top half mimics the product in question while the tutorial guide runs in parallel underneath.

Details from Vector International (U.K.), 64A Lower Teddington Road, Kingston-upon-Thames, Surrey KT1 4ER. Telephone: 01-943 1257.

## Home word processor

HOMEWORD is Sierra On-Line's new word processor designed especially for the home user. The program has fashionable features like graphic icons and can be used with an optional joystick to achieve a mouse-like effect cheaply.

Homeword is intended to be easy, and it comes with an audio cassette explaining how to use the program. Available now for the Apple II Plus and IIe, price £33.95, versions of Homeword are also promised for the Atari




and Commodore 64. Contact Pete and Pam Computers. Telephone: Rossendale (0706) 212321.

#### Expert systems from Acorn

BRIAN ALDISS on Science Fiction, Sheridan Morley on Theatre, Steve Race on Music, John Julius Norwich on History, Anthony Holden on Royalty and Julian Symonds on Crime: each of Acornsoft's Grandmaster Quiz series each presents 300 questions compiled by one of these experts on their specialist subject area.

The quizzes can be played competitively between two people or alone against the machine. The six programs cost £12.65 each, including VAT, and run on the BBC Model B—or the Acorn Electron, if you can get hold of one.

Details from Acornsoft, 4A Market Hill, Cambridge CB2 3NJ. Telephone: (0223) 31640.



Beebfont is a character ROM for the BBC Microcomputer which gives you five pre-defined 16-by-16 dot founts and facilities to define your own. Founts can be displayed on the screen or printed on an Epson printer, according to the supplier, Watford Electronics. Beebfont costs £45 for the ROM, manual and supporting disc or tape software. Details from Watford Electronics, 33/35 Cardiff Road, Watford, Hertfordshire WD1 8ED. Telephone: (0923) 40588.



#### Shredders for computer printout

The increasing use of word processors, printers and computer installations means that Business Aids' electronic Scimitar Data Shredders are in greater demand than ever. The Compact Data 1001 is ideal for the smaller computer user; models 2001 and 2002 accept 25 sheets or eight streams of continuous stationery, while the high-security 2002XC converts paper into illegible 2 × 15mm chips. Data 4001 is a wide-throated console model; the heavy duty Data 5000 and 6000 have a 30-sheet capacity and process up to 20 streams of printout simultaneously. Contact me now.


426 on enquiry card


#### Telex terminal of tomorrow

Streamline your telex operation with the Trend Telex Terminal, a system marketed by British Telecom as the 'Puma'. Similar in appearance to an electronic typewriter, the Puma supercedes paper tape telex terminals by incorporating a 16,000-character memory and the ability to communicate with WP/Micro computer systems. Messages are edited and dialled from the keyboard and the system can transmit unattended — anywhere in the world, if necessary re-dialling until a busy line is free. Let me put you in touch with the telex trend-setters.

427 on enquiry card







#### The Xerox 16/8 PC the two-in-one micro

The Rank Xerox 16/8, by offering to you both 8 Bit AND through 16 Bit processing, is the two-in-one micro to meet your business needs now - and in the future. It can utilise all your existing 8 Bit data and programs and all the much faster processing 16 Bit software now becoming more widely available. It comes with three operating systems — CP/M<sup>®</sup> , MS-DOS™ and CP/M86. It is the micro designed to combat obsolescence so find out more by contacting me now.

432 on enquiry card



#### Clear crisp copies

If you require needle sharp, edge to edge copies, clear black and white from virtually any colour, the Roneo 230 Copier from Roneo Alcatel will suit you. It produces 30 copies per minute, has a touch sensitive keyboard to minimise misfeeds and a key control to monitor usage. The 230 will copy standard documents, books, flimsy originals, even three dimensional objects, onto standard bond, address labels, etc. in sizes A3, A4, B4 and B5. An automatic sorter and feeder are also available. Contact me for further details.

428 on enquiry card

#### A fast and efficient mailing system


If your computer can produce invoices in a matter of minutes it seems crazy to then spend hours mailing them by hand. The Neopost System Five-2 from Roneo Alcatel is designed to fold, insert, seal and frank in a fraction of the time it takes manually. The 'system' can be controlled by a single operator saving many costly man-hours and its modular construction gives it the flexibility to match your needs exactly. If you're interested in saving time and money circle this number today for more details. 429 on enquiry card



#### A cut above the rest . . .

Continuous stationery can create as may problems as it solves, with paper-cutting bottlenecks holding up output. But according to Bell & Howell their Fimafold 1000 provides a low-cost solution for small or medium computer installations. The accent is on ease of use and maximum versatility, with electronic control systems keeping the operator fully informed and in complete control. Interested? Circle the number and I'll be happy to send you full details.


433 on enquiry card



#### How much is your data worth?

Buying floppy disks for your computer? Maxell floppies come in 3in, 51/4in and 8in sizes, single and double density and you'll get absolute reliability every time. It makes sense to entrust your vital data to a reputable brand and Maxell's wide acceptance with major users such as software publishers and government departments endorses their claims for top reliability. The rapidly expanding dealer and distributor network means easy availability too. Contact me now for more information.

434 on enquiry card



#### Perfect presentation

Earn top marks for presentation with the Easi-bind system. Easi-bind is the low cost, desktop binding machine that will give your sales literature, quotations, proposals and manuals that extra professional touch. Easi-bind is neat, simple and effective. Perfect binding means no punched holes, or messy glue pots. Choose from a wide range of stock covers or Midland Binding Machines will quote for the design and printing of top quality customised covers which are available in any size from A6 to full computer printout. I have full details.
430 on enquiry card



#### Twinlock VDU furniture range — new additions

Twinlock have extended their successful VDU furniture range with the addition of two VDU workcentres. One is designed to accommodate separate VDU screens and keyboards with a height adjustable platform that tilts back and forth to avoid eye-strain or glare. The other is fixed and designed for an adjustable VDU, or an integrated VDU and keyboard system. Both have an extra large work surface which will accommodate a table-top printer. Optional accessories, such as a printout catcher and a 5-tray housing are also available. Just circle this number.
431 on enquiry card

#### A free Microwriter course

I'm offering free Microwriter self-teach courses to the first 250 business or professional people to circle the number below. This is your chance to find out for yourself how easily you can touch-type with the Microwiter within minutes. Thousands of business people all over the world are using the Microwriter portable word processor daily for correspondence, reports, notes and any other written work. The remarkably simplified five-finger keyboard can produce the alpha/numeric range and other functions.

435 on enquiry card





#### Dictation: let's talk

One of Dictaphone's most advanced portables, the 324 gives you a full two hours' recording on a cassette one-third the size of the standard C-type. So it's a handy and convenient way to catch up with that backlog of correspondence when you're out of the office. You can even use the 324 as a note-taker at meetings. Press the conference button and you've got an instant record of the main speaker's voice. All this in a machine that measures a mere 41/2 × 21/4 in. I have full details.

436 on enquiry card

#### IS POOR SOFTWARE KEEPING YOU POOR?



A good tool is worth its weight in gold.

# GOLDEN TOOL

software for the 64.

SIIKIT64

SMSOFTWARE

MISM64

SMSOFTWARE

SIN CUDA 64

M SOFTWARE

CREATE YOUR LIFE MORE SUCCESSFUL!

#### SINTEXT 64

The professional text processor with more than 80 functions to aid productivity; multi-colour display; up to 120 columns without extra hardware; search & replace; enhanced block handling; direct access to addresses in CUDA files; etc etc

ONLY £50

#### SIII CUDA 64

Your professional standard, personal address filing system. Direct access to 620 addresses per disk; 5 extra lines per address for comments; totally menu-driven; powerful editing and back up facilities; several hardcopy facilities.

#### SINKIT64

The famous programming tool for Commodore micros. Extends BASIC – merge, find, re-number, dump, trace, enhanced floppy monitor (disk doctor), highly efficient machine language monitor with built-in assembler, disassembler, trace, and many other helpful features. A real golden tool!

SIN ISIM 64

This index sequential file manager gives you a new dimension on direct access file handling. Up to 40 keys, variable record lengths, simultaneous handling of 10 files. How can you program without such a tool?

ONLY £40

SIII MAE 64

The definitive tool for the would-be master of the 64. If you are ready for programming in assembler, buy it now. Not for beginners, this tool will help you to fashion masterpieces of the programmer's art. Coexists with Commodore BASIC.

ONLY £40

#### PLACE YOUR ORDER NOW!

If your Commodore dealer cannot supply, contact us direct. Cheque with order please. Prices include vat, packing and carriage within the UK. Allow 7 days for delivery. All programs on disk and described in detail in a manual.

Prices firm to end 1983



SM SOFTWARE (UK) Ltd Raglan House, Long Street Dursley Glos. tele: 0453 46065 & 2101

Part of the SM Software group, supplying international software.

Dealer enquiries invited.

# Personal and Profe



MTX512: 64K RAM - £315 MTX500: 32K RAM - £275

Please phone for the address of your nearest Dealer



#### The All-Purpose System

The MTX Series is a new departure in micro-computer technology. Whether your needs as a user are for personal programming, games playing, scientific or process control, educational or business use the MTX Series is already capable or very easily adaptable to almost every application. Glance through the standard features below - you'll see what we mean.

#### Hardware - 32K RAM on the MTX500, 64K on the MTX512.

The MTX500 has 32K of user RAM as standard (64K on the 512), expandable to 512K plus 16K of video RAM, controlled by a separate Video Processor. Sixteen colours, 40 column text, 256 x 192 high resolution graphics with all sixteen colours available, and 32 easily moveable user defined graphics characters (Sprites) combine to make effective screen displays quick and simple to achieve. Standard outputs are centronics printer port, two joystick ports, an uncommitted I/O port, 2400 Baud Cassette port, separate TV and Video Monitor ports, 4 channel sound with hifi output plus a dedicated cartridge port. Other standard features include the Z80A processor running at 4MHz, real time clock, full moving key keyboard with 79 keys including eight 2-function keys and separate numeric pad.

#### Software

The MTX's 24K ROM contains several languages and routines which enable the novice or the experienced programmer to make full use of the machine. Standard languages are MTX BASIC, MTX LOGO commands, NODDY. ROM routines include an ASSSEMBLER/DISASSEMBLER with screen display of the Z80 CPU registers, memory and program, which can be manipulated from the keyboard. Machine code programs can be stepped through one instruction at a time, and easily called from within BASIC programs. A further feature is the Virtual Screen facility which enables the programmer to split the screen into a maximum of eight sections to work independently whilst maintaining all full screen facilities. Pascal is available as an add-on ROM pack.

The Disc Based
Computers from Memotech

Designed to use the full power of the MTX computers the FDX and HDX make perfect business systems at prices which make perfect business sense. Both feature the CP/M operating system, giving instant access to a wide range of proven application software. Available in October these feature:

- Full Western Digital floppy disc controller set with SASI interface for 4 drives, CP/M types 0-13.
- minimal latency, very high data transfer rates
- optional Colour 80 Column Board
- optional Silicon Discs (1/4 Mb) which dramatically increase the efficiency of 8 bit software to those of 16/32 bit software; increases life and reliability of mechanical drive
- permits single disc CP/M operation

#### FDX-Floppy Disc System

1 or 2 5 1/4" Qume drives 500K unformatted, 347K formatted,

#### **HDX-Hard Disc System**

5 1/4" Qume drive, 500K unformatted, 347K formatted, 5 1/4" Winchester which may be 5, 10, or 20 Mb

All Memotech products are designed and manufactured in Oxfordshire, England

CP/M is a trademark of Digital Research Inc.





#### We're not just playing games...

A fast maze chase with untold perils and hazards.

#### TOADO

Get the toad back to his nest - but don't get run over or drown on the way.

#### SUPER MINEFIELD

You may have seen other Minefield games but ours has tanks that lay invisible mines, and spiders that are very tricky to avoid.

#### CONTINENTAL INVADERS

Classic arcade action, with all the features that make this game so

#### KILOPEDE

This one is very fast - its not easy to get past level two.

#### RADAR/SONAR

Eliminate submarines with a combination of radar screen and sonar, very realistic.

#### **FLIGHT SIMULATOR**

Take off, navigate and land your high powered light aircraft. All the features of true flight.

ALSO AVAILABLE: RESCUE, BEAVER, CONTINENTAL RAIDERS, PILE UP, SIGNAL MAN and many more.

#### we mean business too.

#### MTXCALC

Sophisticated and powerful, the professional spreadsheet program.

#### MTX WORD PROCESSOR

All necessary features are included to give a powerful business tool.

#### ACCOUNTING PACKAGE

Sales and Purchase Ledgers, stock control, payroll - the complete business system.

#### PROJECT PLANNER

Speaks for itself, and helps you achieve deadlines efficiently and effectively.

#### STRATEGY BOARD GAMES

CHESS, BACKGAMMON, OTHELLO, DRAUGHTS.

#### EDUCATION PROGRAMS MATHS 1 PHYSICS 1

The first two programs in a series of specially written software designed to teach at the pace and level best suited to the user.

CONTINENTAL SOFTWARE UNIT 24 STATION LANE WITNEY

# BY NATURE business people and professionals are a cautious lot, and never more so than when it comes to buying computers. Torn between a fear of being left behind in the micro race on the one hand, and on the other of being taken for an expensive ride, many small businesses have held back from the initial plunge. The activities of a minority of cowboy dealers have threatened to shake people's confidence in buying for business.

Any scheme that aims to provide a total service for the keen but careful business user is to be welcomed, and should help to allay these fears. The Debenhams group hopes to have done just this. Greens Business Systems, a wholly owned subsidiary of the well known chain store, officially launched its micro service to businesses. It is claimed to be unique, and certainly incorporates a number of interesting ideas.

The centres are not independent shops but will be placed in existing Debenhams stores as self-contained sections distinct from the general hurly-burly. Debenhams' market research shows that business users are reluctant to go to conventional dealers, but no such reluctance has been found in the more free-ranging atmosphere of large department stores. Greens hopes to capitalise on this, though acknowledging an initial credibility gap: after all, who would expect extensive business-micro expertise in the store you go to for a pair of tights or a new saucepan.

A key feature of the new project is Debenhams' reputation — according to those market researchers again — for reliability and stability. To reinforce this idea of dependability, Greens offers the following ingredients in its standard micro package:

- Extensive professional expertise, both in the form of sales advice and free seminars. Using the stores' existing training and catering facilities, Greens provides free evening seminars on such subjects as micros in business, the ACT Apricot and the IBM PC.
- Authorised dealerships from IBM, Apple and ACT. IBM has scrutinised the scheme and has so far granted dealerships to centres in four stores.
- 3. A full range of training programmes backing up the machines and software available. There are 28 different courses ranging from introductory microappreciation sessions to two-day courses on using dBase II. The cost varies from £75 to £100 per day.
- Installation with on-site training. The aim is, not unreasonably, to leave the end-user with a fully working system, and with enough knowledge to run it.
- 5. A 24-hour maintenance service. In addition to running a help-line phone number, Greens guarantees that an engineer will visit within 24 hours of a call being made. Maintenance for a typical Apricot system from Greens will cost about £150, excluding parts; maintenance contracts can be taken out

# The shop of things to come

Glyn Moody discovers how a national chain store is planning to deal in business micros.



at current rates for up to four years.

6. The Debenham's "price promise" is offered. If a customer can find the same equipment on offer locally at a lower price, he or she may return within seven days and Greens will match it.

Leasing options are also available; a typical Apricot system, for example, would cost around £54 a month. It will be possible to trade in a leased computer for a newer model merely by increasing payments.

Initially seven Debenhams stores operate the business-micro scheme — those at Oxford, Harrow, Romford, Guildford, Southampton, Staines and at Harvey Nichols in Knightsbridge. The Guildford store has been running as a prototype since March 1983; the rest followed six months or so later.

Greens is at pains to emphasise the complete separation from the cheaper games-oriented sector. Through in-store centres and travelling representatives the company sees itself as offering complete professional systems. Only four machines are currently sold: Apple II, ACT Sirius and Apricot, and the IBM PC, a choice

which has been largely dictated by the range and availability of software. The software itself is restricted mainly to broad applications systems rather than specialised vertical-market packages.

The frequent reference to the ACT Apricot is no accident. Greens' joint managing director Michael Milman waxes lyrical about the machine, and goes so far as to suggest that it could do for the U.K. business market what the IBM PC did in the U.S. To back this up he points out that the average attendance at Apricot seminars has been running at over 50, and already over 100 machines have been sold by Greens alone.

Whether this prediction turns out to be true or not, Greens is certainly thinking big. The first target turnover is £10 million, and the plan is to have 20 centres open by the end of 1984 with another 40 a year later, eventually taking space in non-Debenham stores. According to Milman, Greens intends to become the biggest dealer in the U.K. So next time you need some business micro equipment it could well be worth looking in your local department store.

## G. W. COMPUTERS LTD LONDON'S WEST END NATIONWIDE OVERNITE SERVICE MORE PRODUCT RANGES BETTER SERVICE PROBABLY THE WIDEST SELECTION OF NETWORKS... MICROS...AND PRINTERS ON DISPLAY NATIONWIDE

#### \*\*\*\*\*THE NEW DBMS III (series III of the world's first 'task-robot-programs')\*\*\*\*\* \*\*\*\*\*FEATURES\*\*\*\*\*

1400 character record sizes mathematical scratchpad record relational indexes.  User-defineable reporting field protection/classification either-or. same as. greater. smaller. sorts 'alpha or numeric' any window.	20 main/200 sub fields per record. field and record related formulae. 'Jump-to' any of 32000 records per file. random/blnary/key/multiple field search. 'if-then' questioning. file protection/password entry. range match. not match. integer match.	12 online file architectures. 240 fields using cross-referencing. cross-record calculations. 'Jump-to' any record in 12 files. User-defineable files/field words/sizes. endless 'either-or' matching. formulate/recall on selection criteria. 13 interrogation question types. short filing outpul/audit trails.

# DBMS III.7 NEW SWITCH MODE FACILITY ENABLES YOU TO CROSS UP TO 12 DIFFERENT FILES (32000 RECORDS PER FILE) PRE-SELECTING ANY OF UP TO 20 FIELDS PER RECORD/FILE FOR DISPLAY/PRINT OUTPUT (240 FIELDS) IN ALL. ONE MASSIVE ENQUIRY CAN PASS THROUGH 384,000 RECORDS

You might have two files whose records are directly related to each other, so that the first file (say containing names and addresses) refers to the second file (say financial and other information relating to the same record numbers in the first file) directly. Then you can simply select that in file 1 you are interested in just the name and telephone numbers, whereas in file 2, you are interested in the income, trading period and number of branches, information. Your enquiry can then pass through both files highlighting that information only. Actually there doesn't need to be a strict correlation between the same record numbers in different files, and you can also on just one JUMP command go to any record in any of the 32000 records in any of the twelve files and carry on cross-referencing from there onwards.

#### DBMS'S MACROS WORK FROM THE MOMENT YOU INSERT THE 'TASK DISK' IN THE COMPUTER

Simply design your file, give its fields your words, setup your report mask, and then enter your records. Switch to 'automatic drive' and formulated any task you wish to program to fulfill, the task is stored as a macro. Take a copy of the program on another 'task disk' and from then on, the task disk will function without a single key-stroke. Think of a number of such 'task disks' such as ''stock-re-order reports''; ''stock-valuation reports''; ''analysis''; ''patient history analysis''; ''research-analysis''; ''budgetting-analysis''; ''vehicle-location control''; ''librarian analysis''; ''plus more?''

Not only does this program surpass most of its kind that you might buy elsewhere, but if you buy the hardware from us, then you get it FREE . . . DBMS II (WITHOUT MACROS) AND DBMS III ARE FULLY IMPLEMENTED UNDER CPM-86 (tm) AND MS-DOS (tm) I.E.: SIRIUS/VICTOR/IBM DBMS II IS £395.00 (or £250.00 by mail order ex. training) . . . DBMS III is £575.000 (or £295.00 by mail order ex. training).

#### The ALL YOU NEED system deal that is the best package on the market.

The personal budget system		The professional office system	
Sirius I (128k ram/1200k disks)	2195	IBM (256k ram/5.6mb dsk)	3995
Oki microline 80 printer	295	Nec 3550 daisy printer	1895
Diskettes	150	Diskettes	150
Cables and testing	85	Cables and testing	85
Word-star word processor	295	Word-star word-processor	295
Mail-merge	95	Mail-merge	95
Super-calc spreadsheet	195	Super-calc spreadsheet	195
Dbms III.7 database management	575	Dbms database management	.575
Basic interpreter	150	Basic interpreter	150
	4035	Basic compiler	195
G.W's price as a system	4055	Spelstar word-check	95
SAVES 1040.00		The 'KEY'	995
2995.00		Transactional-database for invoicing/ mailshot/sales ledger/purchase ledger/ order-entry/personnel files/aged debt analysis/	
		letters/disk spreadsheet etc Direct telephone	
		link to our system by modem	295
		modem software	95
Why not phone in for details of other system		Dos 2.00	60
have to offer. Our range includes: Ibm/Dec/	Sirius/	Cpm 86	60
Superbrain/Epson Televideo/Sanyo/Texas/	_	Concurrent cpm 86	375
North-star Nec/Qume/Diablo/Oki/Olympia/		Cbasic 86	95
Anadex/Corvus/Compac/Corona/ and many	others!!.		9700
We specialise in network systems using resousuch as spools/port-expanders/modems/hard-disks/ramdisks/concurrent ramtasks etc.		G.W's price as a system SAVES 2005.00	9700
nara-disks/ tamaisks/ concurrent faintasks etc	•	7695.00	

If you want serious advice by the experts: just call 01-636-8210 or 01-6310-4818 and leave your name & address on our 24 hour answerphone. We will send you a complete info-pack.

Terms: C.W.O./C.O.D. prices exclude VAT. Showroom demonstrations only by prior appointment. Unless otherwise agreed, all warranties are the standard 'return to base' manufacturer's warranty. Annual maintenance facilities are available nationwide upon request.

Telephones: 01-636-8210 01-631-4818 Telex: 892031 TWC G. G.W. Computers incorporated in Boston. Mass. USA. Grama (Winter) Ltd. 43/55 Bedford Court Mans, Bedford Avenue, London WC1.

#### AN IMPORTANT ANNOUNCEMENT FOR POTENTIAL SYSTEM BUYERS

Any serious buyer knows that although the HARDWARE and SOFTWARE are both inter-dependant, the choice of software is CRITICAL to the consequence of having useless piece of hardware nor not.

With this in mind our standard system deal gives you the software free with a system purchase. However, if you want more!

NOW we have a piece of software that is a challenge to the highest state of the art on micro-computers today. It's the first of its kind world-wide. It is called THE KEY, and it will unlock the power of your micro to the limits of your imagination. It is very expensive however, because it is the first to embody many features of other programs, in one single program that has over-lapping functions. It costs 995.00 Stg., and is available with a system purchase.

it features, the entire list of functions already covered by our program called DBMS III.7a to be seen elsewhere in our advertisement. PLUS. +++++++

Paint any form including upwards from 100 (depending upon size of ram in hardware) data fields on the screen. Screen width up to 250 columns. Page lengths 100 lines.

The form might be a letter where data fields on the screen. Screen width up to 250 columns. Page lengths 100 liens.

The form might be a letter where data fields are nameaddresses. Search files and accept any fields on teh database into any fields on the letter. The form might be a spreadsheet, where searches call records (in columnated

style) from the database and perform calculations, the difference here is that unlike other 'calc' programs giving you 254 lines per spreadsheet, THE KEY gives you 32000 lines if your database has that many records.

The standard attributes of any field, allow you to SEARCH OTHER FILES for fields to accept into any field on the current form, plus allowance to POST OTHER FILES any fields from the current form into any fields on that file. RELATE TO AS MANY OTHER FILES, as the number of data fields you have on the master form. Make data fields CALCULATE AGAINST FORMULAE, and other data fields. VALIDATE DATA INPUTS criticially character by character; numerically, alphabetically and date-wise.

NO MANUAL NEEDED, all help menues accessible by hitting 'esc' at any point in the three major modes of activity (create, data entry, data query).

You can set up dozens of individual files that eventually are inter-connected through one master form; like an invoice, order, personnel-file, stock control, mail-shot. The master form may at every juncture of a data field, go outside the current form to supplementary forms for data retrieval, or post-filing.

Come along the computing road with us. We're out in front so you'll get the best there is at the price. On IBM and

The first robot-concurrent-forms-database-text-processorspreadsheet-no-manual-all-in-one-program.

#### G. W. COMPUTERS LTD - Tel: 01-631 4818

Contains the highest state of the art software available today

FORMS/TEXT/CALC/DBMS IV ALL IN ONE PROGRAM - "KEY" - at £995

When you budget for a complete system of software you eventually end up with a host of packages like, Sales, Purchases, Nominal, Data, Text, Calc, Mailshot, Invoice, Order, Workflow, Personnel, and so on.

The list is endless and the outlay several thousands of pounds.

Features. Design a form as wide as a window of 250 characters, long as needed. Cursor movements are 'left, right, up, down, delete left delete right, tab right-left-up-down' Paint your form as you like directly on the screen.

Write a letter as you see it on the screen, edit it then simply enter ^P to print. Text.....

Set into the form, your data fields, "££££££" and specific file-related activities, formulae and validation Calc ..... checks

Enter values and see the spreadsheet calculate itself.

Search files for data to be inserted to fields specified. All the features of DBMS III, explained elsewhere in our ad. Database.

Here's an example of an invoice you might design for your stationery .....

You could design your own spreadsheet, order form, statement, or any other kind of form that is required to fit your existing

	170		noner			
	INV	OICE <	232<0	55555555	3	
To E < 1 > EFFEFFEFFFFFFF E < 2 > EFFFFFFFFFFFFFFFF E < 3 > EFFFFFFFFFFFFFFF E < 4 > EFFFFFFFFFF E < 5 > EFFFFFFFFF			From: G.W. Ltd 55 Bedford Court Mans Bedford Avenue London W.C.1. Tel: 01-636 8210			
Date <6>	Tax poi	int <7>	22.22	Agent <	333<8	
Quantity Description Cost Tax Total						Total
232 <e></e>		2222222		<16>££		<13>£££ <18>£££
	Total<	19>22222	3.	Tax<2	2222<0	

- items <1> to <5> internal command to request name input, and then search an address file for details. items <6> to <7> request date input and validate.
- <??> <??> <??> <??> item <8 > request agent number and validate range. <9 > request quantity, validate range.
- <??> <10>request description, search file, accept, and calculate fields <11>, <12>, <13>, if finished invoice then calculate fields < 19> and < 20>

Now comes the more valuable facility, you can provide the 'FORM' with file-related instructions, not only to request a 'console' input for a file search against names, and stock, but after the invoice is finished the fields you have selected may be passed to related files.

EG: Send fields <0 >, <1 >, <6 >, <7 >, <11 >, <12 >, <13 >, <19 >, <20 > to a sales ledger.

Then send fields <9 >, <10 >, <11 >, to product analysis file.

Then send fields <0 >, <1 >, <7 >, <19 >, <20 > to V.A.T. file

Then send fields <10 >, <11 >, <12 >, <13 > to Nominal ledger.

• Circle No.

Available at present only on SIRUS/IBM PC.

Circle No. 115

available packaged with



Contact your dealer

#### Library Interchange Program Compressed

- **Backs up a Winchester** on to floppies.
- Compresses text or data to less than half size.
- Large files can span multiple discs.
- Selective backup or retrieval, on an inclusive or exclusive basis.

**CLIP** has no equal in reputation, convenience, power or economy CLIP comes standard with the CIFER Business Management System, and with all Winchester systems supplied by COLT and RML

CLIP offers effortless backup.

You can create new commands using a menu procedure, and give each command a name, for later use. To repeat that command, the name alone is sufficient.

With CLIP's powers of selection and compression, the user can expect a four-to-one saving over global copying, with no effort except to feed discs on cue.

Or, CLIP can select just the new/updated files and reduce the backup load still further.

All prices excl. VAT, post free in U.K. Most popular disc formats from stock.



**KEELE CODES LTD** 

University of Keele, Keele, Staffordshire, U.K. Tel: (0782) 629221 Telex: 36113 Access accepted

dBASE II is a trademark of ASHTON-TATE

• Circle No. 117



#### **Datalife**

#### WORDFLOW ELECTRONIC OFFICE SERVICES LIMITED

#### The Datalife People

DISK PRICES PER BOX OF TEN	1-3	4-7	8+
5¼" Mini Disks	£	£	£
MD525-01/10 SSSD/DSDD	18.79	18.30	17.84
MD550-01/10 DSDD	26.71	26.01	25.36
MD577-01/10 SSQD	29.00	28.26	27.53
MD557-01/10 DSQD	35.07	34.16	33.30

FD34-9000 SSSD 26SEC 128 BYTES/SEC 26.50 25.00 23.00 FD32-9000 SSSD 32SEC HOLES + 1 INDEX HOLE 26.00 25.00 24.00 FD10-4008 DSSD 8SEC 512 BYTES/SEC 31.00 29.00 28.00

DD34-4001 D2TM DSDD UNITIALISED/INDEX HOLE

MALINIMA We are currently taking orders for the new 3" and  $3\frac{1}{2}$ " compact disks. Ring now for the best possible price. STOP PRESS

19 SHEEPCOTE ROAD HARROW MIDDLESEX Telephone 01 863 0994 865 4463

#### Circle No. 116

31.00 28.50 27.00

#### COMPUTER FURNITURE



Write or phone for full details to:

Crowther-Cosine 6 Middleton Rd., Whittington, Lichfield, STAFFS WS14 9NB Tel: 0534 432376

# ORIC & B.B.C. OWNERS-UNLEASH REAL COMPUTING POWER WITH I.T.L. KATHMILL



# BYTE DRIVE 500 first Disc Drive with Hybrid Interface Cable and Master D.O.S.

For too long, the performance potential of your computer, has been limited by the lack of a suitable Disc Drive, Now I.T.L's Byte Drive 500 meets this need.

With its 500K Bytes (440K Bytes

3" F.D.D. Unit

\* Power supply unit & mains cable

\* A single P.S.U. can power 2 drives.

formatted) capacity, and access time of only 3ms, Byte Drive 500 opens up a new era of computing capability for the more ambitious user.

Byte Drive 500 is compact,

Hybrid interface cable Power unit cable

economically priced and easy to operate. Systems will shortly be available to interface with Dragon, Spectrum and Vic computers.

The full D.O.S. included in the price consists of:


Master D.O.S. disc 100 page manual

RECOMMENDED RETAIL PRICE £260,00 + V.A.T.

Byte Drive 500 is available from most quality computer retailers. In case of difficulty contact: I.T.L. KATHMILL LTD.

The Old Courthouse, New Road, Chatham, Kent ME4 4QJ.





THERE CAN BE little doubt that the establishment of the Inmos high-technology semiconductor operation with large chunks of British taxpayers' money was a risky venture. Too often in the past, such government interference in the market place has resulted in the creation of unstable, inefficient industries which are constantly returning for more cash, without ever delivering the profits which were expected from them.

It is too early yet to state definitely that Inmos will break this mould, but all of its activities to date seem to suggest that it will. Already it has performed wonders for Britain's international image by consistently producing innovative products which have put the country back in the forefront of high technology. I for one have all my fingers and toes crossed in the confident hope that this well organised, highly motivated, ingenious — and, damn it all, British — company can pull it off.

The Inmos operation was boldly planned and cleverly executed by a group of expatriate British engineers and scientists who had been forced to work in the United States to develop their talents as chip designers. Iann Barron, now managing director, led the search for funds with the simple but informed message that there was no reason why the American microchip miracle should not be repeated here. All you had to do was to think big and use the best brains and equipment in the business.

#### New breed

The marketing strategy was simple too: start with the fastest static RAMs in the world; then move into 64K dynamic RAMs; then set the electronics world on its head with a totally new breed of high-performance microprocessor which would be a revolution in itself. How different to the usual ultra-cautious approach so much favoured by other British semiconductor manufacturers: "Let's wait until someone else has done it, then we will have a dabble. But don't spend too much on it, as we probably won't succeed."

Inmos set up its first manufacturing and design centre in Colorado Springs, in the western U.S. Its first static RAM parts designed there, the 1400 series, went on to become world beaters as predicted. A CAD design centre in Bristol followed, and then a second manufacturing facility in Newport, Gwent. By early 1983 the 64K dynamic-RAM family was in production.

One of the main tasks of the Bristol design centre was to work on the microprocessor, and once again no easy options were taken. Inmos wanted a product that the market would be desperate for: not just another 8086 or 68000 clone, but something new which could offer a quantum leap in processing power so that the world would be breaking down the factory doors to get at it.

The new microprocessor, called the T-424 or Transputer, has now been revealed after months of rumour and

# Britain back in front

#### Ray Coles on the story behind the Inmos Transputer.

speculation. What a machine it is! Designed from the outset to change the way we think about computer architecture, the Transputer is a 32-bit processor with a 4Gbyte address range. It can work by itself or as part of a processor array to deliver astonishing performance.

Inside the 1.15in. square, 84-pin Transputer package there is a single CMOS silicon chip containing the equivalent of 250,000 transistors. They are themselves interconnected to form the main functional blocks including a 32-bit CPU, a 32-bit multiplexed data/address bus, a separate eight-bit peripheral bus, four duplex serial communication links and an array of 4Kbyte of 50 nanosecond static RAM.

Used alone, a single Transputer will be a powerful system in its own right. As part of an array of similar processors, the Transputer provides the basic building block for the design of fifth-generation machines which will be able to execute over 109 instructions per second.

If there is one word which best describes the Transputer approach, it has to be "concurrency". On the chip itself, the memory interface bus, the peripheral interface bus and the four serial buses all act independently and at high speed. Put an array of Transputers together and each chip can operate alone, communicating with its fellows over the serial links to receive instructions or operands and to transmit intermediate results. With four serial channels available, any one chip in an array can send or receive data in the up, down, left and right directions all at the same time.

#### **Programming**

The problems of programming such a highly parallel system have also been tackled by Inmos. As usual it has come up with an ingenious solution in the form of the brand-new Occam language. Occam handles concurrency by the definition of "processes", which are independent computation units complete with their own programs and data, and "channels", which

provide the mechanism for communication between processes. The same Occam program can be executed either by a single Transputer or by an array of any size. To make things easy, the Transputer architecture and instruction set directly support the Occam methodology.

#### Keep it simple

Occam was developed by Inmos in conjunction with Professor C A R Hoare, director of the Programming Research Group at Oxford University. One of Hoare's academic predecessors was the 14th-century philosopher, William of Occam, who first formalised the concept now known as Occam's Razor. Translated from the Latin it states: Entities should not be multiplied beyond necessity — or in other words, keep it simple.

The Occam programming system is already on sale for use on a variety of other machines, including the Apple II and the ACT Sirius, but the real power of the language will not be fully utilised until the first Transputers start to roll off the Inmos production line in late 1984. The basic Transputer instruction set is very simple, with less than 70 instructions. Some of them execute in a single minor cycle of just 50 nanoseconds; others, such as division, take up to 2 microseconds. The on-chip RAM array can be used for data or instructions and gives the great advantage of short access times. Memory accessed outside the chip itself will be slower because of the need to buffer the interconnections to conventional TTL levels. Up to 10,000,000 instructions per second can be achieved by a Transputer operating from internal memory. Following the T-424 32-bit Transputer will be the T-222 16-bit device with the same instrucion set, and after that the G-213 graphics processor and the M-212 disc controller.

Personally, I would like a few shares in Inmos. I wish the company every success with its current quest for extra funding. It deserves to succeed, and so do we.



14" COLOUR TV with TELETEXT and FULL REMOTE CONTROL!

SHARP PC 1500 PORTABLE COMPUTER!

£50 VOUCHER to spend on any product on this page!

#### **COMPARE OUR PRICES**

HOW TO ENTER: BUY JUST ONE OF THESE PRODUCTS TO RECEIVE YOUR ENTRY NOT THE BUT HURRY — CLOSING DATE IS 31.1.844 — AND YOU CAN'T BUY BETTER:



#### COME TO US LAST!!!

#### CDC DISKETTES AT CRAZY PRICES!

STATE SOFT 10 or 16 SECTORED

£1.70
£2.05
£2.85
£2.99
£1.78
£2,10
£2.85
£2.96

10 per box. Prices per diskette quoted. Discounts for quantity ADD 15% VAT + £1.50 P&P

#### MINIMUM ORDER FOR PAPER=5 BOXES

#### LARGE RANGES OF PAPER AND RIBBONS AT **GREAT PRICES**

Code Type		1
TD9 11" × 83" 60 GSM Plain	per	1000 £3.75
TD10 11" × 91 60GSM Perl'd Margins	per	1000 £3.95
TD11 11" × 14;" 70GSM Music Ruled	per	1000 £5.95
RIBBONS: 10 off EPSON FX-80	nhris	£49.95
RIBBONS: 10 off EPSON FX-80		E49.95
10 off EPSON FX-100		£42.50
Refill for metal cartridges		

ADD 15% VAT + £1.50 CARR. PER ITEM (PAPER) OR BOX OF 10 RIBBONS. **DELIVERY 10-14 DAYS** 

MANY MORE AVAILABLE - PHONE FOR DETAILS NOW! 01-965 0672

Very powerful and versatile, from Rade Systems the R150 multiprocessor SBC £385!! (ex. VAT + carr). Amazing spec. Look what you get: Z80A at 4MHz with 64K RAM 5½/8" disk controller, Z80A CTC, Z80A DMA, Z80A P10, memory mapped VDU uses M6845 CRTC, got 25 × 80 char display, you can use all the TDB option cards to build your own powerful system, or build your own TD81 Suitable power supply £95. Keyboard from £85. Cased Video Monitors from £95. Keyboard from £85. Cased Video Monitors from £95. Supplied with full technical documentation. Demand for this excellent machine is high! Order now! Power requiremems: ±5V@1.5A, ±12V@25A. —12V required for RS232 option — available on our standard PSU.



#### DON'T WASTE MONEY! ON OTHER COMPUTERS: COMPARE THE TOB WITH OTHERS - COME TO US LAST!!

FROM £995



For dual 250KB disk system with 25×80 char. VDU, 93-key keybord, user definable char. set 128KB RAM fine upper limit to expansion, due to our ninique bus structure. This also allows CPUs to be mixed. 4KB RBM with MJC monitor, bootstrap, dual RS232 ports to 19.2K baud, software controlled. Unique 'stackable' option modules allow easy and cheap expansion of your system.—the first rational development from - the first rational development from S-100 bus based machines!

£149

TOS SYSTEM **Dual Serial** Ports 10MHz Dual 250KB

TD8 Keyboard

CPIMBO F139 CPIMBS F225 BOBGIZ with CP/MBO £139. CP/MBG £225. B086/7 with 128KB £495 extra gives you THE most powerful machine in its class. You could spend £6,000 for a machine of this specification. Other options include: 64KB RAM expansion £135. 192KB RAM £249. IEEE488 £97.50.

Sync comms £78. Dual Parallel Ports £59. Dual RS232 £59. 68000 CPU £7BA. 16032 CPU ETBA. A to D and D to A converters, high res. graphics, floppy and hard disk controllers and drives, tracker ball, real-time clock/calendar with BBU and more on the way!

CHOOSE YOUR SOFTWARE FIRST THEN COMPARE OUR HARDWARE...



SOFTWARE: WordStar, Mailmerge, D Base II, Personal Pearf, MBasic, CBsciic, Pascel 2, MT+, Fortran, CIS Cobol, C, Cardbex, FMS, DAtastar, CalcStar, Supercalc, Mathemagic, Peac'tree Sales Nominal, Purchase Ledgers, Inventory management, Payroll, etc., ADA, Charger, Raffor, Act 80, Act 65, 68, 69, 86/88, Tran8, Catchum and much more discounted for the control of the

#### PHONE TO ARRANGE DEMO 01-965 0627

Complete TD8 system (as illust.) with Keystar, Epson RX-80, disk filing box, CPM 2.2 and WordStar, VDU and keyboard

#### ONLY £1895!

ADD £19 carr. Does not include desk unit. Price is ex. VAT & carr.

OR with HR15 Daisy Wheel - £1995

#### **KEYSTAR**

SCALE COPY OF KEYSTAR KEYBOARD SHOWING THE FUNCTIONS PROVIDED



ONLY £189.95 e. VAT & carr, Add £2 P&P) SUITS MOST MACHINES:

SUITS MUST MACHINES: KeyStar's Iriendly keyboard allows you to work more efficiently saving time and mistakes! Demand is high for this amazing addition to the world's most popular WP package, SO DRDER NOW! 01-965 0627 Telex: 24708

NO MORE FUMBLING FOR THE 'CONTROL' KEY



HERE! The answer to all your WP problems!1 If you use WordStar, KeyStar will allow even those unfamiliar with WP to use the system straight away!

#### INCREDIBLE!

A high quality daisy wheel printer with RS232 interface, 3KB character buffer, and a host of other features like full WordStar function support, dual colour (redblack) printing ONLY £475 (ex. VAT + £12 carr)



SPECIAL OFFER UNTIL JANUARY 1, 1984
FREE DATA CABLE WITH EVERY BROTHER HR15!
Use this printer with the low-cost TD8 micro for the ultimate in
low-cost WP systems.

FROM £12

DATA CABLES MADE TO YOUR SPEC/OFF SHELF

#### TALK ABOUT CHEAP!

Philips 12" Video Monitor  $-25 \times 80$  characters, P31 green phosphor attractive case. Ex. VAT & Carr.

· ONLY £84.50!

KEEP RUNNING OUT OF SPACE! BDOS ERRORS? ADD AN EXTRA DISK DRIVE TO YOUR MACHINE

CASED AND UNCASED UNITS

OR WITHOUT POWER

MODULES



#### BBC COMPATIBLE

CASED AND PSU:	
250KB SS 40 TRK	E139
500KB D\$ 40 TRK	£195
500KB SS 80 TRK	E195
1 MB DS 80 1RK	£229
1,6M8 DS 80 TRX	€289
2 drive PSU Module	£69
4 drive PSU modules	£99

- FD-55 features

  Half the height of conventional
- Copacity from 125 KBytes to 1.6MBytes

New LSIs make

the FD-55 Series

- LöMöytes
   Perfect diek registration
   Brushless DC direct drive motor
   High speed data access
   Low power generation (4.9 W. operating)
   LEO(photo sensor system

#### DUAL DRIVE UNITS WITH PSU

Twin 250K SS 40 TRK £299 Twin 500K DS 40 TRK £299
Twin 500K DS 40 TRK £295
Twin 500K SS 40!80 TRK £425
Twin 1M8 DS 40:80 TRK £495 Twin 1.6MB DS 80 TRK...£008

3 2MB 2MBytes £675! £495!

TRADE ENQUIRIES WELCOME

#### Post now to: Teledigital computers, 42 gorst road, park royal industrial estate, london NW10 6LD

Please send me	Qty	Description	a.£	+ VAT & Carr	"I enclose cheque
					*My Access/Visa
Phone us if you require more information on any of the					is
above 01-965 0627	-				Allow up to 28 days delivery on non
Assent V/SA					products, Your entry may be sent by return. Delete where applicable.
	Phone us if you require more information on any of the above 01-965 0627	Please send me  Phone us if you require more information on any of the above 01-965 0627	Please send me  Phone us if you require more information on any of the above 01-965 0627	Phone us if you require more information on any of the above 01-965 0627	Phone us if you require more information on any of the above 01-965 0627

# It's what's behind our products that puts our dealers even further in front.



- Unrivalled price/performance
- Immediate availability
- Full dealer support package
- Consistent quality
- No-nonsense warranties
- National coverage

ACKED BY the Dyneer Group, X-Data has resources to buy the highest quality products at best possible prices, so the dealer gets the deal he deserves. Superb depot service facilities, unrivalled technical support and fast action telephone service are all X-Data hallmarks.

And for the dealer, fast response. Sensible stocklevels allow rapid delivery against dealers' orders. Fast response to technical queries gives you the help you want when you want it. True specifications, so the dealer knows that whatever he buys will do its job properly, and guaranteed quality which ensures no hidden costs.

X-Data supports the dealer. X-Data ensures the dealer gets what he needs. X-Data will be here to serve you when the others have gone.

- OKI matrix printers
- Dyneer daisywheel printers
- IMI Winchester disk drives
- Dyneer disk sub-systems
- Xebec disk sub-systems
- Dyneer colour/mono monitors



X-DATA LIMITED, 750 DEAL AVENUE, SLOUGH TRADING ESTATE, SLOUGH, BERKS SL1 4SH.TEL: SLOUGH (0753) 72331







## **AUTHORISED** digital PERSONAL COMPUTER DEALER

LONDON

Beauchamp Computer Systems Ltd., 115 Fulham Road, London SW3 6RL. Telephone: 01-589 1975.

Beauchamp Computer Systems I.td., 22 Deerpark Road, Morden Road, Merton 5W19 3UN. Telephone: 01-589 1975.

Circulas Ltd... 69-73 Theobalds Road, London WC1X 8TA. Telephone: 01-242 0223.

Computacenter, 290 Kensington High Street, London W14 8PA Telephone: 01-602 8405.

Computerland - Marble Arch (Fotodisc Ltd.), 38 Edgware Road, London W2 2EH. Telephone: 01-723 3071.

CLM/Matmos Ltd.,

262 Earls Court Road, London SW5. Telephone: 01-373 4508

Digitus Ltd.

Lading House, 10–14 Bedford Street, London WC2E 9HE Telephone: 01-379 6968. DSR (UK) Ltd.

27 Princes Street, Hanover Square. London W1R 8NQ. Telephone: 01-409 0077. Demotab Ltd.,

Victory House, 99–101 Regent Street, London W1. Telephone: 01-439 3971.

Guestel Ltd. 40 New Bridge Street, London EC4

Telephone: 01-248 0416. Hamilton Rentals Limited.

Hamilton House, North Circular Road, London NW10 7UB, Telephone: 01-961 6777. Hoskyns Group Limited,

Africa House, 64–78 Kingsway, London WC2B 6BL. Telephone: 01-242 1951. Micro Business Systems PLC.

St. Mary Abchurch House, 123 Cannon Street, London EC4N 5AX, Telephone: 01-626 2181. Ovez Professional Services Limited.

Legal profession Oyez House, P.O. Box 55, 237 Long Lane, London SE1 4PU. Telephone: 01-407 8055.

Personal Computers Ltd.

220–226 Bishopsgate, London EC2. Telephone: 01-377 1200. Planning Consultancy Ltd.

46–47 Pall Mall, London SW1Y 5JG. Telephone: 01-839 8890.

Programs Unlimited Computer Centres, 35 Baker Street, London W1N 1AE. Telephone: 01-487 3351,

Spartex Micro, 3-16 Woburn Place, London WCI OJE. Telephone: 01-833 1867

Steiger Computers Ltd. Steiger House, North Circular Road, Stonebridge Park, London NW10 7QZ Telephone: 01-961 6000.

Sumlock Bondain Ltd., 263-269 City Road, London EC1V IJX. Telephone: 01-250 0505. Systems Plus Ltd.,

47 Berkeley Square, London W1. Telephone: 01-629 0065.

The Computer Terminal, 44 Cathedral Place, London EC4M 7ED. Telephone: 01-236 2187.

BERKSHIRE

Bytech Limited. Unit 57, Suttons Industrial Park, Earley, Reading, Berkshire RG7 1AZ Telephone: 0734 61031.

Care Software Technology Limited, 81 London Street, Reading, Berkshire RG1 4QA Telephone: 0734 55521.

Micro Business Systems PLC., 119–120 High Street, Eton, Berkshire SL4 &AN, Telephone: 07535 &&171.

Microsystems Centre (Slough) Ltd., 56 High Street, Slough, Berkshire SL1 1EZ. Telephone: 0753 76976/7.

Norbain Micro Ltd. Norbain Micro Etc., Norbain House, Boulton Road, Reading, Berkshire RG2 OLT, Telephone: 0734 752201 BEDFORDSHIRE

SWW Ltd.,

Ketwell House, 75-79 Tavistock Street, Bedford MK40 2RR. Telephone: 0234 40601.

BUCKINGHAMSHIRE

Minicomputer Commercial Software Limited, Insurance brakers

Computer House, Thames Industrial Estate. Marlow, Bucks. SL7 1TB. Telephone: 06284 71011. Rapid Recall Ltd.

Rapid House, Denmark Street, High Wycombe, Bucks. HP11 2ER. Telephone: 0494 26271.

CAMBRIDGESHIRE

Cambridge Computer Store, 1 Emmanuel Street, Cambridge CB1 1NE. Telephone: 0223 65334/5.

GST Computer Systems Limited. 13 The Mall, Bar Hill, Cambridge CB3 8DZ. Telephone: 0954 82061.

CHESHIRE

Micro Business Systems PLC The Genesis Centre, Garrett Field, Birchwood Science Park, Warrington WA3 7BH. Telephone: 0925 822261.

Rapid Recall Ltd., 28 High Street, Nantwich, Cheshire CW5 5AS. Telephone: 0270 627505.

CO DURHAM

Whessoe Business Systems, Brinkburn Road, Darlington, County Durham DL3 6D5. Telephone: 0325 60188.

DERBYSHIRE

Davidson-Richards Ltd. Systems House, 29 Charnwood Street, Derby DE1 2GU. Telephone: 0332 383231. Micro Business Systems PLC

Wirksworth, Derbyshire DE4 4EZ. Telephone: 062-982 3120.

Midlectron Computer Systems and Terminals, Midlectron Ltd., Midlectron House, Nottingham Road, Belper DE5 1JQ. Telephone: 077-382 6811.

DEVON

Devon Computers Ltd., The White House, 39 Totnes Road, Paignton, Devon TQ4 5LA. Telephone; 0803 526303.

South Coast Computers Ltd., South Coast House, Wimbourne Road, Ferndown, Dorset BH22 9NG. Telephone: 0202 893040.

Dataview Ltd., Portreeves House, East Bay, Colchester, Essex CO1 2XB. Telephone: 0206 865835. STC Micro

West Road, Harlow, Essex CM20 2BP. Telephone: 0279 443421.

GREATER MANCHESTER

Cytek (UK) Ltd., Sandringham House, 9 Warwick Road, Old Trafford, Manchester M16 0QQ. Telephone: 061-872 4682.

Hamilton Rentals Limited. Grove House, Skerton Road, Old Trafford, Manchester M16 OWL. Telephone: 061-848 8338.

Maricos Computer Services Ltd., 269-271 Barlow Moor Road, Chorlton-Cum-Hardy, Manchester M21 2GJ. Telephone: 061-860 6600.

GREATER MERSEYSIDE

Rockliff Micro Computers Ltd. 2 Rumford Street, Liverpool L2 8SZ. Telephone: 051-227 2568.

HAMPSHIRE

Computerland (Sperrings Computer Shops Ltd.), Spencer House, 12–14 Carlton Place, Southampton SOI 2EA Telephone: 0703 39571. Quest International Computer Systems Ltd., School Lane, Chandlers Ford, Hampshire SO5 3YY, Telephone: 04215 66321.

HERTFORDSHIRE

Tesco Business Centre, Bessemer Road, Welwyn Garden City. Herts. AL7 1HB. Telephone: 07073 39333.

HUMBERSIDE

Microware Computers Ltd., Priory House, 1133 Hessle High Road, Hull HU4 6SB. Telephone: 0482 562107.

Bromley Computer Consultancy Ltd., 417–421 Bromley Road, Bromley, Kent BR1 4PJ. Telephone: 01-697 8933. M. W. Systems. (M. D. Wright Data Services Ltd.), 64 Burgate, Canterbury, Kent CT1 2HJ. Telephone: 0227 69090.

LEICESTERSHIRE

Hogg Robinson Systems Ltd., Pegasus House, 17 Burleys Way, Leicester LE1 3BH. Telephone: 0533 50131.

MERSEYSIDE

Rockliff Micro Computers Ltd., 2 Rumford Street, Liverpool L2 8SZ. Telephone: 051-227 2568.

MIDDLESEX

Cord Design Ltd. (Sytec Products Division). Victor House, Staines, Middlesex TW18 4DS. Telephone: 0784 56601.

Ferrari Software Ltd., 683 Armadale Road, Feltham, Middlesex TW16 5DA. Telephone: 01-751 5795.

Hawke Electronics Limited, Hawke Electronics Enlines Amotex House, 45 Hanworth Road, Sunbury-on-Thames, Middlesex TW16 5DA. Telephone: 01-979 7799.

Morse Computers, Unit 9. Hampton Farm Industrial Estate, Feltham, Middlesex TW13 6DB. Telephone: 01-898 2772/9934.

Newbury Data Recording Limited, Hawthorne Road, Staines, Middlesex TW18 3BJ. Telephone: 0784 61500.

NORFOLK

Anglia Computer Centre 88 St. Benedicts Street, Norwich, Norfolk NR2 4 AB. Telephone: 0603 667032/3/4.

NOTTINGHAMSHIRE Computer Services Midlands (Sales) Ltd. Dunlop India House, Abbeyfield Road, Lenton Industrial Estate West,

Nottingham NG7 2SZ. Telephone: 0602 866366. OXFORDSHIRE Oxford Data Systems, 29 Pound Way, Cowley Centre, Oxford OX4 3XX.

Telephone: 0865 717720. Zygal Dynamics PLC., Zygal House, Telford Road, Bicester, Oxon OX6 0XB, Telephone: 0869 253361.

SHROPSHIRE Jentech Services Ltd. 4–5 Victorian Arcade, Mardol, Shrewsbury, Shropshire SYI 1TS. Telephone: 0743 57345.

SURREY GSILid. Motor dealers

Stanhope Road, Camberley, Surrey GU15 3PS. Telephone: 0276 62282.

Key Computer Centres, Enterprise House, Terrace Road, Walton-on-Thames, Surrey KT12 2SD. Telephone: 09322 42777. Microfacilities Ltd.,

7-9 Church Road, Egham, Surrey TW20 9QL. Telephone: 0784 31333. Novus Systems Technology Limited, Weymead House, Millbrook, Guildford GUI 3YA. Telephone: 0483 69933.

SUSSEX

Amplicon Micro Systems Ltd., Richmond Road, Brighton, East Sussex BN2 3RL. Telephone: 0273 608331.

Bartholomews Business Systems Ltd., Farming: agricultural suppliers Portheld, Chichester, Sussex PO19 2NT. Telephone: 0243 775111.

South East Computers Ltd. Unit 2. Castleham Road, Castleham Road Industrial Estate, Hastings, Sussex TN38 9NR. Telephone: 0424 426844.

TYNE AND WEAR

Key Computer Services Limited, 28 Osborne Road, Jesmond, Newcastle NE2 2AJ. Telephone: 0632 815157.

WEST MIDLANDS

Computer Services Midlands (Sales) Ltd. Refuge Assurance House, Sutton New Road. Erdington, West Midlands B23 &QX. Telephone: 021-382 4171. Hamilton Rentals Limited, Crawford House, 84 Caroline Street, Birmingham B3 1UP. Telephone: 021-236 3561. Sumlock Bondain Ltd., Carleton House, 268 Stratford Road, Shirley. Solihull West Midlands B90 3 AD.

WILTSHIRE

Telephone: 021-745 8616.

Computacenter, Theatre Square, Swindon, Wilts, 5NI IGN. Telephone: 0793 694997. Whymark Computing. 20 Milford Street, Salisbury, Wilts. SP1 2AP.

Telephone: 0722 331269.

YORKSHIRE

ComputerStyle Ltd., Park House, Park Square, Leeds LS1 2PS. Telephone: 0532 444337. Microware Computers Ltd. Diamond House, Whitelock Street, Leeds LS7 1AL. Telephone: 0532 434377.

WALES SOUTH GLAMORGAN Sigma Systems Ltd., 266 North Road, Cardiff CF4 3BL. Telephone: 0222 621414.

**SCOTLAND** GRAMPIAN

Hamilton Rentals Limited. Unit 4, Howemoss Drive, Kirkhill Industrial Estate, Dyce, Aberdeen AB2 OGL. Telephone: 0224 770816. Pilgrim Business Machines Ltd.. 30 Northfield Place, Aberdeen ABI 1XQ. Telephone: 0224 645104.

STRATHCLYDE

Ayrshire Office Services Ltd., 22 Douglas Street, Kilmarnock KAI IRB. Telephone: 0563 24255. Counterpoint Industries Limited, 7/8 Blythswood Court, Anderston Cross Centre. Glasgow G2 7PH, Telephone: 041-248 5544. Micro Business Systems PLC., Burlington House, 183 Bath Street Glasgow G2 4HU, Telephone: 041-248 5005.

WEST LOTHIAN

Micro-Centre (Complete Microsystems) Ltd., 30 Dundas Street, Edinburgh EH3 of N. Telephone: 031-556 7354. Pilgrim Business Machines Ltd. Solicitors in Scotland 28 Walker Street, Edinburgh EH3 7HR.

Telephone: 031-226 5528 NORTHERN IRELAND Systems Plus (N.L) Ltd. 19 Glengormley Park, Newtownabbey, Northern Ireland, Telephone: 023-134 2636.

To: Digital Equipment Co. Ltd., Customer Information Centre, Jays Close, Basingstoke, Hants. RG22 4DE. Please send me details on the Rainbow 100+ and associated software.
Name
Position
Company
Address
Telephone No

Market specialists where available are shown in italies.



## YOU HAVEN'T SEEN ANYTHING LIKE THIS ON A COLOUR MONITOR

An RGB monitor from JVC offering a resolution of 370 x 470 pixels for less than £150?

We guarantee you won't see another bargain like that in this or any other micro mag-or in any other supplier's showroom

For we've managed to acquire the sole distribution rights to these superb machines and we are able to offer them at an unbeatable price.

There are two models available: medium resolution (370 x 470 pixels) at &149.95; and high resolution (580 x 470 pixels) at &229.95. (Both excluding VAT.)

The units have a 14" screen and are suitable for the BBCMicro, Lynx, Oric, Apple, and most other leading micros.

They are robustly constructed in a handsome cream casing. And come with a full year's guarantee.

Delivery is good: your monitor should arrive by courier service within ten days of our receiving your order.

You can order by filling in the coupon below and posting to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 OEE. Or by telephoning 01-701 8668 quoting your credit card number. Or, of course, you can buy in person at our showroom between 9am-6pm Monday-Friday, 9am-1.30pm Saturday.

MODEL REFERENCE	1502 4 Medium Resolution	1302 2 High Resolution
RESOLUTION	370 x (70 Pixels	580 x 170 Pixels
C.R.I	11"	Ti*
SUPPLY	220 240v. 50 60Hz.	220-2 (0v: 50-60Hz.
EJIJ	Minimum 19.5kv Maximum 22.5kv	Minimum 19.5kv Maximum 22.5kv
VIDFO BAND WIDTH	OMHz.	IOMHz
DISPLAY	80 characters by 25 lines	80 characters by 25 lines
SLOT PITCH	0.65mm	0. dmm
INPUT VIĐEO	R.G.B. Analogue TTL Input	R.G.B. Analogue TTL Input
SYNC	Separate Sync on R.G.B. Positive or Negative	Separate Syncion R G.B. Positive of Negative
ENTERNAL CONTROLS	On off switch and brightness control	On offswitch and brightness control



To Opus Supplies Ltd.	. 158 Cam	berwell Road, London SE5 0EE.
Please send me		m Resolution Colour Monitor(s) at 05 each (ex. VAT).
7		esolution Colour Monitor(s) at 25 each (ex. VAT).
	_Conne	ction lead(s) at £6.00 each.
Lunderstand carriage	per moni	tor will cost an extra &7.00.
	. A High I	nitor including VAT, lead, and Resolution Monitor including VAT, 9.)
Tenelose a cheque for	\$3	Or please debit my credit card
account with the amo	unt of &_	My Access/Barclaycard
(please tick) no. is		
Please state the make o	fyour.co	mputer
Name		
Address		Omic
	*	-Upus.
Telephone:		Opus Supplies Ltd.

• Circle No. 124

## LONDON COMPUTER CENTRE

## **NEC ADVANCED** PERSONAL COMPUTER

16 bit 8086 128K Ram 2.4Mb Disk Storage CP/M86 - MS DOS

Green Screen Colour Display

£1985 £2595



## LCC SPECIAL BUNDLE.

R.R.P. £1985 NEC APC-NEC Dot Matrix Printer Benchmark WP Software R.R.P. £ 311 Cables

R.R.P. £ 395 R.R.P. £ 30

£2721

vou pay you save

£1985 £ 736

## apricot 256K from £1495



## SIRIUS 1

1.2 Mb Disk Storage £2195 2.4 Mb Disk Storage £2895 10. Mb Disk Storage £3995

## Hard Disk for IBM PC, Sirius, QX10 NEC

10 Mb £1545 15 Mb £1695 20 Mb £1995 20 Mb Tape Streamer £1495



IBM PC COMPATIBLE

\*256K RAM \*Twin Floppy Disk Drives \*Big 9" Screens \*Serial & Parallel Ports \*Concurrent CP/M, multimate (Wangwriter) Word processing software £2295

## **New TANDY** Model 4

CP/M 3.0\* Optional extra 64K-128K RAM from £1299

## TELE-VIDEO 806/816

the Multi User Computer System

## LAP PORTABLES

**HX20** 

Portable with built from £402

## **EPSON TANDY 100**

Portable with built-in 4 Programmes: Word Processor, address book, scheduler, and communications. Large 40 x 8 char. £433

## **NEC PC 8201 16K RAM EXPANDABLE to 96K**

Lap Portable with 8 built in programmes, Word Processor, Investment Portfolio, Loan Evaluator, Appointment/Schedule, Bar Code Reader, Calculator, Tank & Snake Game, Music Generator

Large 40 x 8 LCD Display Built-in Serial, Parallel & Bar Code Reader Ports. £475 Free 12" monitor with

9" SCREEN ZORBA



Portable full 80 x 24 display 800K disc storage Free software worth £800 £1395



## **FLOWRITER RP 1600** 60 CPS

Fast and reliable 8K buffer 21600

Diablo 620 compatible

TEC F10

40 CPS

Japanese reliability £1350

## Star Printers

Delta 10-160 CPS serial & parallel interfaces built-in 8K buffer £359

Gemini 10X 120CPS. Parallel interface £219

\*Epson compatible control codes.



For originals,

£695

## TOSHIBA P1350

24 Needles - high speed drafts 190 CPS Letter Perfect Printing 100 CPS Addressable Pin Graphics £1130 Options: Tractor £87: Sheet feeder £520

**3 TRAY AUTO** 

copies and envelopes.

SHEET FEEDER

## EPSON FX80/100

SHEET FEEDER £375

## **New JUKI 6100** Daisywheel 18 CPS

Bi directional Adler daisywheels Diablo 630 protocols £399



**SENDATA 800 SERIES ACOUSTIC COUPLER** £220

## **Buzz Box** Direct Connect Modem

SUITABLE FOR MOST DAISY PRINTERS

All prices are Exclusive of VAT and Delivery. Dealer Enquiries invited on all Products. Large range of CPM Software available. Please phone for catalogue & price list Demonstrations on all models.

43 Grafton Way, London W1P 5LA (Opposite Maples)
Opening Hours: 10-7 Mon-Fri. 12-4 Sat. 01-387 4455 (4 lines) Telephone Answering Service After Office Hours Telex: 8953742



loss, 3M make floppy disks that are at least 32 percent less abrasive than the industry average.

They can exceed 10 million passes (equivalent to changing data everyhour for centuries) as opposed to the mere 3½ million expected by disk drive manufacturers.

With their ability to store everything from a production line's stock control to a complete filing cabinet of records, floppy disks can hurl a company into the computer age. Or set it back years.

Because abrasive coatings on a disk can cause all your precious information to be lost forever.

## YOU HAVEN'T SEEN ANYTHING LIKE THIS ON A COLOUR MONITOR

An RGB monitor from JVC offering a resolution of 370 x 470 pixels for less than £150?

We guarantee you won't see another bargain like that in this or any other micro mag-or in any other supplier's showroom.

For we've managed to acquire the sole distribution rights to these superb machines and we are able to offer them at an unbeatable price.

There are two models available: medium resolution (370 x,470 pixels) at &149.95; and high resolution (580 x 470 pixels) at &229.95. (Both excluding VAT.)

The units have a 14" screen and are suitable for the BBCMicro.Lynx,Oric,Apple, and most other leading micros.

They are robustly constructed in a handsome cream casing. And come with a full year's guarantee.

Delivery is good: your monitor should arrive by courier service within ten days of our receiving your order.

You can order by filling in the coupon below and posting to: Opus Supplies Ltd., 158 Camberwell Road, London SE5 OEE. Or by telephoning 01-701 8668 quoting your credit card number. Or, of course, you can buy in person at our showroom between 9am-6pm Monday-Friday, 9am-1.30pm Saturday.

MODEL REFERENCE	1302 J Medium Resolution	1302 24 ligh Resolution
RESOLUTION	370x-(To Pixels	580 x (70 Pixels
LRT	4 E"	14"
SUPPIA	220 240x 50 60Hz.	220 230v. 50 60Hz.
Educa	Minimum 19.5ky Maximum 22.5ky	Minimum 19.5kv Maximum 22.5kv
VIDEO BAND WIDTH	OMHz.	IOMHz.
DISPLAY	80 characters by 25 lines	80 characters by 25 lines
SLOT PITCH	0.65mm	0.41mm
INPUT VIDEO	R.G.B. Analogue TTI, Input	R.G.B. Analogue TTL Input
SYNC	Separate Sync on R.G.B. Positive or Negative	Separate Sync on R.G.B. Positive or Negative
ENTERNAL CONTROLS	On off switch and brightness control	On off switch and brightness control



To Opus Supplies Lt	d., 158 Camberwell Road, London SE5 0EE.
Please send me	— Medium Resolution Colour Monitor(s) at £149.95 each (ex. VAT).
	High Resolution Colour Monitor(s) at £229.95 each (ex. VAT).
	Connection lead(s) at £6.00 each.
Funderstand carriag	e per monitor will cost an extra £7.00.
	olution Monitor including VAT, lead, and 39. A High Resolution Monitor including VAT, ssts .\$279.59.)
L'enclose a cheque fe	or ⩔ please debit my credit card
account with the an	nount of £ My Access/Barclayeard
(please tick) no. is_	
Please state the make	of your computer
Name	
Address	
	Ototal
	- Units
	Opus Supplies Ltd.
Telephone:	PC4

• Circle No. 124



And each and every one is subjected to analogue and digital tests before leaving the factory.

Which is why we can confidently guarantee them for life.

Of course, we're not trying to suggest that every single one of our rivals' disks are faulty.

But who wants to play Russian roulette with a business?

If you would like to know more about 3M floppy disks or where your closest distributor is, give us a ring at 3M on Bracknell (0344) 58502.

Who's brave enough to choose the floppy disks in your company?



## LONDON COMPUTER CENTRE

## **NEC ADVANCED** PERSONAL COMPUTER

16 bit 8086 128K Ram 2.4Mb Disk Storage CP/M86 - MS DOS

Green Screen Colour Display

£1985 £2595



## LCC SPECIAL BUNDLE.

NEC APC-NEC Dot Matrix Printer Benchmark WP Software R.R.P. £ 311

R.R.P. £1985 R.R.P. £ 395 R.R.P. £

£2721

you pay you save £1985 £ 736

## apricot 256K from

£1495



## SIRIUS 1

1.2 Mb Disk Storage £2195 2.4 Mb Disk Storage £2895 10. Mb Disk Storage £3995

## Hard Disk for IBM PC, Sirius, QX10 NEC

10 Mb £1545 15 Mb £1695 20 Mb £1995 20 Mb Tape Streamer £1495



IBM PC COMPATIBLE

\*256K RAM \*Twin Floppy Disk Drives \*Big 9" Screens \*Serial & Parallel Ports \*Concurrent CP/M, multimate (Wangwriter) Word processing software £2295

## **New TANDY** Model 4

CP/M 3.0\* Optional extra 64K-128K RAM from £1299

## TELE-VIDEO 806/816

the Multi User Computer System

## LAP PORTABLES

## **HX20**

Portable with built in printer from £402

## **EPSON TANDY 100**

Portable with built-in 4 Programmes: Word Processor, address book, scheduler, and communications. Large 40 x 8 char. line display £433

## **NEC PC 8201 16K RAM EXPANDABLE to 96K**

Lap Portable with 8 built in programmes, Word Processor, Investment Portfolio, Loan Evaluator, Appointment/Schedule, Bar Code Reader, Calculator, Tank & Snake Game, Music Generator

Large 40 x 8 LCD Display Built-in Serial, Parallel & Bar Code Reader Ports. £475

## Free 12" monitor with 9" SCREEN ZORBA



Portable full 80 x 24 display 800K disc storage Free software worth £800 £1395

## FLOWRITER **RP 1600** 60 CPS

Fast and reliable 8K buffer £1600

## TEC F10 **40 CPS**

Diablo 620 compatible

Japanese reliability £1350

## Star Printers

Delta 10-160 CPS serial & parallel interfaces built-in 8K buffer £359 Gemini 10X 120CPS.

Parallel interface £219

\*Epson compatible control codes.



## TOSHIBA P1350

24 Needles - high speed drafts 190 CPS Letter Perfect Printing 100 CPS Addressable Pin Graphics £1130 Options: Tractor £87: Sheet feeder £520

## **EPSON FX80/100 160 CPS**

SINGLE SHEET FEEDER £375

## **New JUKI 6100** Daisywheel 18 CPS

Bi directional Adler daisywheels Diablo 630 protocols £399



## SENDATA 800 SERIES ACOUSTIC COUPLER £220

**Buzz Box** Direct Connect Modem

## **3 TRAY AUTO** SHEET FEEDER

For originals. copies and envelopes. £695

## SUITABLE FOR MOST DAISY PRINTERS

All prices are Exclusive of VAT and Delivery. Dealer Enquiries invited on all Products. Large range of CPM Software available. Please phone for catalogue & price list Demonstrations on all models.

43 Grafton Way, London W1P 5LA (Opposite Maples)
Opening Hours: 10-7 Mon-Fri. 12-4 Sat. 01-387 4455 (4 lines) Telephone Answering Service After Office Hours Telex: 8953742

## The right software for your application from



System Consultancy

## COMPUTECH



## COMPUTECH FINANCIAL ACCOUNTING PACKAGES

**Payroll** £375 Invoicing and Stock Recording £295 Sales, Purchases and General Ledgers each £295 Also costing and group consolidation

## COMPUTECH UTILITIES DISK

for reliable error checking copying, diskette scan, interpret and patch, etc £20 VisiCalc, Applewriter and other Apple software (Prices on request)

## COMPUTECH CHAIN MAIL

A mailing merging document processor which may be used with text files, including random files and Applewriter 1.1 binary files

## COMPUTECH GRAPHICS DISK

for printing Apple pictures and graphs on Epson and Microline (free with printers purchased from Computech) £30

## COMPUTECH TERMINAL UTILITIES

Apple to Apple and Apple to mainframe

£45

## plug if in and go! switches and jumpers provide hardware options without soldering



168 Finchley Road, London NW3 6HP. Tel: 01-794 0202

## OVER 20,000 PEOPLE CAN'T BE WRONG

ACT SIRIUS 1

£2,195 £2,895

Powerful 1.2Mb data storage with 128K RAM and including two of the industry standard operating systems at 16-bit level, CP/M-86 and MS-DOS. PLUS Basic 86.

2.4Mb data storage with a big 256K RAM for the really demanding business applications. Includes CP/M-86, MS-DOS and Basic 86.

Above are two very good reasons why more people have bought the ACT Sirius 1 than any other 16-bit microcomputer in the U.K. Here are a few more:

ACT Sirius 1 is a superb user-friendly machine incorporating a comprehensive 'soft' keyboard, a 12" high resolution screen for crisp, clear definition and a wide range of memory options including a 10Mbyte Winchester version and a choice of three plug-in expansion boards.

The range of available software is simply unrivalled in the personal computer field. Over 1,000 software packages now exist to provide complete solutions to the needs of large and small businesses alike.

And of course the ACT Sirius 1 is backed by the strength and resources of ACT. The Pulsar range of true 16-bit software for accounting, planning and word processing; ACT Training Centres open to all; nationwide field service; a full range of printers and consumables. And, the most complete and professional dealer network in the U.K.

Over 20,000 people are rightly convinced that the ACT Sirius 1 is the best machine of its kind in the country.

CAN YOU REALLY AFFORD TO BE WRONG?

## ACT SIRIUS 1, THE UK'S BEST SELLING 16-BIT MICROCOMPUTE

Please send me details of the ACT Sirius 1.

Name:

Position:

Company:\_

Address:



ACT (UK) Limited

Shenstone House, Dudley Road, Halesowen, West Midlands B63 3NT, Telephone: 021-501 2284

Telex: 337007

Tel. No:

• Circle No. 127

P.C. FEB.



## Are you the QX-10 that undertakes financial modelling, stock control, word processing, information analysis, book-keeping...?



With over 20 years of experience in producing high quality printers, Epson have now perfected a fully integrated desktop computer. All the evidence has gone to prove that the QX-10 is capable of performing all the tasks you will ever require of it, quickly and efficiently.

Installation of the QX-10 can be carried out with the minimum of interruption, and with its easily understandable keyboard, it is simplicity itself to operate.

Having such a diverse range of software packages available such as database from Pearl and office productivity and accountancy from Peachtree with C P/M and multifont BASIC as standard, the QX-10 can supply all the answers whatever your business.

Just look at what's on offer: a big memory

– 192k upgradable to 256k RAM and all the
graphics you'll ever need – and high
resolution graphics at that.

The ability to communicate easily with other machines, including our own HX-20 and

the advantage of using our fine range of printers, make the QX-10 a totally versatile system at a price you'll find impossible to equal – £1735 plus VAT.

If you're looking at micros, look at the QX-10.

The system with all the answers.

## **EPSON**

## Extraordinary product. Exceptional quality.

Epson (UK) Limited, Freepost, Wembley, Middlesex HA9 6BR. Sales Enquiries: Freefone EPSON. General Enquiries: 01-902 8892. Telex: 8814169.

□ Please ask my Epson dealer to contact me.
Position
Company
Address

## XT/370

THE XT/370 mainframe-on-a- L desk version of the IBM PC see the report in our January issue, page 29 - has been announced by IBM U.K. It offers three modes of operation. First, it is a standard XT Personal Computer with 10Mbyte of hard-disc storage. Second, it emulates an IBM 3277 Model 2 display terminal connected to a mainframe. Third, it runs under the new Virtual Machine/ Personal Computer operating

system, which enables it to run which are needed for terminal many programs for the operation. IBM mainframe Virtual Machine/Conversational Monitor System on a desk-top computer.

The XT/370 carries three extra cards which carry a standard Motorola 68000 chip, and two customised IBM chips - one based on the 68000, another on the Intel 8087. The second card carries 512K of extra RAM. The third provides the coaxial communications

The XT/370 will be manufactured in Greenock, Scotland, for a September 1984 launch in the U.K. The price is a mere £8,228 plus VAT, plus £919 for a VM/PC software licence. When the IBM 370 mainframe was current it usually cost around £1 million.

Contact IBM United Kingdom Ltd, PO Box 41, North Harbour, Baltic House, Portsmouth PO6 3AU.

## **IBMulators**

MORE computer manufacturers are following the fashion of offering IBM compatibility. Among the latest are ITT, Televideo and Olivetti.

ITT will be launching the Xtra, with an Intel 8088 CPU, 128K of RAM, a 10Mbyte hard disc and one floppy - an IBM PC XT look-alike. Televideo's 1605 will be an IBM PC compatible micro, and is expected to be launched in the U.S. early in 1984.

Olivetti will be making its own version of the Corona PC look-alike for sale outside the U.S. Like Texas Instruments with the Professional, and Tandy with the Model 2000, Olivetti now appreciates that it has no choice but to offer IBM PC emulation. The long-term future of the Z-8000 based M-20 is presumably unaffected, as Olivetti has an 8086 card for it.

## Columbia PC relaunch

THIS WELL KNOWN IBMulator has been relaunched in the U.K. by learus. Its Compaq standard of IBM compatibility has made it the leading look-alike on the U.K. market in the continued absence of the Compaq transportable.

The major change is that it is now supplied with an amber monitor, which is preferred in many European countries. Other new features are the free 68709.

suite of Perfect software and a graphics package, in all worth £750, plus a little heart logo on the front which features in the new advertising campaign.

Contact Icarus Computer Systems, Deane House, 27 Greewood Place, London NW5 1NN, Telephone: 01-485 5574.

## PC back-up

ALLOY has introduced a ninetrack magnetic tape sub-system for the IBM PC. The ITS-PC offers 42Mbyte of back-up storage or, more interestingly, allows data to be interchanged



between a PC and a mainframe. For this you also need Alloy's PC-Tip tape-interchange program.

Alloy's other products are PC-Stor, which is a hard disc with built-in tape cartridge for back-up, and PC-Backup, which is a separate tape cartridge for backing up your PC XT.

Contact Alloy at Cotteswold House, Gloucester Street, Cirencester, Gloucestershire GL2 2DQ. Telephone: (0285)

Perex is also now supplying a tape back-up system for the XT, called the Peridata 4510/IBM. Contact Perex at Arkwright Road, Reading, Berkshire RG2 OEA. Telephone: (0734) 751054.

## Fun and games

THE IBM PC is already starting to monopolise the professional/ executive software scene with products like Lotus 1-2-3, Multimate, Oz and Expert-Ease. But now about 40 percent of America's best-selling games, as listed by Softsel, already run on the IBM PC. For comparison, over 80 percent run on the Atari micros, over 70 percent on the Apple, while about 60 percent run on the Commodore 64.

The top 20 includes 10 games that run on the IBM PC, including Zork I, II and III, Frogger, Temple of Apshai, Deadline, Planetfall, Miner 2049er, Enchanter, Serpentine and Witness, plus the famous Microsoft Flight Simulator.

With up to 1,000,000 PCjrs. to be sold in 1984, the current flood of IBM games will become a torrent. This is particularly good news for a small British company whoose Advance computer is currently being manufactured by Ferranti, and which promises to provide IBM PC compatibility for only £400 - see our October 1983 issue.

## Software shorts



- ACT has announced its Micromail package, reviewed in the November issue of Practical Computing, as Micromail Blue for the IBM PC. Telephone: 021-454
- Prospero Software has a new Pascal compiler for the 8086 family of chips. See our June 1983 issue for a review of Pro Pascal on eight bits, as the 16-bit version is said to be fully compatible. Telephone: 01-785 6848.
- Sky Software is not a new company, just a new name for what was Comsoft. Its new range of Blue Sky packages are Skymaster, Skymail, Skycost and Skybuild. They run under the Skymos multi-user operating system on IBM PCs linked using PC-Net. Telephone: (0527) 36299.
- Inner Loop software of Los Angeles has launched Scrollmate, which provides up and down scrolling of up to 14 screenfuls of text under MS-DOS, Telephone: (Area code 213) 822-2800.
- Graphic Communications of Massachusetts has produced a suite of 24 programs to simplify the design of presentation graphics on the IBM PC and XT. Pete & Pam is importing it. Telephone: 01-677 7631.
- GCS Communications has extended its range of products to include P-Cox, a 3270 coaxial interface for the PC and its look-alikes. It costs £900. Telephone: 01-898 2121.
- · Sophco of Boulder, Colorado, has introduced Protec, a \$250 master-menu and security-control program for the PC and XT. It not only shuts out unauthorised users but prevents passing humourists from typing commands like Format C: on the XT. Telephone: (Area Code 303) 444-1542.

AFTER INTENSE industry speculation, IBM finally launched the "Peanut" microcomputer — now called the Junior or PCjr — in the U.S. on November 1 last year. One month later some 1,000 machines were delivered to dealers for demonstration purposes. Sales were not scheduled to begin until January — after the Christmas rush on which so many micro companies have come to depend.

The timing of the announcement was presumably to encourage those considering a micro to wait until after Christmas, instead of buying another model in December. The only two surprises were the name, and the infra-red keyboard connection.

Whether you like the name or not, it is accurate, although some Americans are already calling it the "Pee Wee", to distinguish it from the "Pee Cee". The infra-red keyboard connection is a logical part of the design. The deskless home user wants to relax in an armchair, not be cabled to the system box.

The thinking behind the PCjr is interesting. IBM's problems with the PC are twofold. First, it is too successful; second, it is too expensive for Everyman, even in America. Most home buyers of the PC and XT — and there are many — have some business justification for their purchase. People who don't generally cannot afford it. Schools, colleges and even some corporations have also found the price of the PC a disincentive: just think

## IBM PCjr

Jack Schofield takes a hard look at the spec of the "Peanut" and assesses how it will fare against the established home-micro competition.

about the cost of buying them by the thousand.

Of course, IBM could not solve the second problem by reducing the price of the PC again. That would merely exacerbate the first problem. It can already sell PCs and XTs faster than it can make them. And, of course, reducing the price of the PC would mean smaller profits.

The PC is over-specified for the home/school market, and the PCjr offered the chance to make a more suitable machine. The easy way would have been to make the new machine largely incompatible with the previous models, like Commodore with the Vic-20. However, this did not mesh with IBM's overall strategy of taking over the entire microcomputer industry with a string of PC products from the top to the bottom of the range.

It was far better, both for IBM and for the user, to make the jr, as far as possible, a PC-compatible machine. The problem then was that while the PCjr had to be good enough to take advantage of the huge software market created by the PC itself, it also had to be not too good, or it would take sales from the more profitable elder brother.

IBM's solution was to retain the Intel 8088 CPU, the PC-DOS operating system and disc format, and fundamentally the same Microsoft Basic, so as to largely retain software compatibility. This enables the PCjr to be offered in large volumes by IBM's corporate sales force, either for use as a cheap work station or for executives to use at home.

To make the system more suitable for the home/education market, IBM added colour graphics as standard, cartridge slots, joystick ports, and expanded the PC's single-tone sound to three channels. These decisions offer an interesting contrast with



## PCBulletin: preview

Acorn, which deliberately offers less rather than more in all these areas in order to make the Electron a conspicuously inferior machine compared to the BBC Micro.

IBM has ensured that the Junior's weaknesses are in areas where the home/school user does not suffer too much, but where the business buyer is affected. So it has an inferior keyboard and, for now at least, only one disc drive. The PCjr does not have the same internal expansion system as the PC, so business users will not be able to add large quantities of RAM, clock/calendar cards, etc. And while the text display is good, it is not of the exceptionally high quality of the IBM PC.

## **Not crippled**

However, as the keyboard is detached from the main unit, no doubt third parties will offer replacement keyboards and add-on disc drives sooner rather than later, and internal expansion is possible. So though the PCjr may have had one hand tied behind its back, unlike the Electron it has not been deliberately crippled.

The 62-key cordless keyboard is powered by four AA batteries, and weighs 25 ounces. It communicates by infra-red signals with the main unit at distances of up to 20 feet, as long as it is within view. An optional 6ft. adaptor cord is required if more than one PCjr is to be used in the same room.

As the PCjr keyboard has 21 fewer keys than the PC model, something has had to give. For a start, the 10 dedicated function keys are missing, though as on the Electron the functions can still be used by pressing the function key and the number keys. The separate numeric keypad has gone too, though there are now four cursor control keys arranged in a neat cross. The spurious Backslash key — sited between the

left Shift key and Z on the PC — has also disappeared, just when we were learning to accept it as the new standard and Elan had carefully added it to its new micro.

For software compatibility, the PCjr keyboard can produce all the codes produced by the standard PC model, though in some cases the key combinations required are less convenient. Still, that is not too bad a limitation. The keyboard has two other distinguishing features: rubber key caps and no labels, as the key labelling is on the keyboard itself. The layout can be customised by reprogramming any of the keys and adding a keyboard overlay.

The rubberised key caps are squishy but apparently not hard to type on for limited periods. In this respect the keyboard is the worst part of the PCjr. It is regrettable that what will be, when it arrives, one of the most expensive home/education micros on the market should have a keyboard that is inferior to cheaper rivals.

The PCjr comes in two models: an entrylevel system, and a full-specification model with a built-in disc drive. The system box measures about 14in, long by 11in, deep by 4in, high. Both models have the same detached keyboard, separate power transformer, a Guide to Operations manual and Hands-On Basic booklet.

The system box has two cartridge slots on the front, plus ports for a cassette recorder, two joysticks, external amplifier and speaker, a keyboard cable, a light-pen and various video displays. There is one spare socket. Unfortunately these ports all seem to be non-standard designs. IBM evidently expects people to pay outrageous prices like \$30 for a TV-set connector or cassette-tape adaptor cable. Some schools and corporations will probably shell out, but enthusiasts will rapidly find cheaper alternatives.

Both models have 64K of ROM. It

includes self-test diagnostics, as do the Atari XL micros, and a program called Keyboard Adventure which uses graphics and sound to introduce the keyboard. The entry-level model has 64K of RAM and produces a standard 40-column display on a TV set, composite video or RGB colour monitor. In addition to 320-by-200 pixel resolution in four colours, and 640-by-200 pixels in two colours — both of which are offered by the standard IBM PC with colour-graphics card — the entry-level PCjr also offers a 16-colour mode with 160-by-200 pixel resolution.

The other PCjr has 128K or RAM, with no room for more inside, and a 360K half-height 5.25in. floppy-disc drive that uses the same PC-DOS operating system and format as the standard PC. It has better graphics too, and can display 80 characters per line.

## OS costs extra

The enhanced model comes with two discs. The first, Exploring the PCjr, is a tutorial which includes system use and simple programming. Your IBM PCjr contains sample programs for home use including a word processor, address file, etc. This model costs \$1,269, but you need to spend \$65 more for the PC-DOS 2.1 operating system.

There is another catch. With both models the sound, graphics and some peripherals are fully supported only by a plug-in cartridge Basic, for which IBM charges an extra \$75. It is tempting to complain about charging extra for a Basic language cartridge, and it did not win Atari friends for the 400. However, the Commodore 64 has proved successful in spite of the fact that the hardware is virtually unsupported by the Basic. At least IBM will probably supply a useful extended Basic, a feat which seems to be beyond Commodore.

The entry-level PCjr can be upgraded by adding a disc drive and a 64K expansion, mainly used for colour graphics. With the PC, video RAM is held on a separate card, but with both models of the PCjr it comes out of main memory. Both models can be upgraded by adding a modem — in the U.S. at least — and serial or parallel printer connections.

The PCjr Basic cartridge is a superset of the original Microsoft Basic. It supports the enhanced graphics and sound capabilities, the light-pens, the three-voice sound and asynchronous communications. As suchit is more a necessity than an option.

The IBM PC Compact Printer is a 50cps thermal unit which uses single-sheet, fanfold or rolls of thermal paper. It costs \$175. The IBM PC Color Printer prints in up to eight colours. It offers 200cps in draft mode, 110cps in correspondence mode, and 35cps in letter-quality mode. It can use single-sheet, fanfold and rolls of paper up to almost 15in. wide and costs \$1,995. Both

(continued on next page)



The PCjr is a downgraded model, and there are 21 fewer keys than on the PC.

## PCBulletin: preview

(continued from previous page)

printers can be used with all versions of the PC, right up to the XT/370 "desk-top mainframe".

Three groups of programs were launched with the PCjr. There are two new programs intended for all models of the PC. The first of these, the Personal Communications Manager, provides access to other computers via the telephone lines and thus to Dow Jones and The Source, in the U.S. The second is the Fixed Disk Organiser program — not much use with the PCjr.

The second group comprises updated versions of seven programs for all models of the PC. They are Casino Games, Strategy Games, EasyWriter PFS:File, PFS:Report, Basic Program Development System and Time Manager. In all some 30 of the programs in IBM's own PC line-up are said to run on the enhanced PCjr.

The third group comprises new IBM-badge cartridges and disc-based programs for home and educational use. They include Homeword, Home Budget Jr and Turtle Power. Homeword is a simple picture-based word processor from the Apple/Atari software house Sierra Online. Home Budget Jr is from the Software Publishing Corporation. Turtle Power is a turtle-graphics program from The Learning Company, though IBM already has a Logo. Games on cartridge include Mouser, Mineshaft and Crossfire.


## Software flood

Given the vast number of software houses producing programs for the IBM PC, other third-party software will undoubtedly flood the market. There is already a PCir magazine.

The entry-level system looks a bad buy. In the sound and graphics departments it offers no advance over the Atari 800XL while it is more than twice the price. The keyboard seems grossly inferior, and the entry-level PCjr is at a major disadvantage when it comes to software. The Atari has hundreds of good programs available, while initially this model of the PCjr has only a handful. After the unveiling of the PCjr, Atari announced a price increase — from after Christmas — on its range.

The Commodore 64 has similarly little to fear from the entry-level PCjr. The Commodore is a bit of a seven-stone weakling in terms of its pathetic Basic and cassette-tape software — are there more than three good games? Nonetheless the Commodore 64 hardware looks much more powerful. A PCjr plus Basic costs more than a Commodore 64 plus disc drive: allin-all the Commodore is a far better buy.

The enhanced PCjr is a different basket of chips. While the price is still not going to worry Commodore, or Atari's 1450XL model with built-in disc drive, it should certainly worry Apple. With 128K of RAM, an 80-column screen and PC-DOS 2.1 the PCjr can rival any small micro on the market thanks to being able to share



software with the IBM PC. The Basic, graphics and sound are all superior to the Apple IIe, and the PCjr price is very competitive.

At its launch, the Apple IIe without disc drive had a list price of \$1,400 — just twice as much as the entry-level PCjr, and more than even the disc-based model. While the Apple II still has more software, and more good software, than any other micro, the PC is catching up fast. The PCjr could well tip the balance.

Further, the PCjr offers an upgrade path, which the Apple IIe conspicuously fails to do. The PCjr is simply the bottom rung of a ladder through which the user can progress via the IBM PC and XT right up to the XT/370. Not many individuals will go all the way, but the facility certainly matters to schools, colleges and corporations.

However, a glance at the sparsely-populated Apple IIe board suggests Apple can slash the American price to make it competitive and still make a comfortable profit. In the U.K. the situation is more uncertain. Here the competition is not Apple but the superior Acorn BBC Micro. Apple has basically ignored the home-into-business market well represented among readers of this magazine — just try looking for Apple advertisements in *PC*! — and has left the BBC Micro to capture tens of thousands of sales unopposed.

The BBC Micro has massive support from serious home/educational/small-business users. It also probably has a year's grace before the PCjr finally arrives. By this time the BBC software base will be that much stronger, especially in the area of small-business and executive tools where it is currently weakest. It should continue to prosper, possibly at the same price as today, though with a profit margin for dealers. Apple may be squeezed between the BBC and the PCjr, and the He's price might well need to drop to under £500.

Whenever the PCjr arrives, and

whatever the price, it looks likely to establish PC compatibility as a major factor at the bottom end of the micro market. This will benefit the Advance and other IBM look-alikes due to appear on the home-micro market. Machines which have a strong user base or can develop one before that happens should be OK. Trying to establish a new standard, like the Japanese manufacturers with the Microsoft MSX eight-bit system, looks like a complete waste of time.

## Conclusions

- The main advantage of the PCjr is that it offers compatibility with the IBM PC, and thus both a share of the software base and an upgrade path.
- The main disadvantage is the keyboard. It looks as though its deficiencies are deliberate, in order to protect sales of the IBM PC itself.
- A further disadvantage is that it has nonstandard ports and the nominal price does not include numerous extras that will in fact be required — like DOS 2.1 with the enhanced PCjr. The new models are more expensive than they look — but then, this applies to many other machines too.
- The PCjr entry-level system is underpowered and overpriced at \$669 plus extras. If it comes to the U.K. at £500 to £550 it should not hurt the BBC Model B, though it might.
- The enhanced PCjr is very competitive at \$1,269 including disc drive. If it arrives in the U.K. at around £1,000 it looks likely to hurt Apple.
- The PCjr will be a success thanks to the excellence of IBM's marketing and the strength of the name. PC compatibility could be established as a major force at the bottom end of the micro market, wiping out those firms who do not have a large user base.



## THE ONLY BOARDS YOU REALLY NEED FOR YOUR IBM PC OR XT

QPlus II and the SixShooter are America's most popular pair of enhancements for the IBM PC & XT. They offer the most comprehensive list of features available while occupying just one slot in your computer. State of the art engineering along with the most rigorous quality controls in the industry result in a product in keeping

with the high standards set by IBM.

SuperDrive & SuperSpool The **Oplus II** comes standard with clock/calendar, asynchronous serial port (RS232C), and your choice of memory from 64K to 256K. Options include: a second asynchronous port, a parallel printer port, a game port on a plug-in "piggy-back" board, and a choice of 128K or 256K MemPaks. The MemPaks give you the ability to add 384K or 512K of memory in one slot.

The SixShooter is ideal for the XT model. It offers a battery powered clock/calendar, asynchronous port, parallel printer port, SuperDrive & SuperSpool software, and your choice of memory up to 384K, all standard. Optional is an IBM compatible game port adapter.

with the full details. If he doesn't have the information have him give us a call. Your PC will really thank you. Suggested List Prices: 64K £319 128K £389 192K £459 256K £529 Options: Second async port, printer port, game port, and GamePak, each £40. MemPak 128K £199, MemPak 256K £349.

Also included with both boards is the SuperDrive™ disk

emulation software. It allows you to create up to three

"electronic disk drives" in memory which access your

programmes at the speed of RAM memory. You also get

SuperSpool™, a programme which allows you to assign

Both boards are backed up by a one year parts and

repairs. Visit your local dealer and pick up a brochure

labor warranty and 48 hour turnaround on any warranty

a portion of memory to act as a print spooler.

## QUBIE' DISTRIBUTING LTD.

Tempo House, 15 Falcon Road London, SW11 (01) 223-4569, 223-7662

• Circle No. 129

## AHIGHPERF


GRASPTHE FACTS AND SAVE UPTO 50%

## Pay much less for much more computing power

Class	BROMCOM SuperStar	IBM System 24	DEC	uting po	wer per	user
-	Super-Micro	7-1011/34	PDP11/34	SWILL	Olivetti	T-
Processing Power	8 bit (780 A)	Co	nvention	al Mini-(	System M40 Compute	Burrough B95
Memory Per User	8 bit up to 128Kbyte				17 416	3
Disc Storage & Backup	From 10Mbyte up to 160Mbyte					
Expandability	more with					
Lowest Entry Cost	Up to 512Mbyte storage £2450 (including VDU)					
Cost of 2 User OMbyte System 2 off VDUs	£5975 (8 bit)					
Incremental Cost for Each Iditional User	£995 (8 bit) £1495 (16 bit)					
Hardware Ompatibility	(including VDU)  World Standard S100					
Software Impatibility	World Standard CP/M & MS-DOS					

## **Systems Architecture**

Each user has its own processing power each with 16 bit and up to 1Mbyte Memory or 8 bit and up to 128Kbyte.



SuperStar is a trademark of Bromley Computer Consultancy Ltd. P/M is a trademark of Digital Research. S-DOS is a trademark of MICROSOFT.

## Available Sa

	AV	allable S	of	tw-	200
Stan Rar	MCOM dard ige	BROMCOM Specialised Packages	1	ext &	Languages
Sales L. Purchase Nominal L Stock Co Order Proce Job Cost. Payroll (with SSF	Ledger Medger Me	Garment Trade	t Wol	rdStar illStar nerge Star tStar nder Calc	BASIC COBOL FORTRAN PASCAL C PL/I APL
BROMCOM Be Can be carried and Dealers in a	espoke Prout by BR all areas.	rogramming – OMCOM or a growin	g numb	er of Ot	EMs

All CP/M and MS-DOS software will run without any modification

## ANCE, GENUINE, R SYSTEM.

Some installations are a little more difficult than others!

Such as the one at Banham Patent Locks, Limited, in London.

BROMCOM® supplied hardware and software that would have taken a respectable-sized minicomputer from, say, DEC or IBM or Olivetti at twice the price for hardware, three times the price for software and four times as long to implement.

The Hardware — BROMCOM SuperStar<sup>™</sup> — is handling six terminals (expandable to 16) and three printers with 20Mbyte disk storage and tape backup. The operators work round the clock, so the speed and reliability demanded of the system are high.

Operators can simultaneously enter Invoices, Payments, etc, while other functions such as word processing and database operations (over 15000 entries!) are in constant use by other terminals.


## BROMCOM

Bromley Computer Consultancy Ltd 417-421 Bromley Road, Bromley, Kent, BR1 4PJ. Telephone: 01-697 8933 Telex: 896691



OUTPERFORMING MINICOMPUTERS WITH MICROCOMPUTER ADVANTAGES.

## Put some colour into your printing without going into the red






















The new PRISM impact matrix printers let you put colour into your printed output, at a cost you can afford.

Both the PRISM 80-column and the PRISM-132 column make most single colour printers look pale by comparison.

- ☐ Added versatility: the four basic colours (black, cyan, magenta and yellow) can also be mixed precisely to give up to 144 different shades.
- ☐ Correspondence quality at 110 cps.
- ☐ High quality draft printing at 200 cps.
- □ 84 x 84 dpi high resolution graphics capability.
- ☐ Staggered 9-wire print head ideal for precision word processing applications.
- ☐ Bi-directional printing to maximise throughput.
- ☐ Proven reliability.
- ☐ Selectable automatic justification and character sizes.
- Optional manual and automatic sheet feeding.

## PRISM printers. They brighten up your day.



 Compatable interfaces to most micros including Apple, IBM and Sirius.

Dealer Enquiries Welcomed.



Teleprinter Equipment Ltd.

Akeman Street, Tring, Herts. HP23 6AJ. Telephone: Tring (0442 82) 4011/5551 International Telephone: +44 44282 4011/5551. Telex: 82362

Regional Sales and Service: Manchester (061-626) 3371.

Associated Companies GADC/CAE/ME

CAE Group. UK distributors for computer peripherals from General Electric, Geveke, GNT, Integral Data Systems, Navtel, NEC, Mitsui, Qume, Silver Reed, Spectron Northern Telecom, Teletype and Texas Instruments.

## Microware and IBM an unbeatable combination.

We promise to:

- Analyse and identify your requirements.
- Advise on your system needs.
- Supply and install your equipment.
- Provide the widest range of software support.
- Offer comprehensive maintenance contracts.
- Take pride in our unparalleled after sales service.

## MEMORY EXPANSION

- 1. Memory expansion from 64-512K
- 2. Memory expansion with extended features:
  - Printer port
  - R232
  - Games control
  - Battery clock/calendar
- Expansion up to 512K
- 3. Memory expansion for electronic disk (RAM) providing capacity of up to 2 Mb

## MULTI-TASKING

- Multi-tasking software is now available for PC DOS up to 9 tasks can be run
   Concurrent CPM

## WINCHESTER DRIVES

- 1. PC Pair
  - Hard disk storage • 3.9" Winchester drives
- 3.9" Winchester drives
  Single board DTC controller plugs directly on to PC Bus'
  No additional power required
  Fixed or removable second drive
  2. Our range of 51/4" external Winchesters provides up to 80 Mb of storage
  Easy back up facility

## NETWORKING

- · Local area network and shared resource
- Independent of disk type ie XT, corvus etc
   Independent hard disk system

- IBM PC DOS 1.1, 2.0
   Disk and file sharing
- Low cost, easy to use
- Simple to set upUp to 16 PC's per file sharer

## SOFTWARE

Pegasus - Business application systems

- Sales Ledger Purchase Ledger
- Nominal Ledger
- Invoicing
- Payroll
- Stock ControlOrder Entry
- D Base II Applications

Our complete list of software is too long to publish, but the widest range is available from stock including:

Wordstar, Mailmerge, Supercalc, D Base II, Fortran 80, Easyfiler, Easywriter, Visicalc

We offer training to our IBM PC customers:

0

- Computer aided training, which, after initial set-up, your PC guides you through the software
- On site personal training by our experienced professional instructors

## **MONITORS**

We recommend from our range the following:

- The new IBM colour monitor
  LUXOR high res. colour
  AMDEK the only IBM compatible
- amber screen monochrome available
   HANTAREX 14" high res. colour

We offer a number of service options including: 1. Warranty/non-Warranty repairs

- 2. Extended Warranty contracts
- Quick response service contracts covering both parts and labour

## **PURCHASE TERMS**

- 1. Rental agreements
- 2. Leasing contracts
- . Approved credit purchase
- 4. Credit cards

## Microware (London) Ltd.

Showroom at: 637 Holloway Road, London N19 5SS. Phone 01-272 6237/6398 or Telex 297598.

IBM Authorised Dealer

Circle No. 132

Personal Computer



All products are supplied complete with full originator's documentation.

RING THE SOFTLINE Grantham (0476) 860171





## Work on your own where you're not alone

A place where you can set up alone or start a busi ness or open a branch office and not have to worry about who answers the phone when you're out. And the location gives swift access to M4/M3 motor-ways, the North Circular, the Underground, British Rail and Heathrow Airport in a leafy environment with the Thames nearby.

It's London without the hassle.

UNITS FROM 100 SQ. FT. AT £28 pw. INCLUSIVE

Call in, phone or write: Barley Mow Workspace, 10 Barley Mow Passage, Chiswick, London W4 4PH. Telephone 01-994 6477.

## CAMEL PRODUCTS

firm up your software with an

## EPROM PROGRAMMER

AT LAST! for the Spectrum user.

Put your programs, utilities, Assemblers into EPROMS for instant load from the unique ROM-SP

NEW Ingenious unit for Spectrum, with 2×28 pin sockets and a Reset button allows up to 16K of Basic or M/C program to RUN or LOAD instantly from EPROMS. Cabled connector and full extender card. £29.95

NOTE: Does not disable Sinclair ROM.
PROMER-SP NEW for Spectrum A brand new Spectrum programmer for 2764/128. Zero insertion force socket & software on tape. Delivery Jan. 84. Order now at

NEW for Spectrum The very popular PROMER-81 for the ZX81 has been adapted to the

Spectrum and the price kept low ROM-81 Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area. Can use 2516/32 or 2716/32 PROMER-81

At last! A low cost reliable programmer for 2516/32, 2716/32 EPROMS. This is the solution to using EPROMs instead of tape. Requires 4×PP3 batteries for a regulated 25 volts. Remarkably priced at £19.95

## BLOPROM-81 A uniquely sophisticated **EPROM PROGRAMMER**

use at various labs incl. Sinclain Research

Eprom programmer for the 2516, STATUS 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program + Verify

all or part of Eprom.

So immensely user friendly you'll hardly need the manual. Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine alone is worth more than the price of BLOPROM-81. No Personality Cards, or other additions, just a ZX81. Several inbuilt safety features. Onboard Vpp generation. 28pin ZIF socket. Cabled connector and extender plug. ABS case. all or part of Eprom. So immensely user friendly you'll

NO. OF SYSTEM —HEX EPROM TYPE —27128 RAM START ADDR —4000 EPROM ST. ADDR — 0000 JOB LENGTH — 4000 TASK — CHECK

Ş

extender plug. ABS case.

Note: Can provide up to 36 inputs or 40 outputs as an I/O

Full 64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716, 2732/2764 and even the latest 27128 from Intel. Fast/slow Eprom option, professionally built and tested. In an ABS case with an LED indicator.

\$59.95

DHOBI 1

UV ERASER UV ERASER

Compact. Mains powered. Safe. Fully cased. Up to 3 EPROMS £18.95 DHORT 2

With automatic timer. MEMIC-81 A 4K CMOS RAM and lithium battery unit, Easy SAVEing, 10vr

storage and instant retrieval of programs. Resides in 8-12K 12-16K of ZX81. 2K or £29.95 CRAMIC-81

Ingenious hardware/software allows this 16K CMOS RAM with lithium battery to Co-exist in same memory area as ordinary RAM. ZX81 can multitask on two completely independent programs

UK. VAT extra. No VAT on exports P+P UK. Free Europe +5% — Overseas +10% TLX 81574



PSC-3 for Epson MX-100 etc. 21"×14"×3.75 P&P £3.50 £22.95 CUSTOM PRINTER

STANDS for larger printers P.O.A
POT Printer Output Tray for 11" fanfold paper P&P £3.50 £16.95



MONITOR STANDS

\*ALL THE BEST FROM A + G\*

APPLE SOFTWARE

New 1984 catalogue now available — lower prices
Lots of new items — 24 pages of bargains
Send now or phone for your free copy

## MONITORS

Phoenix Green Screen Hi-Res £89 Amber £98

Wordprocessor integrated package with Apple IIe, complete with professional software & Daisywheel printer from £1414

Printer buffers — external or internal 32K/64K Serial — parallel competitive prices

Printer Ribbons — Typewheels — Paper — Labels — Cleaner kits

We are only a phone call away

Acoustic covers for most printers at sensible prices

Printers at unmentionable prices!
Over 80 models on our lists — send nov

Video Terminals - Lots to choose from stock

Do it Now! Ring for our bargain offers.

Govt. & Educ. orders welcome. Fast delivery by Interlink Courier — FREE delivery! Mainland U.K. Please add VAT to all totals

P.O. Box 34, Cheadle, Cheshire, SK8 4PT Telephone 061-428-2014



Circle No. 138



128K RAM. 1.2 Mb CP/M & MS DOS operating systems. only

Other printers at unbeatable prices



Seikosha GP100A Seikosha GP250X Enson RX80 Epson FX80

£260 £360 Add VAT but Delivery is Free

+ two free cassettes

£139

ASCO BUSINESSES

## Microware and IBM an unbeatable combination.

We promise to:

- Analyse and identify your requirements.
- Advise on your system needs.
- Supply and install your equipment.
- Provide the widest range of software support.
- Offer comprehensive maintenance contracts.
- Take pride in our unparalleled after sales service.

- 1. Memory expansion from 64-512K
- 2. Memory expansion with extended features:
  - Printer port
  - R232
  - Games control
  - Battery clock/calendar
  - Expansion up to 512K
- 3. Memory expansion for electronic disk (RAM) providing capacity of up to 2 Mb

## MULTI-TASKING

- Multi-tasking software is now available for PC DOS – up to 9 tasks can be run

  Concurrent CPM

## WINCHESTER DRIVES

- 1. PC Pair

  - Hard disk storage
     3.9" Winchester drives
  - Single board DTC controller plugs directly on to PC Bus
  - No additional power required
- Fixed or removable second drive
- 2. Our range of 51/4" external Winchesters provides up to 80 Mb of storage
  - Easy back up facility

- Local area network and shared resource
- Independent of disk type ie XT, corvus etc
- Independent hard disk system
- · Remote PC
- IBM PC DOS 1.1, 2.0
- Disk and file sharing
- Low cost, easy to use
- · Simple to set up
- Up to 16 PC's per file sharer

## SOFTWARE

Pegasus - Business application systems

- Sales Ledger
- Purchase Ledger
- Nominal Ledger
- Invoicing • Payroll
- · Stock Control
- Order Entry D Base II Applications

Our complete list of software is too long to publish, but the widest range is available from stock including:

Wordstar, Mailmerge, Supercalc, D Base II, Fortran 80, Easyfiler, Easywriter, Visicalc

We offer training to our IBM PC customers:

0

- 1. Computer aided training, which, after initial set-up, your PC guides you through the software
- 2. On site personal training by our experienced professional instructors

## MONITORS

We recommend from our range the following:

• The new IBM colour monitor

- LUXOR high res. colour
   AMDEK the only IBM compatible amber screen monochrome available
- HANTAREX 14" high res. colour

We offer a number of service options including:

- 1. Warranty/non-Warranty repairs
- 2. Extended Warranty contracts
- 3. Quick response service contracts covering both parts and labour


## **PURCHASE TERMS**

- 1. Rental agreements
- 2. Leasing contracts
- 3. Approved credit purchase
- 4. Credit cards

Showroom at: 637 Holloway Road, London N19 5SS. Phone 01-272 6237/6398 or Telex 297598.

**IBM Authorised Dealer** 

• Circle No. 132



## CAMEL PRODUCTS

firm up your software with an

## **EPROM PROGRAMMER**

AT LAST! for the Spectrum user.

Put your programs, utilities, Assemblers into EPROMS for instant load from the unique ROM-SP

NEW for Spectrum Ingenious unit for Spectrum, with 2×28 pin sockets and a Reset button allows up to 16K of Basic or M/C program to RUN or LOAD instantly from EPROMS. Cabled connector and full extender card.

NOTE: Does not disable Sinclair ROM.
ROMER-SP NEW PROMER-SP for Spectrum A brand new Spectrum programmer for 2764/128. Zero insertion

force socket & software on tape. Delivery Jan. 84. Order now at £29.95

NEW for Spectrum The very popular PROMER-81 for the ZX81 has been adapted to the Spectrum and the price kept low. ROM-81

Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area. Can use 2516/32 or 2716/32 PROMER-81

At last! A low cost reliable programmer for 2516/32, 2716/32 EPROMS. This is the solution to using EPROMs instead of tape. Requires 4×PP3 batteries for a regulated 25 volts. Remarkably priced at £19.95

## BLOPROM-81

## A uniquely sophisticated **EPROM PROGRAMMER**

In use at various labs incl. Sinclair Research

Eprom programmer for the 2516, 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program + Verify all or part of Eprom.

all or part of Eprom.

o immensely user friendly you'll hardly need the manual.

Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine

MHICH TASK DO YOU WISH TO DO CHECK THAT EPROM IS CLEAN (A) READ THE CONTENTS OF EPROM INTO RAM

7 BLOW AN EPROM WITH DATA FROM RAM

2 VERIFY THAT EPROM DATA IS THE SAME AS IN RAM

AS IN RAM

O DOUBT

1 PROFESSION. So immensely user friendly you'll hardly need the manual. x) firmware, the m/c driver routine alone is worth more than the price of BLOPROM-81. No Personality Coards Personality Cards, or

·SP

NO. OF SYSTEM —HEX EPROM TYPE —27128 RAM START ADDR —4000 EPROM ST. ADDR — 0000 STATUS - 9000 - 4000 JOB LENGTH TASK

.....R TO RESTART

FAST CODES AVAILABLE:
H POR WXYZ

other additions, just a ZX81. Several inbuilt safety features. Onboard Vpp generation. 28pin ZIF socket. Cabled connector and extender plug. ABS case.

Note: Can provide up to 36 inputs or 40 outputs as an I/O DREAM-81

Full 64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716, 2732/2764 and even the latest 27128 from Intel. Fast/slow Eprom option, professionally built and tested. In an ABS case with an LED indicator. £59.95

**UV ERASER** Compact. Mains powered. Safe. Fully cased. Up to 3 EPROMS £18.95 DHOBI 2

With automatic timer. MEMIC-81

A 4K CMOS RAM and lithium battery unit. Easy SAVEing, 10yr storage and instant retrieval of programs. Resides in 8-12K or 12-16K of ZX81. CRAMIC-81

Ingenious hardware/software allows this 16K CMOS RAM with lithium battery to Co-exist in same memory area as ordinary RAM. ZX81 can multitask on two completely independent programs.

PRINTER/MONITOR ACCESSORIES P&P £3.50

MSB Monitor Stand for BBC micro.
Sits over the Beeb
17"×12"×3.75" PSS Standard printer stands for OKI. Epson etc. 15"×12"×4.5". P+P£3.50 £16.95 PSL Large model 17"×14.5"×3.75" P&P £3.50 £19.95

PSC-3 for Epson MX-100 etc. 21"×14"×3.75". P&P £3.50 £22.95 CUSTOM PRINTER STANDS for larger printers P.O.A POT Printer Output Tray fanfold paper





UK. VAT extra. No VAT on exports P+P UK. Free Europe +5% - Overseas +10% TLX 81574

dge Microelectronics Ltd., One Milton Rd., Cambridge CB4 IUY

lei 102231 314 814 • Circle No. 137

MONITOR

STANDS

## H+G

## COMPUTERWARE

APPLE SOFTWARE

New 1984 catalogue now available — lower pr

Lots of new items — 24 pages of bargains
Send now or phone for your free copy lower prices

## MONITORS

Phoenix Green Screen Hi-Res £89 Amber £98

Wordprocessor integrated package with Apple IIe, complete with professional software & Daisywheel printer from £1414

Printer buffers - external or internal 32K/64K Serial parallel competitive prices

Printer Ribbons - Typewheels - Paper - Labels - Cleaner kits

We are only a phone call away

Acoustic covers for most printers at sensible prices

Printers at unmentionable prices! Over 80 models on our lists - send now or call

Video Terminals - Lots to choose from stock

Do it Now! Ring for our bargain offers.

Govt. & Educ. orders welcome. Fast delivery by Interlink Courier — FREE delivery! Mainland U.K. Please add VAT to all totals

P.O. Box 34, Cheadle, Cheshire, SK8 4PT Telephone 061-428-2014



Circle No. 138







Centronics Interface

Choice of Typefaces

Correction Ribbon

+ two free

cassettes

£139

128K RAM. 1.2 Mb CP/M & MS DOS operating systems. only £1850

Other printers at unbeatable prices



Seikosha GP100A Seikosha GP250X Epson RX80 Epson FX80

£220 £260 £360

Add VAT but Delivery is Free

## ASCO BUSINES

43 Windmill Way, Reigate, Sy RH2 0JB Tel: (07372) 48055

Circle No. 139

EB

STANDS

NTER

## Microware and IBM an unbeatable combination.

We promise to:

- Analyse and identify your requirements.
- Advise on your system needs.
- Supply and install your equipment.
- Provide the widest range of software support.
- Offer comprehensive maintenance contracts.
- Take pride in our unparalleled after sales service.

## MEMORY EXPANSION

- 1. Memory expansion from 64-512K
- 2. Memory expansion with extended features:
  - Printer port
  - R232
  - Games control
  - Battery clock/calendar
  - Expansion up to 512K
- 3. Memory expansion for electronic disk (RAM) providing capacity of up to 2 Mb

## MULTI-TASKING

- Multi-tasking software is now available for PC DOS – up to 9 tasks can be run
  • Concurrent CPM

## WINCHESTER DRIVES

- 1. PC Pair
  - Hard disk storage
  - 3.9" Winchester drives
  - Single board DTC controller plugs directly on to PC Bus
  - No additional power required
- Fixed or removable second drive
- 2. Our range of 51/4" external Winchesters provides up to 80 Mb of storage

  • Easy back up facility

## NETWORKING

- Local area network and shared resource
- Independent of disk type ie XT, corvus etc
- Independent hard disk system
- Remote PC
- IBM PC DOS 1.1, 2.0
- Disk and file sharing
- Low cost, easy to use
- Simple to set upUp to 16 PC's per file sharer

## SOFTWARE

Pegasus - Business application systems

- Sales LedgerPurchase Ledger
- Nominal Ledger
- Invoicing
- Payroll
- Stock Control
- Order Entry D Base II Applications

Our complete list of software is too long to publish, but the widest range is available from stock including:

Wordstar, Mailmerge, Supercalc, D Base II, Fortran 80, Easyfiler, Easywriter, Visicalc

We offer training to our IBM PC customers:

Personal Computer

O

- 1. Computer aided training, which, after initial set-up, your PC guides you through the software
- 2. On site personal training by our experienced professional instructors

## MONITORS

We recommend from our range the following:

- The new IBM colour monitor
- LUXOR high res. colour
- AMDEK the only IBM compatible amber screen monochrome available
- HANTAREX 14" high res. colour

## SERVICE

We offer a number of service options including:

- 1. Warranty/non-Warranty repairs
- 2. Extended Warranty contracts
- 3. Quick response service contracts covering both parts and labour

## **PURCHASE TERMS**

- 1. Rental agreements
- 2. Leasing contracts
- 3. Approved credit purchase
- 4. Credit cards

## icroware

Showroom at: 637 Holloway Road, London N19 5SS. Phone 01-272 6237/6398 or Telex 297598.

**IBM Authorised Dealer** 

Circle No. 132



## SUPPLIE



Simply the best catalogue of Computer & Word Processor Supplies available. We would be pleased to send you a copy.

Company . Address

Tel

AWS Computer Supplies Limited, 57, Surbiton Road, Kingston-upon-Thames, Surrey KT1 2HG Tel: 01-541 1188

Circle No. 133

£450.00

## Work on your own where you're not alone

A place where you can set up alone or start a business or open a branch office and not have to worry about who answers the phone when you're out.

And the location gives swift access to M4/M3 motorways, the North Circular, the Underground, British Rail and Heathrow Airport in a leafy environment with the Thames nearby.

It's London without the hassle.

UNITS FROM 100 SQ. FT. AT £28 pw. INCLUSIVE

Call in, phone or write: Barley Mow Workspace, 10 Barley Mow Passage, Chiswick, London W4 4PH. Telephone 01-994 6477.



Circle No. 134

## PRODUCTS FOR COMMODORE

## ITH OUR COMPILERS

Up to 40 times speed increase, reduced program size.

## BASIC COMPILERS

Petspeed Compiler for 4000/8000 series \_\_\_ Integer Basic Compiler for 3000/4000/8000 series £75.00

## **CROSS-COMPILERS FOR BASIC**

Portspeed: Compiles source on 8000 series to run on CBM 64\_ £125.00 X-64: Integer compiler compiling on 8000 series giving machine code executable on CBM 64 \_\_\_ B-Port: Compiles source on 8000 series to run on 700/B-128 series £450.00 X-700: Integer compiler compiling on 8000 series giving machine code executable on 700/B-128 \_\_

## **OUR VIC OR 64 FULL IEEE**

Not a cartridge. Compatible with any software.

Interpod: Free-standing interface giving IEEE488 and RS232C capabilities to CBM64/VIC20\_

## SPECIAL OFFER

Order 5 or more Interpod and get a free Portspeed!

All prices are exclusive of VAT. There is also a small charge for post and packing. Dealer discounts are available on all products except the 700 cross-compilers.

Compilers are supplied ex-stock; Interpod supplied 7-days ex-stock.

## COMMODORE SOFTWARE

Native compilers for the CBM 64 and the 700/B-128 are available only from Commodore.

Oxford Computer Systems (Software) Ltd. Hensington Road, Woodstock, Oxford OX7 1JR, England Telephone (0993) 812700 Telex 83147 Ref. OCSL

VISA ACCEPTED

## Not source for software 1984 PRICELIST NOW AVAILABLE

Phone for your FREE copy



Make Soft Option your No 1. Chances are we'll have the right product, in the right format, in stock in quantity.

- Full technical support
- Friendly service
- SAME DAY DESPATCH Wherever possible

All products are supplied complete with full originator's documentation.

RING THE SOFTLINE Grantham (0476) 860171



The Soft Option (UK) Ltd. Home Farm House Colsterworth Grantham Lincolnshire NG33 5HZ Tel: Grantham (0476) 860171

• Circle No. 136

## CAMEL PRODUCTS

firm up your software with an

## EPROM PROGRAMMER

AT LAST! for the Spectrum user.

Put your programs, utilities, Assemblers into EPROMS for instant load from the unique ROM-SP NEW

for Spectrum Ingenious unit for Spectrum, with 2×28 pin sockets and a Reset button allows up to 16K of Basic or M/C program to RUN or LOAD instantly from EPROMS. Cabled connector and full extender card. NOTE: Does not disable Sinclair ROM. £29.95 \$29.95

NEW for Spectrum A brand new Spectrum programmer for 2764/128. Zero insertion

force socket & software on tape. Delivery Jan. 84. Order now at £29.95 NEW for Spectrum

The very popular PROMER-81 for the ZX81 has been adapted to the Spectrum and the price kept low. ROM-81

Provides two 24 pin sockets for up to 8K of EPROM memory in the 8-16K area, Can use 2516/32 or 2716/32 8-16K area. Can use 2516/32 or 2716/32 PROMER-81

At last! A low cost reliable programmer for 2516/32, 2716/32 EPROMS. This is the solution to using EPROMs instead of tape. Requires 4×PP3 batteries for a regulated 25 volts. Remarkably

## BLOPROM-81 A uniquely sophisticated **EPROM PROGRAMMER**

In use at various labs incl. Sinclair Research

Eprom programmer for the 2516, 27XX single supply families, yes, even the 27128 from Intel. Check, Read, Program + Verify all or part of Eprom.

o immensely user friendly you'll which task do you wish to do hardly need the manual. X) READ THE CONTENTS OF EPROM INTO So immensely user friendly you'll Designed for the beginner but includes a single key entry route for the professional. Supplied as firmware, the m/c driver routine alone is worth more than the price of BLOPROM-81. No Personality Cards, or

NO. OF SYSTEM —HEX EPROM TYPE —27128 RAM START ADDR —4090 EPROM ST. ADDR — 9000 JOB LENGTH — 4000 TASK — CHECK STATUS

PIO-SP

RAM
Y) BLOW AN EPROM WITH DATA FROM

FAST CODES AVAILABLE: D WXYZ POR other additions, just a ZX81. Several inbuilt safety features. On-

board Vpp generation. 28pin ZIF socket. Cabled connector and extender plug. ABS case.

Note: Can provide up to 36 inputs or 40 outputs as an I/O DREAM-81

Full 64K Rampack with link options to disable 0-8-16K. Plus a 28 pin EPROM socket for 2716, 2732/2764 and even the latest 27128 from Intel. Fast/slow Eprom option, professionally built and tested. In an ABS case with an LED indicator. £59.95

UV ERASER Compact, Mains powered. Safe. Fully cased. Up to 3 EPROMS £18.95 DHOB1 2

With automatic timer.

MFMIC-81

A 4K CMOS RAM and lithium battery unit, Easy SAVEing, 10yr storage and instant retrieval of programs. Resides in 8-12K or 12-16K of ZX81. CRAMIC-81

PROMER

Ingenious hardware/software allows this 16K CMOS RAM with lithium battery to Co-exist in same memory area as ordinary RAM. ZX81 can multitask on two completely independent programs.



PRINTER/MONITOR ACCESSORIES

MSB Monitor Stand for BBC micro. Sits over the Beeb 17"×12"×3.75"

P&P £3.50 PSS Standard printer stands for OKI. Epson etc. 15"×12"×4.5". P+P£3.50 £16.95 PSL Large model 17"×14.5" 'X3.75'

PSC-3 for Epson MX-100 etc. 21"×14"×3.75". P&P £3.50 £22 95 CUSTOM PRINTER

STANDS for larger printers POT Printer Output Tray for 11" fanfold paper



UK. VAT extra. No VAT on exports P+P UK. Free Europe +5% - Overseas +10% TLX 81574

P&P £3.50

Cambridge Microelectronics Ltd., One Milton Rd., Cambridge CB4 IUY

£16.95

Tei (0223) 314 814 Circle No. 137

£19.95

MONITOR STANDS

## FH-G JMPUTERWAR

\*ALL THE BEST FROM A + G\*

## APPLE SOFTWARE

New 1984 catalogue now available — lower prices Lots of new items — 24 pages of bargains Send now or phone for your free copy

## MONITORS

Phoenix Green Screen Hi-Res £89 Amber £98

Wordprocessor integrated package with Apple IIe, complete with professional software & Daisywheel printer from £1414

Printer buffers - external or internal 32K/64K Serial - parallel competitive prices

Printer Ribbons - Typewheels - Paper - Labels - Cleaner kits

We are only a phone call away

Acoustic covers for most printers at sensible prices

Printers at unmentionable prices! Over 80 models on our lists — send nov

Video Terminals - Lots to choose from stock

Do it Now! Ring for our bargain offers.


Govt. & Educ. orders welcome. Fast delivery by Interlink Courier — FREE delivery! Mainland U.K. Please add VAT to all totals

P.O. Box 34, Cheadle, Cheshire, SK8 4PT Telephone 061-428-2014



Circle No. 138





ASCO BUSINES

Circle No. 139

# A PERFORMANCE AND PRICE BREAKTHROUGH IN APPLE 11°& 11e HARD DISC STORAGE



High Performance AID hard disc systems of 5-20 megabyte capacities, specifically designed for use with the Apple, are now available running under DOS, CP/M & Pascal. The units cold boot and throughput speeds are really impressive. If you want to leave others standing, try our fast DOS option!

The range features the 5+5 and 10+10 drives which enable you to configure half the drive as primary and half as secondary storage for ease of archiving.

The systems have been designed around the concepts of data reliability and convenience of operation.

They are simply the most competitive hard discs on the market. So why pay more for less.

interface TEC technology

LOW PRICE
5 Mb £990
10 Mb £1270
20 Mb £1490
All prices ex-VAT.
Apple is the registered trade mark of Apple Inc.
DEALER ENQUIRIES WELCOME

## PULSAR BUSINESS SOFTWARE The star performer for apricot

The Pulsar range of business software will turn Apricot into a powerful management tool.

Software engineers working hand-in-hand with the Apricot development team have enhanced the range of accounting, word-processing and modelling packages to maximise Apricot's exciting fourth generation features.

Already 10,000 users of Sirius and IBM PCs have given Pulsar their seal of approval.

## STAR PERFORMER

PULSAR takes the mystique out of computing without sacrificing performance. From the design of the software through to the documentation, the accent is on friendliness and ease of use, making it an effective business partner in a matter of hours.

And by harnessing the new fourth generation features of Apricot – like the unique MicroScreen — Pulsar has become the friendliest business software around.

Pulsar is true 16-bit software developed by ACT at a cost of over £1 million for today's business computers. Pulsar owes nothing to early 8-bit software, being developed from powerful programs written by ACT's engineers for its own bureau mainframe computers. It draws on over 18 years experience in creating packaged business software.

# Please send me details of Pulsar Business Software for Apricot Name Position Company Address Telephone • Circle No. 141

## DESIGNED TO PLAY A LEADING ROLE

The Pulsar range has been designed to meet all the management information needs of business users. Consisting of some 15 integrated packages, the range includes commercial accounting functions, office systems for word processing and electronic mail, and management tools for planning and modelling. The integration between packages is powerful and flexible.

Shared information means files don't have to be duplicated and data does not have to be re-entered.

## AND IN SUPPORT

ACT's investment in Pulsar goes beyond the software to encompass full training facilities for users and 'hot-line' support for your dealers to make sure you get the best service possible.

In addition to a nationwide network of over 500 independent dealers
ACT has hand-picked 60 Pulsar
Software Centres who specialise in Pulsar and can give immediate on-the-spot advice and action.

## A STAR-STUDDED CAST The Pulsar Range for Apricot:

Sales Ledger	£195	dGraph <sup>tm</sup>	£195
Purchase Ledger	£195	MicroModeller <sup>tm</sup>	£595
Nominal Ledger	£195	Mars <sup>tm</sup>	£395
Payroll	£195	SuperCalc 2tm (Upgrade)	£95
Stock Control	£195	SuperCalc 3tm (Upgrade)	£195
Invoicing	£195	Multiplantin	£175
Data Analysis	£195	Wordstartm	£295
Informer Database	£295	Mail Merge <sup>tm</sup>	£95
dBase II <sup>tm</sup>	£395	SuperWriter <sup>tm</sup>	£295

For more information on Pulsar the Star Performer for Apricot clip the coupon and return to

## ACT (Pulsar) Ltd

Freepost Birmingham B16 1BR or call 021-455 7000

tim indicates registered trade mark. Ownership details on request. All prices exclude VAT.



# TANDY COLOR COMPUTER 2 The 64K Color Computer is being launched this month. Jack Schofield sees if at last Tandy can slay the Dragon 32.

THE TANDY Color Computer was launched in late 1981, and represented a significant shift in approach by Tandy Radio Shack. It used the powerful Motorola 6809 chip, rather than the Tandy standard Zilog Z-80, and it offered colour, sound, a cartridge slot and joystick ports. Like the Texas Instruments TI-99/4a and Atari micros, it was aimed at the consumer rather than the enthusiast.

Unfortunately, Tandy had not reckoned on a mythical fire-breathing monster from the Welsh hills, which devoured the U.K. market before the Color Computer really got going. The Dragon 32 offered remarkably similar features to the Color Computer. In addition, it had a better keyboard, twice as much memory, and cost a lot less. In fact, when the 32K Color Computer was born, the Dragon was virtually half the price.

Tandy could not outsell Dragon on the availability of software, because by choosing the 6809 it had cut itself off from its own software base. Neither could it sell on the availability of peripherals: few Dragon 32 buyers realised how long it would take Dragon Data to offer a proper system, and even fewer cared. Nor could Tandy beat Dragon at marketing, because the Dragon 32 was taken up by Boots the

Chemist — one of every Briton's favourite stores.

Now Tandy is having another attempt. It has given the Color Computer a face-lift: more memory, a better keyboard and a fresh lick of paint. Also it has cut the price of the existing models fairly dramatically. The 32K Extended Basic model is down from £379.95 to £299.95, and the 16K standard model from £239.95 to £179.95. The cost of a disc drive with controller has dropped too, from £459.95 to £349. In spite of all this, the 64K Color Computer remains an ugly duckling, as will be seen later.

However, Tandy has provided it with the potential to be a swan, by implementing the Unix-like OS-9 operating system on the 64K model. This offers real concurrent operation or multi-tasking. It offers multi-user facilities, so you can hang an extra terminal off the CoCo's serial port, plus login, password protection and tree-structured directories. In several respects the 64K CoCo gives machines like the IBM PC a good run for their money, since the 6809 is as much of a 16-bit chip as the Intel 8088 which powers the IBM.

The new Color Computer makes a good first impression, and sports a smart grey finish instead of Tandy's usual silver. The

case is solid and extremely well finished. The Tandy leaves the Dragon slain in overall appearance.

The keyboard also appears to be good. Gone are what the Americans call Chicklet keys, after the popular sugar-coated chewing gum. However, the keys have a stiff touch and very little travel. The typing quality is well below that of the Atari XL range, BBC Model B, Sharp MZ-711, and even the Dragon. Chicklet keys positioned over a membrane worked better than they looked; the new keyboard looks better than it works, but it is an improvement.

Like the 32K CoCo and the Dragon itself, the new model has a limited number of keys and a very limited character set. The 64K CoCo has only 53 keys: no function keys, no numeric keypad, no Escape key, not even a Control key, and the keys still lack auto-repeat. The character set is still more limited. The 53 keys produce only 63 alphanumeric characters and symbols. The rest of the 255 available mainly comprise a weird and wonderful collection of blockgraphics characters in a range of unexciting colours.

Thus, like the Dragon, the 64K CoCo lacks a lower-case character set, which even the Apple IIe has. Of course it is possible to use inverse caps in place of lower-case

letters, or you could reconstruct the character set to include true lower case, but in this day and age it should not be necessary. It is not good enough, and that applies for the 64K Dragon too.

Powering-up reveals the familiar CoCo/Dragon hideous green screen with black letters, and only 32 characters by 16 rows of text. The display is not as awful as that of the *Practical Computing* Dragon, but most current machines do better.

Only 24,871 bytes of RAM are free to Basic. It seems that, again like the Dragon 64, the 64K CoCo is a 32K machine that allows you to grab extra memory if you want it. Unfortunately the review machine had no documentation and I never calculated how to do so. Typing Exec did not work and on the 64K Dragon this gives 41,241 bytes free, which is more than the Commodore 64. On the CoCo it crashed the machine.

In its 32K mode, the CoCo has the same good but slightly old-fashioned Microsoft Extended Color Basic as before, and the same rotten Microsoft line editor. Again, this is not adequate by today's standards. Ataris have had full-screen editing since 1979, so Tandy and Dragon should be able to offer it now too.

The Color Computer becomes a more attractive machine when you plug a discontroller cartridge into the port on the right-hand side, then plug in one or two disc drives. Preferably two, because copying a full disc with one drive involves five insertions of the source disc and five insertions of the destination disc.

With discs connected, the 64K CoCo offers 22,823 bytes free to Basic. The discs take up less RAM than Atari discs, but more than the Commodore 64 ones. Disc operation is simple and straightforward, though the drives are slow and noisy. The regrettable thing is that, without warning,

the operating system writes over your old files if you happen to use the same name as an existing file. There is no friendly

Are you sure (Y/N)?

0

Replace existing file?

The 64K CoCo comes into its own after booting the OS-9 disc-operating system, which I had never used before. It was written by Microware Systems Corporation in America especially for the 6809 chip, and was modelled on the Bell Labs Unix operating system.

Anyone who is familiar with Unix, or the Unix-like MS-DOS/PC-DOS version 2 from the IBM PC, will find OS-9 even easier to use. Tandy's excellent documentation comes in a slip case and consists of one booklet *Getting Started with OS-9* plus three spiral-bound manuals.

## Disc feature

OS-9 is on a single disc and the whole package costs £69.95. It has many sophisticated features normally found only on very expensive machines of, say, £5,000 to £50,000. It has a kernel, a shell and a hierarchical file structure, so you can organise material in directories, subdirectories and so on. It has device-independent input and output, with Pipes so that the output of one program can become the input of another.

In Unix you can run several programs simultaneously if you have enough memory, by adding & to the command. Similarly with OS-9 you can have multiuser operation and hang an extra terminal from the back of your Color Computer. Pretty amazing for a toy home micro.

OS-9 allows Unix-like commands such as dir! sort >/P&

which does a file directory, sorts it and sends it to the printer but hands the prompt back straightaway so that you can do something else at the same time. Or, for example.

dir >/P& list myfile& copy oldfile newfile; del yourfile

sends a directory to the printer at the same time as typing Myfile on the screen and, concurrently, copying from the old file to the new file. When that's done it deletes your file. It is all done by one command line.


OS-9 comes with a good assembler, a text editor and an interactive debugger, so the assembler programmer will be very happy with it. There's an OS-9 Basic too, not supplied for review. The OS-9 prompt is tedious, reading "OS-9" all the time. However, you only have to type -P to kill it, then remove the echo, and the environment is so convincing that in a few minutes you believe you are using Unix on a DEC mini — except that you cannot browse through Usenet, the anarchic message network.

The 64K CoCo is not perfect. Screen width is a problem because of the way copious directory information is wrapped around. Also, Unix commands are traditionally all lower case, so the CoCo's insistence on capitals only, mixed with inverse capitals pretending to be lower case, is a pain. Finally, the software-driven real-time clock which OS-9 provides is hopelessly inaccurate, being configured for the American mains. Still, short of spending £5,000 on an IBM PC XT or Fortune 32:16, a 64K Color Computer with OS-9 provides the most fun you can have in computing other than playing Defender.

Incidentally, OS-9 has a serious purpose: to make available a substantial amount of business software which runs under this operating system. However, none was available for review, and it is probably all American anyway.

## Conclusions

- On its own, the 64K Tandy Color Computer is a moderately good home micro with a number of serious limitations, particularly in the screen display and lack of lower-case letters.
- With the OS-9 operating system, the 64K Color Computer becomes a powerful and interesting machine which potentially offers the serious user facilities far above its price level.
- If OS-9 software becomes available, and the Color Computer proves big enough to take it, this could give it serious business applications.
- In any event, the wealth of error messages, excellent assembler facilities and Unix-like power make OS-9 far superior to CP/M, and a valuable learning tool for anyone interested in current developments in operating systems.
- The 64K Color Computer will be available from Tandy stores and computer centres at a price to be announced. Contact Tandy, Tameway Tower, Bridge Street, Walsall, West Midlands. Telephone: (0922) 648181.



From the back it looks like a toy, but with discs it becomes something special.

## **Benchmarks**

	BM1	BM2	вмз	BM4	BM5	вм6	BM7	BM8	Av
BBC Model B-6502	1.0	3.1	8.3	8.7	9.2	13.9	21.9	52.0	14.8
Commodore 64*-6510	1.4	10.5	19.2	20.0	21.0	32.2	51.6	116.0	34.0
Tandy 64K CoCo-6809	1.4	10.5	20.4	22.3	24.0	34.7	51.1	132.6	37.1
Sinclair Spectrum—Z-80	4.8	8.7	21.1	20.4	24.0	55.3	80.7	253.0	58.5

\*portable version

The 64K Color Computer is fast at writing to the screen, but the standard Benchmarks show the Microsoft Basic running at its usual leisurely pace.

## OCTOPUS

A new image and a massive promotion budget are to accompany the launch of LSI's business micro. Glyn Moody has been finding out what the fuss is about.

A LITTLE OVER a year ago, LSI computers I launched its M-Four, which combined eight-bit and 16-bit CP/M operating systems on one machine, implemented via dual processors. At the time there was plenty of tried and tested software for the ageing CP/M-80 but too little for the upand-coming CP/M-86 to justify a leap of faith in that direction. During this last year things have moved on, and practical 16-bit software is starting to come through. Any system that can offer the best of both worlds is clearly attractive.

LSI has now extended the M-Four to include a wide-ranging expandability while adding CP/M Plus and Concurrent CP/M in dual 86/80 form and MS-DOS. Since the obvious name for the new product has been pre-empted by Sord, the new machine has been duly christened Octopus.

Hitherto LSI's marketing people have been content to maintain a fairly low profile, and sales have grown quite respectably on their own. However, the Octopus is being launched with the full treatment - Channel 4, no less - and an overall publicity budget of over half a million pounds.

It is big money for a firm that had sales of £3.5 million in the year to June 1983. But LSI forms part of the CPU group, which has over five times the turnover and is quoted on the Unlisted Securities Market. The LSI range is sold through an interesting | bundled accounting software for £2,090. mixture of 12 franchises and a dealer

## Three-box format

The Octopus adapts the standard threebox format: the monitor and keyboard are separate and there is a low, squarish main unit in off-white polyurethane. On a desk top it is a rather more manageable than its predecessor.

The entry-level system includes one 400K floppy disc and 128K RAM but no monitor. It costs £1,530 plus VAT. The first real usable option offers two 400K floppies and a monitor, together with

Winchester options start at £3,290 for one 5Mbyte floppy.

Two hexagonal screws secure the back of the main unit. A neat modular layout with tidy wiring is to be found inside. Everything possible is earthed, a feature which is indicative of LSI's long-term plans. After the British and European launches the company intends to start marketing the Octopus in the U.S., where stringent safety regulations prevail.

The power supply occupies the left-hand side of the unit, viewed from the front, positioned next to a small fan and loudspeaker. Two half-height Shugart 5.25in. floppies, or one floppy plus a

## **Benchmarks**

The Octopus will be released with Digital Research's Personal Basic as standard. It was not available on the preview machine, so Microsoft Basic-80 Version 5.2 running under Concurrent CP/M-86/80 was used. It requires about 24K of RAM. The full 16-bit PBasic, when it comes, is unlikely to perform Benchmarks very much better. All timings are in seconds.

HP Series 200 Model 16— 68000				BM4 1.6					
Orion—8086	0.6	2.1	4.8	4.9	5.8	10.5	16.7	13	7.3
Octopus Z-80/8088	8.0	2.5	7.5	7.4	7.9	13.6	21.9	38.5	12.5
IBM PC-8088	1.2	4.8	11.7	12.2	13.4	23.3	37.4	30	16.9



The twin-floppy business system costs just over £2,000; other disc options range from a single 400K floppy to a 40Mbyte Winchester.

letters, or you could reconstruct the character set to include true lower case, but in this day and age it should not be necessary. It is not good enough, and that applies for the 64K Dragon too.

Powering-up reveals the familiar CoCo/Dragon hideous green screen with black letters, and only 32 characters by 16 rows of text. The display is not as awful as that of the *Practical Computing* Dragon, but most current machines do better.

Only 24,871 bytes of RAM are free to Basic. It seems that, again like the Dragon 64, the 64K CoCo is a 32K machine that allows you to grab extra memory if you want it. Unfortunately the review machine had no documentation and I never calculated how to do so. Typing Exec did not work and on the 64K Dragon this gives 41,241 bytes free, which is more than the Commodore 64. On the CoCo it crashed the machine.

In its 32K mode, the CoCo has the same good but slightly old-fashioned Microsoft Extended Color Basic as before, and the same rotten Microsoft line editor. Again, this is not adequate by today's standards. Ataris have had full-screen editing since 1979, so Tandy and Dragon should be able to offer it now too.

The Color Computer becomes a more attractive machine when you plug a discontroller cartridge into the port on the right-hand side, then plug in one or two disc drives. Preferably two, because copying a full disc with one drive involves five insertions of the source disc and five insertions of the destination disc.

With discs connected, the 64K CoCo offers 22,823 bytes free to Basic. The discs take up less RAM than Atari discs, but more than the Commodore 64 ones. Disc operation is simple and straightforward, though the drives are slow and noisy. The regrettable thing is that, without warning,

the operating system writes over your old files if you happen to use the same name as an existing file. There is no friendly

Are you sure (Y/N)?

01

Replace existing file?

The 64K CoCo comes into its own after booting the OS-9 disc-operating system, which I had never used before. It was written by Microware Systems Corporation in America especially for the 6809 chip, and was modelled on the Bell Labs Unix operating system.

Anyone who is familiar with Unix, or the Unix-like MS-DOS/PC-DOS version 2 from the IBM PC, will find OS-9 even easier to use. Tandy's excellent documentation comes in a slip case and consists of one booklet *Getting Started with OS-9* plus three spiral-bound manuals.

## Disc feature

OS-9 is on a single disc and the whole package costs £69.95. It has many sophisticated features normally found only on very expensive machines of, say, £5,000 to £50,000. It has a kernel, a shell and a hierarchical file structure, so you can organise material in directories, subdirectories and so on. It has device-independent input and output, with Pipes so that the output of one program can become the input of another.

In Unix you can run several programs simultaneously if you have enough memory, by adding & to the command. Similarly with OS-9 you can have multiuser operation and hang an extra terminal from the back of your Color Computer. Pretty amazing for a toy home micro.

OS-9 allows Unix-like commands such as dir! sort >/P&

which does a file directory, sorts it and sends it to the printer but hands the prompt back straightaway so that you can do something else at the same time. Or, for example,

dir >/P& list myfile& copy oldfile newfile; del yourfile

sends a directory to the printer at the same time as typing Myfile on the screen and, concurrently, copying from the old file to the new file. When that's done it deletes your file. It is all done by one command line.

OS-9 comes with a good assembler, a text editor and an interactive debugger, so the assembler programmer will be very happy with it. There's an OS-9 Basic too, not supplied for review. The OS-9 prompt is tedious, reading "OS-9" all the time. However, you only have to type -P to kill it, then remove the echo, and the environment is so convincing that in a few minutes you believe you are using Unix on a DEC mini — except that you cannot browse through Usenet, the anarchic message network.

The 64K CoCo is not perfect. Screen width is a problem because of the way copious directory information is wrapped around. Also, Unix commands are traditionally all lower case, so the CoCo's insistence on capitals only, mixed with inverse capitals pretending to be lower case, is a pain. Finally, the software-driven real-time clock which OS-9 provides is hopelessly inaccurate, being configured for the American mains. Still, short of spending £5,000 on an IBM PC XT or Fortune 32:16, a 64K Color Computer with OS-9 provides the most fun you can have in computing other than playing Defender.

Incidentally, OS-9 has a serious purpose: to make available a substantial amount of business software which runs under this operating system. However, none was available for review, and it is probably all American anyway.

## Conclusions


• On its own, the 64K Tandy Color Computer is a moderately good home micro with a number of serious limitations, particularly in the screen display and lack of lower-case letters.

• With the OS-9 operating system, the 64K Color Computer becomes a powerful and interesting machine which potentially offers the serious user facilities far above its price level.

• If OS-9 software becomes available, and the Color Computer proves big enough to take it, this could give it serious business applications.

• In any event, the wealth of error messages, excellent assembler facilities and Unix-like power make OS-9 far superior to CP/M, and a valuable learning tool for anyone interested in current developments in operating systems.

o The 64K Color Computer will be available from Tandy stores and computer centres at a price to be announced. Contact Tandy, Tameway Tower, Bridge Street, Walsall, West Midlands. Telephone: (0922) 648181.



From the back it looks like a toy, but with discs it becomes something special.

## **Benchmarks**

	BM1	BM2	BM3	BM4	BM5	BM6	BM7	вм8	Av
BBC Model B-6502	1.0	3.1	8.3	8.7	9.2	13.9	21.9	52.0	14.8
Commodore 64*-6510	1.4	10.5	19.2	20.0	21.0	32.2	51.6	116.0	34.0
Tandy 64K CoCo-6809	1.4	10.5	20.4	22.3	24.0	34.7	51.1	132.6	37.1
Sinclair Spectrum—Z-80	4.8	8.7	21.1	20.4	24.0	55.3	80.7	253.0	58.5

\*portable version

The 64K Color Computer is fast at writing to the screen, but the standard Benchmarks show the Microsoft Basic running at its usual leisurely pace.

## OCTOPUS

A new image and a massive promotion budget are to accompany the launch of LSI's business micro. Glyn Moody has been finding out what the fuss is about.

A LITTLE OVER a year ago, LSI computers I launched its M-Four, which combined eight-bit and 16-bit CP/M operating systems on one machine, implemented via dual processors. At the time there was plenty of tried and tested software for the ageing CP/M-80 but too little for the upand-coming CP/M-86 to justify a leap of faith in that direction. During this last year things have moved on, and practical 16-bit software is starting to come through. Any system that can offer the best of both worlds is clearly attractive.

LSI has now extended the M-Four to include a wide-ranging expandability while adding CP/M Plus and Concurrent CP/M in dual 86/80 form and MS-DOS. Since the obvious name for the new product has been pre-empted by Sord, the new machine has been duly christened Octopus.

Hitherto LSI's marketing people have been content to maintain a fairly low profile, and sales have grown quite respectably on their own. However, the Octopus is being launched with the full treatment — Channel 4, no less — and an overall publicity budget of over half a million pounds.

It is big money for a firm that had sales of £3.5 million in the year to June 1983. But LSI forms part of the CPU group, which has over five times the turnover and is quoted on the Unlisted Securities Market. mixture of 12 franchises and a dealer

## Three-box format

The Octopus adapts the standard threebox format: the monitor and keyboard are separate and there is a low, squarish main unit in off-white polyurethane. On a desk top it is a rather more manageable than its predecessor.

The entry-level system includes one 400K floppy disc and 128K RAM but no monitor. It costs £1,530 plus VAT. The first real usable option offers two 400K

The LSI range is sold through an interesting | bundled accounting software for £2,090. Winchester options start at £3,290 for one 5Mbyte floppy.

> Two hexagonal screws secure the back of the main unit. A neat modular layout with tidy wiring is to be found inside. Everything possible is earthed, a feature which is indicative of LSI's long-term plans. After the British and European launches the company intends to start marketing the Octopus in the U.S., where stringent safety regulations prevail.

The power supply occupies the left-hand side of the unit, viewed from the front, positioned next to a small fan and loudspeaker. Two half-height Shugart floppies and a monitor, together with 5.25in. floppies, or one floppy plus a

## **Benchmarks**

The Octopus will be released with Digital Research's Personal Basic as standard. It was not available on the preview machine, so Microsoft Basic-80 Version 5.2 running under Concurrent CP/M-86/80 was used. It requires about 24K of RAM. The full 16-bit PBasic, when it comes, is unlikely to perform Benchmarks very much better. All timings are in seconds.

	HP Series 200 Model 16— 68000					BM5 1.7				
	Orion—8086	0.6	2.1	4.8	4.9	5.8	10.5	16.7	13	7.3
	Octopus Z-80/8088	0.8	2.5	7.5	7.4	7.9	13.6	21.9	38.5	12.5
ı	IBM PC—8088	1.2	4.8	11.7	12.2	13.4	23.3	37.4	30	16.9



The twin-floppy business system costs just over £2,000; other disc options range from a single 400K floppy to a 40Mbyte Winchester.

## Preview

Winchester, are mounted in the front. Along the back of the unit you find: a socket for the serial keyboard input; a parallel I/O, which is a superset of the Centronics port; two RS-232C ports; a TTL output that connects to an RGB monitor or TV set VHF input; and a composite-video monochrome plug. There is a tiny Reset button — no danger of accidentally pressing it. Finally there is the mains input, along with a socket to allow the monitor to be powered from the Octopus itself.

Inside, the motherboard nestles partly under the disc units at the front, and is mounted so as to slide out as a single unit. The PCB itself is of an advanced multilayer construction which allows very neat and compact board layout, and reduces circuit noise. It is populated in Scotland. The few wires and piggybacks visible would, I was assured, be incorporated on to the main board for the production models.

The two processors are an Intel 8088-2 running at 8MHz and a Zilog Z-80B at 6MHz. The standard model comes with 128K plus parity. A 32K EPROM contains

the system firmware, and there is room for another. An 8087 maths co-processor chip cay be piggybacked into the 8088 slot as an extra. There is a real-time clock powered by a rechargeable battery. It lasts about 3½ weeks when the Octopus is switched off.

One striking feature of the board is the large expansion slot towards the back, next to the I/O ports and circuitry. It is perhaps the key element of the Octopus and its philosophy. A superset of the Multibus system is used, and up to four expansion boards can be progressively stacked on top of each other. One card mates via a bridging piece with the bus slot beneath and provides a similar slot for further expansion. The bus effectively flows through the additional boards.

Options include a communications board with four RS-232C and one RS-422 ports. Extra RAM up to 512K and an Arcnet-type LAN will also be available. A graphics board allowing a 325-by-800 resolution and a BT-approved internal modem are also promised. LSI is encouraging third-party suppliers to add to this range.

The keyboard is connected via a 14ft. coiled cord which plugs into the rear of the Octopus. LSI offers a straight IBM lookalike keyboard — even down to the tedious Backslash key where Shift should be. Alternatively, you can have a slimmed-down version of the popular M-Four word-processing keyboard which has no fewer than 32 programmable function keys. This may sound like overkill but it can be put to good use.

The LSI-supplied monochrome monitor is a 12in. Panasonic which uses a P-34 green phosphor. A colour option is fitted as standard on the Octopus, so colour monitors of varying resolution are also available. Other features include a sound channel installed as firmware, and provision for a cartridge tape back-up. A mouse will be available later.

On powering-up, the machine goes into a self-diagnostic routine. The screen shows the following in succession:

Testing ...

Main Processor PROM DMA Controllers RAM Interrupt Controllers Floppy discs

Any intelligent option boards present on the expansion bus show up in a similar way.

The system may be reset at any time by pressing Control, Shift and Delete simultaneously — the same three-key system as the IBM. After the diagnostic routine the Octopus gives a choice of booting up the Winchester or the floppy. Four operating systems are available: CP/M, MP/M, MS-DOS and the company's proprietary system Elsie. After you select a disc the system searches for all bootable systems and then presents a menu of options.

Since CP/M-86/80 and MP/M-86/80 have been available for some time on the M-Four, the most interesting developments on the Octopus are the LSI versions of CP/M Plus and Concurrent CP/M for the dual-processor architecture. The CP/M Plus running on the preview machine was only the beta-test version, though evidently Digital Research has assured LSI that the final release is to be available "real soon now". It will then form the basic operating system offered as standard on the Octopus.


Loading CP/M Plus produces the following screen output:

Available Drives


A:W B:W C:LH drive 48 tpi automatic M:128K memory P:patchable format

This shows a floppy and Winchester system where the hard disc has been partitioned by system software into two

(continued on next page)



Construction is of a high standard, with an eye to U.S. regulations.



Buyers have a choice of keyboards, including an IBM PC look-alike.

**Preview** 

(continued from previous page)

drives A: and B:. Drive C: is the 400K floppy drive to the left of the Winchester unit

Drive M: represents the virtual disc storage allocated in RAM by CP/M Plus, and the 128K its total extent. With a 256K system, 128K is normally allocated as a RAM disc, and the remaining 128K then serves as normal RAM.

The P: drive refers to a patchable format option. The physical drive C: is set up to read IBM PC and LSI disc formats automatically. Using the configurable P: drive, practically any other disc format — except the Sirius — can be read by specifying the relevant parameters using the Parmgen command.

This is a standard routine supplied as part of the 370K of system utilities. The version that I saw also allowed scroll speed to be varied from a gentle flow to a hiccoughing line-jump. Various displaywidth and colour options may also be set. The final version will have the command structure for matching the P: drive's parameters to other disc formats, either via menus or directly.

Two other useful utilities are included with the Octopus. Keygen allows the 32 function keys to be programmed via a series of menus. The program detects automatically whether the keyboard is of IBM or LSI type and adjusts the options accordingly. An obvious choice is the set of standard WordStar commands, and booting CP/M Plus sets them as default. LSI produces a keyboard overlay for

Specification

CPU: Intel 8088-2 and Z-80B
RAM: 128K, expandable to 768K
Portability: typical main unit weighs
15lb.; a carrying case is available
Size: main unit is 15.7in. deep by 17.7in.
wide by 5.7in. high

Display: monochrome 12in. allowing 80 columns × 25 lines or 132 columns × 29 lines, characters are formed on 12 × nine and 11 × six matrices respectively

Keyboard: detachable; choice of IBMtype or LSI word-processing model Interfaces: Centronics-type parallel port; two RS-232Cs

Discs: one or two 5.25in. Shugart halfheight floppies, formatted capacity 400K per drive; 800K optional; Winchester discs of 4, 10, 20 and 40Mbyte available

Software in price: CP/M Plus 86/80 and Personal Basic from Digital Research; Axis accounting package with business system

Hardware options: expansion boards for RAM, communications, internal modem, and networking; also 8087 maths co-processor

Manufacturer: LSI Ltd, St John's, Woking, Surrey. Telephone: (04862) 23411

U.K. prices: £2,090 for 128K system comprising screen, keyboard, twin disc drives plus Axis software people using the function keys in this way.

The Fontgen command allows whole character sets to be set up and modified. The Octopus comes with two standard files of founts, for 80-character screen width, and a narrower one for 132-character display. Up to 256 characters can be defined in two blocks of 128. Using simple menus of instructions, new characters can be defined or old ones modified.

## **Attractive**

In 80-column format the character is displayed as a blown-up 13-by-nine pixel representation. Moving around this grid with the cursor-control pad, individual pixels can then be added or expunged. Working with the 132-column fount the character is formed on an 11-by-six pixel grid. The founts can then be stored and loaded at any time. This whole feature is very attractive and well implemented.

Similar options are available on the Concurrent CP/M-86/80 system. It is fully operational now, but because it requires about 128K of RAM Concurrent CP/M is not supported on machines with less than 256K RAM; the recommended level is 512K. CP/M Plus, by contrast, takes only 40K including buffer and command interpreter, most of which is separate from the 64K directly addressable by the Z-80 under CP/M.

The Octopus uses the 8088 as a slave to the Z-80. All I/O is handled by the 16-bit processor and so is coded exclusively in 8088 instructions. Only about 2K of the Z-80's precious 64K address space is therefore taken up by systems software. This arrangement also enhances response times — so much so that LSI says well tested eight-bit implementations of applications software are often still preferred to bug-ridden 16-bit upgrades. WordStar is a case in point.

Concurrent CP/M is signalled by an A> prompt for User 0, and 1A> for User 1— up to 3A> for user 3. A status line appears at the bottom of the screen. One of the neat uses of concurrency is to allow different levels of operation at the same time. For example, while modifying one fount using Fontgen, quick reference can be made to another, simply at the touch of a key. CP/M listings of a directory can be checked for the presence or otherwise of files while a WordStar file is read or modified. Eightbit and 16-bit programs can be run concurrently on the different virtual screens.

MP/M-86/80 supports the same operations with the addition of multi-user capability. Up to six intelligent terminals can be hooked up to the system via the RS-232Cs, though quite what the response would be is another matter. The system showed no obvious degradation with two users and, like Concurrent CP/M, allowed eight-bit and 16-bit software to be mixed. A multi-user concurrent version is also promised.

As in the case of CP/M Plus, LSI is still rather waiting on Digital Research for the networking option. The promised DR Net—a system like Arcnet that uses token-passing to give priority for transmission to each machine in turn—will apparently look like a distributed MP/M system with concurrency. The speed is about 2.5Mbit/second.

The basic system includes CP/M Plus 86/80 and Digital Research's Personal Basic. The £2,090 business system comes with an accounting, invoicing and stock-control package called Axis. For an extra £295 you can buy the Octosoft range of software. It consists of Plannercalc, a fairly cheap and rather idiosyncratic spreadsheet system; Lexicom, a menu-driven word-processor; and Rescue a well thought of database package. Clearly LSI felt the need to offer the canonical three applications, but this seems rather a motley bunch. The manuals for each are reasonably full if unexcitingly produced.

Unfortunately the same cannot be said of the manual for the Octopus itself. One slim A5-size ring-bound volume introduces the machine, CP/M-80/86 Plus and Personal Basic. There is no index. Too much is assumed for it to be much use to a beginner, and it is too skimpy for the practised user. When the basic product is so well thoughtout it seems a shame to spoil the ship with such flimsy documentation.

## Conclusions

- The Octopus is a well designed machine.
   It is soundly based in established technology but also incorporates some original features.
- The dual-processor architecture is a real gain, in terms of both present performance and future upgrading.
- Perhaps the most significant feature of the Octopus is its versatile expansion bus. A small business could safely buy the machine secure in the knowledge that upgrade paths will be readily available.
- With its wide range of operating systems, the Octopus is well placed to benefit from new software as it comes through. The systems software includes useful extra utilities like Parmgen and Fontgen.
- The bundled accounting software is a poor choice for a system which is otherwise well suited to the business user. It would be far better to make the price even more competitive, and allow end-users to choose their own application software. Businesses are no longer content to accept any old system. The Octosoft package is also unexciting.
- The Octopus user manual is a disappointment, though LSI has promised a revision. Manuals represent potentially the most important link with the user and should be as full and easy to understand as possible. When LSI produces a worthy companion to its machine, the Octopus will represent a good buy.



...real micro-networking now.

## ASK US ABOUT BBC micro networking!

U-Microcomputers Ltd Winstanley Industrial Estate, Long Lane, Warrington, Cheshire WA2 8PR, England Tel. 0925 54117 Telex 629279 UMICRO G US Subsidiary— U-Microcomputers Inc 300 Broad Street, Stamford, Connecticut 06901, USA Tel. 203 359 4236 Telex 4995877 UMINC

'make it easy on yourself'

• Circle No. 162



## THE RELATIONAL DATABASE SYSTEM

## **FOR MICROCOMPUTERS**

- TRAINING?
- ADVICE, GUIDANCE, CONSULTANCY?
- PROGRAMMING?
- DATABASE 'PRIMER' MANUAL featuring 'dBASE II'

For further details, contact:

Lionel Boreham
LANTECH Information Systems Ltd.
55 Peascod St. Windosr, Berks SL4 10E
Tel: Windsor 58182/58013

Information Systems

• Circle No. 163

## aculab

## data switches

- \* RS232 serial.
- \* Centronics compatible parallel.
- \* Two way and four way versions.
- \* Passive operation.
- \* Fully bidirectional.
- \* High quality.
- \* High reliability.
- \* No hand soldered connections.

2 Into 1 Serial £95.00 4 Into 1 Serial £126.00 2 Into 1 Parallel £101.00 4 Into 1 Parallel £126.00

All prices exclude VAT & P&P.



For further information, Telephone 0525 371393

aculab Ltd.

Unit A, Station Approach, Leighton Buzzard, Beds. LU7 7LY

## SEIKO 8600

Multi-user systems seem attractive — as long as software is there to run them. We put the Seiko to the test and Glyn Moody discovered it to be a practical proposition for business use.



THE ENTRY PRICE for the Seiko Series 8600 micro is £3,587 plus VAT for a 16-bit machine with 128K RAM and one 655K floppy. So it is hardly cheap, but then neither is it really representative. The Series 8600 is designed as a multi-user system for small professional offices and businesses.

A more realistic starting price would be £5,270 for two users. That includes one floppy and one 10Mbyte Winchester with 256K RAM, in addition to the two terminals with keyboards. Three-user options start from £8,256.

The hardware for the 8600 is produced in Japan. The systems software in America, from a company called Seicom which is jointly owned by Seiko and Science Management Corporation. Sole distribution rights in the U.K. are held by Intelligence Distribution Ltd. The plan is to sell the 8600 through a network of 80 dealers.

We reviewed here a two-user system with 20Mbyte Winchester. Physically, it is arranged as the natural progression from the IBM three-box configuration: one central processing unit connected to two terminals, each with a separate keyboard and VDU.

The squat rectangular box of the central unit has two convenient recesses in its base for easy lifting. At the front, to the left, is the floppy and next to that the Winchester. At the back you find the mains input socket and On/Off switch, printer port, four RS-232Cs and a recessed Reset button.

Two simple locks at the top of this back panel release the upper lid.

The interior layout is almost spartan, chiefly because of the total invisibility of the motherboard with its 8086 processor. The board is tucked away safely in a separate compartment underneath; access is difficult, though not explicitly forbidden. By contrast, the disc-drive units are a model of easy installation and removal. The excellent blow-by-blow account in the manual gives full details — with illustrations — of which wire to put where. Good design means that it is practically impossible to hook anything up incorrectly.

Three extra 128K RAM cartridges take the total RAM to 512K and are similarly easy to load. A fourth slot is for commu-

nications. Although the hardware is available now, the software that will allow direct mainframe interfacing and terminal emulation — all at a cool 300Kbaud — has not yet been produced. The power unit is sealed off in a further separate compartment, with a small, fan opening on to the main recess containing the discs.

The 12in. monitor with standard P-31 green phosphor is set in a swivel unit that can be locked in various tilted positions. At the back there is a printer port, an RS-232C interface connecting it to the main unit, some Dip switches setting baud rates, and the keyboard port.

The keyboard is equipped with standard QWERTY-layout keys, a numeric pad with separate Enter key and cursor controls, and

## **Benchmarks**

Timings are in seconds. Those for the Selko were produced from the eight standard routines — see last month's issue — written in Basic-86 running under MP/M. It is perhaps not surprising that running the Benchmarks simultaneously on two terminals took about twice as long as running one terminal only. What is surprising is that running the Benchmarks while the second terminal supported Basic, but ran no program, produces almost identical figures. This is a result of Basic's constant keyboard interrogation, which uses the central processor.

	BM1	BM2	вмз	BM4	BM5	вм6	ВМ7	вмв	A
Maria Company	DIVIT	DINZ	DIVIO	DIVIA	DIMIO	DIMO	DIVIT	DIVIO	Av
OEM Orion — 8086	0.6	2.1	4.8	4.9	5.8	10.5	16.7	13.0	7.3
Seiko 8600 — 8086									
single user	1.2	4.0	8.7	8.6	10.3	19.1	29.7	23.7	13.2
two users	2.4	8.4	17.6	18.0	20.7	39.0	60.5	47.8	26.8
IBM PC — 8088	1.2	4.8	11.7	12.2	13.4	23.3	37.4	30.0	16.8

a host of defined and definable functions. Common keys like Esc and Ctrl are joined by others such as Tpwr and G1/G0. Tpwr switches on Typewriter mode: pressing any ken then produces lower case, and pressing a key with Shift held down gives the upper case or typewriter equivalent. Its setting is signalled by a built-in LED. The G1/G0 key then produces lower case, and pressing character sets available on the terminal, also has an LED warning. The default option G0 is the standard American ASCII set. When G1 is pressed each key produces a graphics symbol which closely resembles Sumerian cuneiform. Perhaps this forms part of some far-sighted marketing plan. Apart from the 10 function keys, there is also a range of edit function keys, used for on-screen editing.

The monitors with their keyboards are no mere dumb terminals. Each set comes complete with an 8085 processor and a large 64K memory used for buffering, and for local activity independent of the main processor. The overall feel of the keyboard is slightly shallow, but generally acceptable. That this is a high-quality unit is reflected in the price of £1,493 for a complete user upgrade — though this also includes a plugin 128K RAM expansion for the main unit.

## Diagnostic checks

On powering-up, the user 0 terminal identifies itself as part of the Seiko 8600 computer system, and then goes into a hardware diagnostic routine. The machine then normally requests specification of a disc drive from which it could boot the operating system. On the review machine, part of the partitioned Winchester had been set as the default.


When using the 8600 machine, one of the first things you notice is that keystrokes beep, which is rather trying for those of us who have been conditioned over the years to regard beeps as tantamount to input errors. Happily, the Seiko's rich set of control sequences allows, among other things, the keyboard to be silenced.

Control sequences are entered as a string of characters following the Esc key. Although they can in theory be entered at any point in a computation, you run the risk of them being misinterpreted by the central processor which could then lock itself into something nasty. Seiko has devised a clever system of isolating the terminals for such set-up sequences, so you should be able to stay out of trouble.

Pressing the Shift and Set-up keys simultaneously calls up a 25th line to the screen display, which is normally 80 columns by 24 lines. The extra line is the status line, and is divided into 16 sections. By using the cursor controls it is possible to change the option for the terminal by pressing the Set-up key until the desired function appears. Thus smooth scroll may be replaced by jump scroll, auto repeat set on or off, baud rates may be adjusted and, most relevantly for the Esc command



Modular construction permits easy replacement of major components.



Terminals are connected via RS-232 links; a Centronics interface is also provided.

sequences, the relationship of the terminal with the main processor can be altered.

Apart from full-duplex and half-duplex modes, the terminal can be made purely local. Then any characters generated at the keyboard are sent to the screen but not the main processor. There is also a blocking option which allows an entire screenful of input to be built up at a terminal, and then sent all in one go to the 8086 processor when you press the Send key.

You should choose Local mode when using the Esc set-up codes. They are entered without any echo on the screen—something the manual omits to mention. You press Shift and Set-up once more to



Up to three 128K RAM packs drop into purpose-designed sockets.

remove the status line and return to the current program. Using this very powerful facility practically every aspect of the terminal can be modified: screen mode may be set to blinking or double width; windows can be created, the keyboard disabled, and so on. The manual is commendably clear in this generous facility.

The manual is generally well produced and clearly written with plenty of diagrams and examples. It includes two glossaries and a list of Do's and Don'ts. Although it could have been slightly less technical, and so less offputting for the first-time user, its main fault is the lack of an index.

(continued on next page)

## Multi-user MP/M-86

Judging by the flood of new machines, 1983 was the year of the 16-bits. Signs are that "multi-user" will be one of the catch phrases of 1984. This is partly a natural consequence of the new processors: for example, multi-tasking is an automatic option for the Motorola 68000 running under Xenix. But now, even the humble CP/M is offered in its Concurrent form — a kind of poor man's multi-user system.

MP/M is Digital Research's full multi-tasking operating system. As such it shares many of the features and infelicities of CP/M. Apart from standard utilities such as Dir, Era, Pip and Type there are a number of new features specific to the multi-user environment.

The first distinction to be made is between user and console. Each physical terminal is allocated a number from 0 to 15. The system console is designated 0, and it is here that the main bootstrap messages appear. The physical console number plays no visible role during use; it is merely used by the computer for housekeeping purposes.

Independently of the console number, each terminal may be assigned a user number from 0 to 15. The maximum number of users, as opposed to consoles, under MP/M is 16. The user number refers to the space allocated on all the disc drives, whether floppies or partitioned Winchesters. Each file is stored with an attached user number and only those pertaining to the user at the terminal may be accessed.

On booting up, the user number on each console is set by convention to the physical console number: user 0 on console 0, user 1 on console 1 and so on. The user number may be changed at any time by means of the User command: keying User 6, for example, sets the current user to 6. Unlike physical console numbers, which are unique, user numbers may be shared between different consoles. Thus two consoles may be logged

Judging by the flood of new machines, 1983 was the year into user 1 for example, and they may both access user of the 16-bits. Signs are that "multi-user" will be one of 1's files on any drive.

Certain files from other users' disc drives can also be tapped. Any file can be stored with one of two attributes: Dir and Sys. Dir locks the file into the particular user's area on the disc: only the specified user may access it. If the file is stored with the Sys attribute by user 0 — but not other users — then other users may also gain access. Files which are generally available are systems files, hence the name, and provide general utilities like Dir and Era which are needed by all users.

Information on the attributes of a file can be obtained from an extended Dir command, calld SDir. This detailed directory gives the number of bytes and records taken up by the file and the attributes of the file such as Dir / Sys, Read / Write.

Although users may only access files in their own user area, it is easy to switch user number. So in real environments password protection is vital if access to sensitive files is to be limited. Entire discs or individual files, including command files, can be protected and at three levels: read-, write- or delete- protected. To set a local password, a global password for the entire system must first be entered. This may sound labyrinthine, but in fact is only logical. If the password-setting command structure were accessible to all users, the password option on all files could then be turned off.

Booting-up MP/M on the review machine produced a main boot message on console 0 and user 0, and a subsidiary signal on console 1 and user 1. The prompts for the two terminals are respectively 0A > and 1A >, which signals the user numbers and drive, A being one of two partitions on the Winchester. The prompt P: is obtained when using the floppy drive. Drives are changed, as in CP/M, by entering the appropriate letter followed by a colon.

(continued from previous page)


Seiko's prices do not include any bundled software. Since the 8600 runs MP/M, CP/M-86 and MS-DOS, with the new Oasis-16 operating system promised, there should be no shortage of software. Cis-Cobol is also supported, allowing access to a wide range of business programs. The main problem is the lack of true multi-user products.

## Conclusions

The Seiko 8600 represents a well thought-out and well produced system.
 As a one-user option, it is not cheap. The

full benefits are only obtained with two or three users.

- Naturally, with more users, the response time begins to falter. The Seiko is not suited to solid multi-user processing, but is ideal for professional or business use where two or three terminals are accessed frequently.
- The user-definable characteristics of the terminals are very impressive, if slightly superfluous for the intended end-market.
- There is no bundled software, so a working system will cost more than the prices quoted. For example MP/M costs £475 plus VAT.
- An otherwise excellent manual is flawed by its lack of an index, making it unnecessarily hard to use.



Each user can have a separate printer, connected direct to the terminal.

## Specification

CPU: Intel 8086, 16-bit running at 5MHz RAM: 128K, expandable at 512K Dimensions: main unit is 19in. wide by 6in. high by 16.5in. deep

Display: 12in., 25-line by 80-character CRT; character matrix 10 by 14; two character sets supplied including ASCII, various cursor modes

Keyboards: Detached 100-key QWERTY, 10 programmable function keys, 18-key auxiliary pad, five special function keys

Interfaces: four RS-232Cs, Centronicstype printer Interface, each terminal has one RS-232C and printer interface Discs: one or two 5.25in, double-sided double-density 655K formatted; 10Mbyte and 20Mbyte hard discs optional

Software: CP/M-86, MP/M, MS-DOS, main languages and applications available but not included in price Hardware options: communications interface, but without operating

Hardware options: communications interface, but without operating software
Manufacturer: Seiko, Japan

Manufacturer: Seiko, Japan
U.K. distributor: Intelligence
Distribution Limited, Nelson House,
271 Kingston Road, London SW19
3NW. Telephone: 01-543 3711
U.K. prices: £3,587 one user, one floppy
128K RAM: £7,168 two user, 20Mbyte

hard dise, 256K RAM



We handle one of the largest ranges of CP/M Software in the country. And since our range covers most of the major formats and is available off-the-shelf, the delivery is equally impressive.

But we don't stop there. After all it's no good having a large range if we don't handle it professionally. That's why we produce no less than a 68 page catalogue, full of information about our entire range. Back this up

with honest and friendly advice, and we believe that we can offer a helping hand you won't find anywhere else.

Software Limited... Because there's more to choose from, we're the only choice to make.

01-833 1173/6

Software Limited No. 2 Alice Owen Technology Centre 251 Goswell Road, London EC1

CP/M is a trademark of Digital Research



## NEC PC-8201

Chris Bidmead looks at the latest lap portable in the Kyocera family.

TOWARDS THE END of 1982 the Epson HX-20 blazed a trail into a new market for briefcase-size computers. An ambitious machine, it is in many ways still the most interesting of what have become known as lap portables. However, it has suffered in comparison with newcomers such as the Tandy Model 100, the Olivetti M-10 and the NEC PC-8201A which offer a screen of 40 characters by eight lines, instead of the Epson's poky 20-character by four-line LED display.

Regular readers of *Practical Computing* will notice that we are tracking the development of these machines closely, with reviews of the Tandy 100 in the August issue, and the Olivetti M-10 in December. I suspect this is because lap portables, with their emphasis on word processing on the move, hold particular interest for journalists.

Their price of around £500 for a 16K model and their inability to hook up to a colour TV distinguish them sharply from home computers like the Vic-20 that they resemble physically. Nevertheless, they do represent a class of machine that is going to be mass produced in such quantities that prices will fall quickly.

## **Differences**

The striking similarity between the three successors to the HX-20 is not accidental. They are all versions of the same design from the Japanese firm of Kyocera, which built the original and sold it to NEC. But although they are all based on the same kernel hardware, and run similar software from Microsoft, the machines are certainly distinct from one another. Negotiations between Tandy, NEC and Kyocera have resulted in complex trading agreements, with the outcome that NEC is permitted to market its own version, the NEC 8201, in the U.K.

Comparisons with the more widely available Tandy Model 100 are inevitable. The wedge-shape of the NEC makes it significantly bigger. The increase in physical size does two things for the NEC: it allows for a comprehensive collection of I/O ports at the rear; and it makes room for a large cartridge socket on the left-hand side which is closed by a spring-loaded flap when out of use.

Another noticeable feature is the cluster of sizeable and geographically oriented cursor keys instead of the miniature in-line keys of the Tandy. Otherwise, the basic QWERTY arrangement is identical, with changes being confined to the function keys and more esoteric computer keys. On the









NEC the function keys are larger and fewer, from eight down to five, although they operate as 10 keys since, with the help of Shift, each one does double duty.

The Tandy has a ghost numeric keypad that allows the three rows of keys immediately below the 7, 8 and 9 on the top row to serve for numeric entry with the Num key locked down. On the NEC this arrangement has been omitted, and so has the Code key that permits access to foreign characters.

As in the other Kyocera machines, 32K of the address space is occupied now by ROM, with a further 16K of RAM — 8K on the Tandy — being sold as standard. Also like them, the memory size can be upgraded. The Kyocera CPU is an 80C85, the CMOS low-power version of the 8085 and a close relative of the ubiquitous Z-80. RAM enhancement ought to stop at 32K since 32K RAM plus 32K ROM makes 64K. But the NEC allows bank-switching of the RAM segment, which allows you to go on adding RAM internally up to a maximum of 64K.

The flap-covered cartridge socket is designed to take a further 32K in the form of a CMOS RAM pack with its own batteries, which appears to the system as a third banked-out segment. This is one of the exciting aspects of the NEC, allowing you to create text or collect data in the

## **Specification**

CPU: OKI 80C85 running at 2.4MHz ROM: 32K Microsoft Basic with Telcom and Text

RAM: 16K standard, expandable to 96K Size: 300mm. by 215mm. by 61mm.

Weight: 1.7kg. approx
Power: four AA batteries in

interchangeable battery pack or optional NiCad rechargeable pack and recharger; additional built-in NiCads for back-up

Display: 40 characters × eight lines LCD; 64 × 240 dot addressable graphics


Keyboard: full-size QWERTY; five dual programmable function keys, operating as 10 geographically oriented cursor keys

Interfaces: eight-pin DIN cassette;
RS-232, programmable for 75-19,200
baud; Centronics printer; HPcompatible bar-code reader; S-101 and
S-102 reserved for future use, system
slot for RAM cartridge


Software: 25-program cassettes supplied as standard in addition to ROM-based software

Manufacturer: Kyocera, Japan for NEC U.K. distributor: NEC (U.K.) Ltd


## Review



The striking cursor-control keys instantly distinguish the NEC from its cousins.



Communications are well catered for with a variable baud-rate RS-232 interface.



ROM-based software plugs into a socket on the side, as does up to 32K of RAM.

RAM pack, detach it and despatch it back to base. One obstacle is that the RAM pack is not available yet; a further obstacle is the price. The pocket-size RAM packs each cost as much as a cheap dot-matrix printer, so you will probably settle for downloading data to a cassette machine.

All three new lap portables offer variations on the same suite of built-in software from Microsoft. Microsoft Basic is supplied burnt in to the ROM, but surprisingly it is not the same Basic across all the machines. NEC has said goodbye to the SCHDL and ADDRSS programs that on the Tandy and Olivetti are integral with the machine. The additional space is used to offer more comprehensive Basic, closer to GWBasic now appearing on all the new 16-bit hardware.

The word processor Text was covered in detail in the August 1983 issue of *Practical Computing*. SCHDL and ADDRSS are elementary database programs that act as diary plus name-and-address book respectively. They offer nothing that you could not knock up for yourself using the Find facility in Text, but NEC provides them in Basic in the Personal Application Kit — a cassette of 25 programs of varying utility.

Be warned that applications programs are not necessarily transportable across these superficially similar machines. Transfer rate and coding differences in the cassette interfaces make it impossible to get data from a Tandy cassette on to an NEC machine, and vice versa.

A machine of this sort can be expected to make heavy use of the RS-232 interface in communication with non-portables. All the Kyoceras come with a terminal emulating program that allows you to configure the baud rate and transfer files. Unfortunately, the XOn/XOff handshaking did not work convincingly, and I had difficulty matching baud rates.

One advantage of the NEC is the way it lets you carry out file housekeeping at the level of the menu presented at start-up. All you have to do is push a few function keys, using the cursor to identify files you want to delete or rename. Saving to and from cassette can be done interactively at this level. This is more convenient than the way the Tandy requires you to go into Basic and write out the Basic commands in full.

## Conclusions

- The NEC is functionally very similar to the Olivetti M-10 and the Tandy Model 100, being from the same manufacturer Kyocera.
- It is significantly cheaper than the Tandy. The basic 16K NEC costs £475 and the 8K Tandy costs £499.
- Unique in its class, it can be enhanced up to 96K, equivalent to 12,000 words of text.
- The doubt hanging over the serial comms line is unfortunate. Like others who have mentioned this problem, I cannot swear it was useless because of the complexities of the RS-232 standard.

## **BBC Microcomputer System**

## OFFICIAL BBC COMPUTER DEALER



This is the best microcomputer currently on the market 32K RAM 32K ROM 8 modes of operation, full colour, full size keyboard, internal expansions such as obsc interface, speech synthesizer. Econel interface — In short if is a personal computer capable of expanding into a small hydrocisc sestion.

computer capable of expanding into a small	an business system
BBC Microcomputer Model B	£348 - VAT £399.00
BBC Mod B - disk interface	£409 - VAT - £469.00
BBC Mod B - Econet interface	£389 - VAT _£447 35
BBC Mod B - disk and Econet interfaces	£450 - VAT - £517.50
BBC 100K disk drive	£230 · VAT £264.00
88C dual 800K disk drive	£699 · VAT £883.85
Torch Z80 disk pack including Z80 2nd	processor 64K RAM and CPN operating
system + Free Perlect Software	£699 - VAT £803 85
BBC Teletext receiver (Aug)	£196 · VAT £225.40
BBC cassette recorder and lead	£26 - VAT £29.90
Disk interface kit (free fitting)	08 963 TAV - 983
Mod A to Mod B upgrade kill	£50 · VAT £57.50
Fitting charge for A to B upgrade kit	£20 · VAT - £23.00
16K memory upgrade kit	£20 - VAT £23.00
Games paddles	£11 - VAT £12.65
12 Monochrome monitor incl. cable	£89 - VAT £102.35
16 Colour monitor incl. cable	£209 - VAT £240.35
User guide	00.012 TAV - 013
Econet interface (free tifting)	00 e92 TAV · 062
Speech interface (free litting)	£47 - VAT £54 05
BBC disk manual - formating disk	£30 - VAT £34.50
Parallel printer cable	£10 · VAT £11.50
BBC word processor (view)	£52 · VAT £59.80
BBC Fourth language cassette	£15 · VAT £17.25
BBC Lisp language cassette	£15 · VAT £17.25

## 100% BBC COMPATIBLE MITSUBISHI AND TEAC SLIMLINE DISK DRIVES



These drives are supplied ready cased with all the necessary cables, formating


program and user disk system guide.

There are some useful utilities included, e.g., Epson Screen Dump Program.

Memory Dump, Free. Dupicate. Merge and Relocate. Power consumption of these drives is very low (0.24 typ. at - 12V, 0.4V typ. at - 5V per drive). Power is staken from the RBC commuter.

is taken from the DBC comparer	
Single drive 100K 40 tracks	£169 + VAT = £194.35
Dual drive 200K 40 tracks	£329 · VAT - £378.35
Single drive 400K 80 tracks	£239 + VAT = £274.35
Single drive 400K 40 80 tracks switchable	£259 · VAT £297.85
Dual drive 800K 80 fracks	£449 - VAT - £516.35
Dual drive 800K 40 80 tracks switchable	£469 - VAT £539.35


## COMPLETE WORD PROCESSOR FOR ONLY £1,099 + VAT



Special package deal

£1.099 - VAT £1.263.85

## PROFESSIONAL MONITORS



GREEN MONITORS 12" Green screen monitors with composite and sync input. Suitable for most

SANYO SCM 14M Medium res 14", 600 dots, RGB input supplied with RGB lead

SANYO SCM 14M Medium res 14", 600 dots, RGB input supplied with RGB lead

SANYO SCM 14M Medium res 14", 600 dots, RGB input supplied with RGB lead

C299 - VAT - E228.85

SANYO SCM 14M High res 14", 800 dots, RGB input supplied with RGB lead

£399 + VAT = £458.85

## EPSON FOR RELIABILITY



EPSON FX80: 80 column. 160 CPS, normal, italic and elite characters. 256 uner delinable c. racters, superscript, subscript. 11 x 9 matrix, bi-directs hall logic seeking, bi-res bit image printing (960 x 8 dots line). friction and pinted 9 international character sets. Centronic parallel intertace.

£349 + VAT = £401.35 FX80 PRICE

EYSON RX80. 80 column 100 CPS normal ratic and elite unara ters 11 international character sets, thirtes bit image printing be directional to jic seeking 41 to 101 adjustable pin feed. Centronic parallel interface.

RX80 PRICE

EZ39 + VAT = EZ74.84

Roll holder for FX80 Ribbon for MX80 FX80 RX80 £13.80 Ribbon for MX100 £12 - VAT £13.80

## SEIKOSHA **DOT MATRIX** PRINTERS WITH HIGH-RES **GRAPHICS**



GP-100A 80 column 50 CPS, dot addressable hi-res graphics, 10- wide, fully

deviation of column 30 or 50 or 30 o OX PRICE

**NEW GP-700A 7 COLOUR PRINTER** 

This laters addition to Sexosha range gives you print in seven colours. 10 -wide carrage -friction and tractor feed, 50 CPS print speed, dot addressable high-res graphics. 4 hammer printing mechanism, 10 CPI or 13.3 CPI, special Quite.

## **GUARANTEED LOWEST PRICES**

We guarantee that our prices are the lowest on the market. If you can and any item advertised and in stock at less than our grice we will

## **NEW LOW PRICES ON STAR**



The most cost effective quality matrix printers to be launched this year. DP510 and DP515 features include friction and tractor feed and roll holders as standard 100 CP5 print speed budirectional logic seeking 9 x 9 matrix gives true descenders 2 3 dx butter as standard frives bit image plus block graphics, sub and super script, italic printing, auto underlining, vertical and horizontal tabulation, left and right margins set. skip over perforation, back space and settles.

STAR DP518 10" carriage 80 columns £239 + VAT = £274.85 STAR DP515 15 carriage 136 columns

RS232 INTERFACE FOR ABOVE

## **POCKET COMPUTERS AND CALCULATORS**

\* CASIO P8-100 Basic language pocket computer: 544 program steps. Owerhy keuhoard: 12 char display C34 75 + VAT - C39, 95

keyboard, 12 char display

\*\*CASIO F.\*\* 700PB Basic Language, scientific functions, 1568 program steps,
Gwerry keyboard, 12 char display

\*\*CASIO F.\*\* 800PB Basic Language computer, scientific functions, 1568 program steps,
Steps, Suittin minir printer. Gwerry ke; " and, rechargeable battenes and charger, 12 char display.

\*\*CASIO F.\*\* 6.2 Cast Steps F.\*\* 12 Cast Steps Computer, Scientific Basic Steps, Suitting minir printer.

\*\*CASIO F.\*\* 6.2 Cast Steps F.\*\* 12 Cast Steps Computer, Scientific Basic Steps, Suitting Cast Steps Cast St

\* CASIO FA-3 Cassette adaptor for PB100, PB300, FX700

\* CASIO FP-12 Printer for BB100 and FX700 F39 09 - VAT = £19.95

\* SHARP PC-1211 Basic language computer, scientific functions, 1424 program steps, 24 char display, Owerly keyboard

£60.83 · VAT - £69.95

\* SHARP PC-1251 Basic language computer, 4K RAM, 24K system ROM, 24 char display. Owerty keyboard, user defined key, numeric pad £69 52 · VAT

£79.95 

TEXAS INSTRUMENTS TI 99/4A

This microcomputer is based on TMS9900-16-bit microprocessor. Il includes 16K RAM, 16 colour high resolution graphic (192 x 256). The screen display is 32 characters. 24 lines TI-BASIC. Full-size keyboard. For Software there are about 1000 programs to choose from There are a lot of peripherals available, e.g. Disk Drives. Disk Interface. Speech Synthesizer. Extra RAM. Additional Language (PASCAL TI-LOGO, ASSEMBLER).

TI HOME COMPUTER	HARDWARE	
Title	Description	Price inc VAT
T199 4A	Complete with UHF modulator and power supply + free cassette lead	€99.95
PERIPHERALS		
Speech	When used with selected modules will	
Synthesizer	roduce electronic speech	€41.95
Peripheral	This unit takes all card peripherals and on.	
Expansion System	internal disk drive	£79.95
Disk Drive -	92K formatted drive mounts internally in	
internal	peripheral expansion system	£149.95

rice VAT

.95

.95

£109.95

€259.95

€79.95

£219.95

£273.95

periprieral expansion system
Controls up to 3 disk drives, complete with
disk manager command module
92K formaffed capacity per side acts as 2
drives DSK1 & DSK2 total capacity 184K
bytes
Complete with conserve capacity. Disk Controller Disk Drive Disk Drive Complete with own case, power supply & connecting cables
Provides 2 serial RS232 ports and one
parallel port for interfacing External RS232 **Expansion Card** 

Adds 32K bytes extra RAM bringing total capacity to 48K bytes .
Includes the UCSD PASCAL P-code inter Expansion Card 80 column matrix printer pinter GP-100A Matrix Printer

 cable
 column matrix printer with RS232 and
Centronic parallel interface
 column, 100 CPS matrix printer, Matrix Printer GP250X Epson RX80 Printer

Please send S.A.E. for software prices

## THE AFFORDABLE DAISYWHEEL



10 12 15 CPI -

\*Drop in\* Daisywheel – Triumph Adler Compatible Supports all Wordstar features



\* Friction and Adjustble Tractor Feed Patented Square Needles up to 9 x 13 matrix

\* Hi-Res Graphics and Block Grahics

SHINWA CP80 PRINTER SPARE RIBBON FOR CP80 £239 + VAT = £274.85 £5 + VAT = £5.75

## **NEC 8023BE-C PRINTER**



This is a high speed printer using bi-directional logic seeking operation  $.7 \times 9$  matrix for alphanumerics  $.8 \times 8$  for graphics and bit image printing Programmable paper feed, original plus three copies. Greek characters and high resolution graphics. The print quality is exceptional, and the price is altordable. £299 . VAT = £343.85 Price

 ★ DK1 Microline 80 Printer
 ★ DK1 Microline 82A Printer
 ★ Dragon 32 Computer £199 + VAT = £228.85 £329 + VAT = £378.35 £139 + VAT = £159.95

## Akhter Instruments Limited

Dept. E.C., EXECUTIVE HOUSE, SOUTH RD., TEMPLEFIELDS, HARLOW, ESSEX CM20 2BZ, UK. TEL: HARLOW (0279) 443521 OR 412639 TELEX 995801 REF - A18

## ORDERING INFORMATION

ORDERING INFORMATION
All orders which accompany a cheque, cash or postal orders are CARRIAGE
FREE (UK only). Please make cheques and postal orders payable to "AKHTER
INSTRUMENTS". A carriage charge of 3% of invoice total is applicable to
BARCLAYCARD and ACCESS orders. We accept official orders from
Government and Educational establishments. We accept VAT FREE EXPORT
orders, please phone or write to check shipping cost

OPENING HOURS: MON-FRI 9am-5.30pm, SAT 10am-2pm.
We welcome callers, no parking problems.

WAV EDINBURGH

## The memory lingers on

Neville Maude makes a date with a combined diary, real-time clock and non-volatile add-on RAM for the BBC Micro.

ONE OF the annoying things about computers is that when the current is switched off everything held in memory is lost. Files can be saved to tape or disc, of course, but they then have to be fed back in on each occasion. The idea behind the Acacia non-volatile real-time clock and RAM system for the BBC Micro is to store diary information in RAM which has its own back-up battery.

The Acacia unit is housed in a substantial case which measures 8in, by 5.5in, by 3in. A ribbon cable links it to the micro's 1MHz bus connector, and a four-strand connector goes to the auxiliary power socket.

The all-important back-up power is supplied by a Tadrian TL-5104P lithium battery. Acacia quotes a rather conservative three-year battery life, after which a replacement will cost around £5. New batteries can be inserted by anyone who can handle a soldering iron without damaging CMOS components, and Acacia will do the job for those who lack the courage to do it themselves.

## Sideways ROM

Interfacing software comes on a ROM which should be placed in the first socket from the right. It is formatted as sideways ROM so only 256 bytes of workspace are needed. The current version is compatible

## **Apple Diary**

The Oasis Diary Card provides a clock/calendar for the Apple II computer. The software, in ROM, provides commands to create, review, search and exit from the diary information, which is held in battery-backed RAM. Data retention is stated to be a minimum of five years. The 16K of RAM allows about 240 diary entries, but a factory upgrade to 64K of RAM is possible. The diary card can be installed in any slot except slot 0, and the diary can be accessed without disturbing any program in RAM. Contact Oasis Electronics Ltd, University Village, Norwich NR4 7TJ. Telephone: Norwich (0603) 503275.

with Torch, second processors and so on.

The RAM filing system is very swift indeed — three times faster than disc for Load and Save. It is also very reliable since there are no moving parts, and operation is completely silent. Time and date can be automatically included into files.

## **Setting up**

Only 4K of memory is available, but that is enough to be useful for small things such as setting-up data. For example, if using the Wordwise word-processor chip it is useful to let the non-volatile RAM feed in things like \*TV255,0 and \*FX6,0. Other useful instructions might set the second values for the user-definable keys to provide single-key controls, standard page settings, and any commands required to ensure that the printer produces a £ sign instead of a #.

The idea of instantaneously switching in Snapper, Planetoids or more serious long programs must wait until more RAM is available. Acacia can provide a 26K upgrade with no change in base software,

- \*DIAA—add a reminder to diary \*DIAD—display and/or delete all
- dates
  \*DIAK—display and/cr delete items

reminders for specific or subsequent

- containing keyword

  \* DIAR—read and/or delete items that
  activated alarm
- \*TIME—enable continuous date and time display
- \*DATD—display non-continuous time and date
- \*TIMD—disable continuous time and date display
- \*TIMS—set the time
- \*DATS-set the date

Table 1. Dlary system commands.

- \*ACCESS-locks or unlocks file
- \*INFO—determines load address, length, and execution address file
- \*OPT 4n—controls autoboot, 1 Load, 2 Run, 3 Execute
- \*EXEC-treats file as if typed in
- \*SPOOL—directs output to screen, printer, RS-423 etc
- \*RAM—access to Acacia filing system Table 2. Filing system commands.

though this costs about £150 extra. When 8K chips become cheap enough to replace the present chips, full expansion will be possible up to 64K.

The diary system is based on a real-time clock which can provide readings of the year, month, date, hour and minute. Reminder messages are available if required; they could be yearly for birthdays or an approaching MOT test, or monthly, like cheque-card repayments. Temporary messages for things like switching off the cooker can be programmed in. An alarm can be made to sound even if you are in the middle of another program. The current version holds dates up to the year 2014.

You can search the diary for particular entries. Suppose you were a keen golf player, entering

## \*DIAK GOLF

would select and display all entries showing this keyword. If you wanted to know when you met Mr Brown the computer would pick the relevant entry or entries. Useful refinements are that upper and lower case can be used. There is a wild-card facility so if you are not sure whether the name is spelt with an e or not, typing

Brown\*

would cover both contingencies.

## Conclusions

- The diary and RAM filing system are a very clever piece of programming, with well thought-out commands.
- A commendably clear 36-page A5 manual is supplied.
- The instant loading offered by non-volatile RAM storage is attractive, but the standard 4K is large enough only for frequently used set-up routines rather than full programs.
- Good old-fashioned desk diaries and real-time clocks with built-in alarms can both be had for a few pounds: whether a micro-based version of the same things is worth 10 times as much must be a matter of personal priorities.
- The Acacia Diary and RAM filing system is supplied by Acacia Computers Ltd, 5 Coombe Lea, Bickley, Bromley, Kent BR1 2HQ. It costs £147 including VAT; the 26K RAM upgrade costs about £150.

A YEAR AFTER the Apple Lisa pioneered a new approach to software the first of the major imitators has arrived. Visi On from Visicorp has, like Lisa, a friendly mouse-controlled user interface. Also like Lisa, Visi On lets you run several applications concurrently, displaying them in separate windows on the screen, and it lets you pass data between them.

Unlike Lisa, Visi On does not require special dedicated hardware — it will run on a range of machines. But it is not an operating system, but an "operating environment". You load it on top of your operating system, which is one reason why it is machine independent. The initial version, available immediately, is for the IBM PC XT.

Visi On comes in two parts. The Visi On Applications Manager sits immediately on top of the OS, which in the initial release is MS-DOS. The VAM seizes control of all interaction between the machine and the user, doing things like displaying the output from application programs in user-defined windows on the screen and accepting commands entered using the mouse or keyboard. Visi On application programs then sit on top of the Applications Manager.

Initially Visicorp is releasing three application programs for Visi On: a spreadsheet, a word processor and a graphics package. They are called Visi On Calc, Visi On Word and Visi On Graph, names which are sure to lead to confusion with Visicorp's older series of programs, the VisiCalc/VisiWord/VisiPlot range. The company intends to bring out other Visi On applications, with a database called Visi On Query to be followed by mainframe-to-micro communications.

## **Data transfer**

Data from the Visi On programs can be transferred from one program to another, from Calc to Graph to produce a bar chart for instance, and then from Graph to Word to incorporate the bar chart in a report. At least that is the intention. In fact the initial release, Version 1.0, that I saw running on the IBM could not manage to move charts across into a Word document.

It took Apple some time to get similar functions working on the Lisa, but with a year's start the Lisa provides a more completely data-integrated invironment. On the other hand Visi On's response time seems good compared to the sluggish standard set by the Apple Lisa, especially when opening up an additional window for a new application program.

The mouse supplied by Visicorp has two buttons and is of novel design. Instead of having a large ball-bearing in the base like the Lisa and Microsoft mice, underneath it has a light emitter and a light detector. You move the mouse about on a 9in.-by-6in. flat mirror with a grid marked on it. This optical system seems to work reasonably well and is claimed to be more


## VISI ON

Ian Stobie looks at Visicorp's long-awaited mousecontrolled integrated software system: how it compares to the Lisa and to competing products promised by Digital Research and Microsoft.

reliable. Visicorp says later versions of Visi On will support other manufacturers' mice.

The general approach embodied in both Visi On and Lisa is to simulate the familiar desk-top paper environment on the computer screen. I personally find this makes unfamiliar packages easier to use. The consistency between applications makes it easier to remember what to do when you return to a package after not using it for several weeks.

All the same, I find it difficult to be very




Applications Manager sits between the OS and Visi On applications.

excited by Visi On, perhaps because it is so very like the Lisa. Where Visi On differs from the Lisa it is generally less ambitious. It does not make such extensive use of graphic symbols on the screen for instance, being content with displaying keywords.

As with Lisa, the problem most people find with Visi On is the price. Before you can do anything you need the Visi On Applications Manager costing £375 and the mouse at £185. The Visi On applications themselves cost an additional £295 for Visi On Calc, £285 for Visi On Word and £195 for Visi On Graph. When you add on the cost of an IBM PC XT you are not far off the price of Lisa, which is £6,500 with all six integrated Lisa applications.

Visi On will be launched for several other machines including the Texas Professional, the Wang PC and the standard IBM PC, but the overall cost is unlikely to be much lower because Visi On requires a hard disc. The VAP code alone takes up 1.5Mbyte. It is crucial to the success of Visicorp's strategy for Visi On to get third-party suppliers writing independent application packages for Visi On. Above all, Visicorp has to achieve a large installed base quickly. So the all-in end-user system price matters a great deal.



reasonably well and is claimed to be more | Graph, Word and Calc applications running at the same time on Visi On.

**Preview** 

To encourage third-party suppliers to develop Visi On application programs Visicorp is releasing full details of the VAP's program-level interface. This is not as useful as it sounds, as Visi On applications will have to be written in C and you will need the Visi On toolkit to build mouse control and windows into your application package.

The toolkit will run only in a Unix environment at the moment, which means that whatever your target machine is you will need a Vax or a good 68000-based machine to develop your software on. Further, the Visi On toolkit is expensive: the Vax version costs £7,500, and the 68000 version £5,000. A version of the toolkit to run on the IBM PC, which presumably will be cheaper, is promised for early 1984.

Since Visi On sits on top of a standard operating system running on a standard

machine, the key question for any commercial software developer is why not simply write directly for the OS. Immediately this would open up the huge potential market of possibly one million MS-DOS systems already out there, compared to an installed user base for Visi On, at the time of writing, of zero.

It could be argued that it might make better commercial sense to write your own set of routines and put them in with the application code, like in Lotus 1-2-3 or Multiplan for example, or to forget about such frills altogether. This assumes that the standard operating systems are going to remain simple, with a fairly spartan user interface. What is happening is that both Microsoft and Digital Research are putting elaborate user-friendly features into their OSs, and are bringing out powerful software tools to help with system development. Now both have

announced concurrent windowing for future products.

At a press conference timed to the hour to match Visi On's launch, Microsoft showed Windows, or rather an early mock-up version. The real product will, it is claimed, be available in April 1984. A year ago Visicorp pre-announced Visi On to journalists at the height of the excitement over the Lisa. It is ironic that in this instance Visicorp is having its thunder stolen in the same way.

Windows is really part of MS-DOS 2, the latest release of Microsoft's 16-bit OS. Windows is still a provisional product, but the demo I saw running on a DEC Rainbow 100+, the new hard-disc Rainbow, looked very good. It has better-resolution graphics than Visi On and made full use of Lisa-style icons. However, the response time of the eventual product was impossible to judge given the artificiality of the demonstration.


## Less ambitious

Microsoft's MS-DOS 2 with Windows is a less ambitious product than Visi On in that it looks as though it will not have virtual-memory management, this suggests that the number of tasks you can do concurrently may be more limited, or the response time may suffer in some circumstances. Nonetheless I would judge it to be a real threat to Visi On in the market place. Already Microsoft has signed deals with 23 computer manufacturers to put MS-DOS with Windows on their machines. As an OEM product MS-DOS with Windows will sell in volume to system suppliers. To the end-user it will appear to be come free with the system. Visi On, on the other hand, has to be bought like any other application product, and it is not cheap.


Microsoft's activities will have the most immediate impact on Visicorp because all the early versions of Visi On will be for MS-DOS machines. But Visicorp intends to release Visi On for Digital Research operating systems at some stage. Again, Digital Research has rapidly followed the Visi On launch with an announcement of its own. Version 3.1 of Concurrent CP/M-86, due for release in March, is to have windows. DR's windowing facilities are limited to four windows active at one time, but there will be support for data transfer between windows, which is probably more important.

Between them, Digital Research and Microsoft have not left Visicorp much time to start an unstoppable Visi On bandwagon rolling. And then there is Apple, pioneer of the mouse/windows/integrated-software approach. Is it content to let things rest with the Lisa? In next month's *Practical Computing* we reveal the shape of Apple's answer.

Visi On's U.K. distributor is Rapid Terminals, Rapid House, Denmark Street, High Wycombe, Buckinghamshire HP11 2ER. Telephone: (0494) 26271.



Concurrent CP/M, with four windows, is due for release in March.



MS-DOS with Windows showing Word simultaneously with another program.

THE MAGIC of the micro is great to begin with. It obediently displays the latest profit figures, the answers to homework or the latest state of your single-handed battle to save the world from extra-terrestrial invasion. However, as with the TV and the hi-fi, at some point things are liable to go wrong.

It may be that a fault develops in the mysterious little box, or the keyboard refuses to function. Maybe your Dragon ends up in a burglar's swag-bag while you are at Butlins, or the ZX-81 loses an argument with the vacuum cleaner. As with most of the little tragedies of life, however, some solace can be found if you plan in advance — and take out insurance.

It is possible to insure practically anything in which you have a financial interest, but the insurance companies have been slow to adapt to computers, compared with their obsession for cars, houses and lives. At first they were happy to insure micros, and even larger machines, as an item in a business-contents contract, or to add the personal micro to the list of other electrical gadgets among the personal effects covered by a house-contents policy.

## **Embarassment**

It has taken some time for the companies to realise the special problems relating to computers and to see that these are risks of a different nature than those applicable to the washing machine. It is still normal to go to a broker or the local branch office of a major company and be met with an embarrassed stare when you enquire about micro insurance.

There are three ways of approaching the insurance of your micro, and each has advantages and disadvantages. The simplest is to add it to the appropriate section of an office or house-contents policy, usually on an "all risks" basis. For home computers this involves simply contacting your insurers and asking them to add the machine to your policy and informing them of its value. The annual premium is then likely to be adjusted to take it into account.

Premiums are usually calculated as so many pence per £100 insured. Rates vary not only from company to company but from area to area. Norwich Union, for example, would ask 35p per £100 in low-risk country areas but as much as 90p per £100 in the burglar-infested wastes of inner London. Provincial's asking rate is £1 per £100. However, the cheapest policy is not alway the best since exclusions and excess—the sum you remain liable for, such as the first £100 of each claim—vary from company to company.

The problem with this type of insurance for a micro is that while it is cheap it only covers normal risks such as fire, theft and, to quote the Provincial, "loss or damage by any accident or misfortune". It does not cope with cooked chips or head crashes, still less with any financial loss which you

## The best policy

lan Hopkins details the crucial clauses to look out for when you are insuring a micro

incur because the machine is out of action. It may, however, be the economical choice for casual home users or smaller businesses.


A growing number of companies now produce computer policies that will cover the specific needs of small machines. For example, in addition to fire, theft and accident cover they will give protection for data media, costs of replacing data on tape or disc and similar expenses. Some of these companies are small engineering subsidiaries of the larger ones. For example, British Engine belongs to the Royal Insurance Group, National Vulcan is associated with Sun Alliance, and Scottish Boiler is part of General Accident. They tend to concentrate on commercial installations, especially mainframe

Dr Ian Hopkins is a Director of Kosmos Computing

computers, but will also cover micros. British Engine has a special Mini and Micro policy. Other companies catering specially for computers include household names such as Cornhill, Commercial Union and Eagle Star, while Prudential and Norwich Union have still to wake up to the potential in computer insurance.

What these companies offer varies in detail but there are a large number of similarities. The significant differences are often simply the cost of premiums and the excess imposed. In the event of theft or total loss by fire or damage, most companies will replace the machine with a new one of the same specification. This new-for-old approach is important for computers because of the poor state of the second-hand market.

In motor insurance it is normal to indemnify the customer. In other words, if



your four-year-old Cortina is hit by a runaway lamp post you get the value of a four-year-old Cortina — no more, no less. You could then go out and buy one if you wanted to replace like with like. However, it is not so easy to get an Acorn Atom or Pet of a particular vintage. By and large the insurance companies recognise this, though there are a few exceptions, such as Guardian Royal Exchange. Many companies limit new-for-old to fairly recent models.

Along with the loss of the machine, loss of tapes and discs is an important risk, especially if they are carried about or lent to other people. Most of the specialist policies make some attempt to finance the resurrection of software. Some do not compensate for loss of the actual media, and the degree to which they will support data recovery also varies. Commercial Union is more generous on this than many others but it is important to get a clear understanding of the extent of compensation before you go ahead and sign the agreement.

## Consequential loss

A third important area of cover is what is known as consequential loss. It covers loss of income and other costs resulting from computer breakdown or loss of access to the machine. British Engine summarises this cover as "additional expenditure up to the limit of the sum insured, incurred in order to continue the work normally done on the computer for up to six months . . .".

It is in the area of consequential loss that the traditional home-contents policies fall down because they will not offer any compensation for this type of loss. Office policies tend to include some cover of this nature often designated "interruption of work", although it may not be adequate for the potential loss of a database or large software system. The average homecomputer owner, of course, may suffer little or no real loss of earnings if the micro is used solely for entertainment or pleasure. An identical machine used as the heart of a business-accounts or customer-record system could lead to financial problems in the event of theft or damage.

## All risks?

If you are considering a so-called all-risks policy it is important to remember that it does not in fact cover literally all risks. There are a number of exclusions, which vary from company to company, but again they show a fair amount of common ground. Most policies exclude problems resulting from wear and tear and especially "derangement", by which is meant breakdown resulting from loose connections rather than a faulty part. Nearly all policies exclude loss or damage following "war, riots and civil commotion" and there are particular limitations in Northern Ireland. The effects



of nuclear radiation and changes in atmospheric pressure changes, such as sonic booms, are also excluded from nearly all policies. If your micro is insured on the basis of home use only you may have difficulties with a claim arising from business use. Domestic and General is especially keen on this point.

Failure of the electricity supply is often excluded, except for long periods, and this is a vital element in computer stoppage. For example, British Engine only insures against failure of supply for more than four hours and excludes "deliberate acts of the supply authority or drought". Eagle Star has a more complicated power-failure clause, but Commercial does not exclude this problem.

As with all insurance policies, there are excess clauses. You are expected to pay the first £10 per claim with Commercial Union and Cornhill, up to £50 per claim with Scottish Boiler.

## Special policies

Finally, there are special contracts for certain models. Domestic & General produces policies geared to the Genie, Vic-20 and Commodore 64, and also insures the computer trade. Another type of special policy is the computer-fraud contract of Legal and General, but this is more likely to interest larger financial businesses than the owners of micro systems.

The cost of specialist computer policies varies from about £8 upwards, and depends on the value of the equipment covered and the potential loss of business. The average home or small-business user always needs to consider carefully the cost of a special policy compared with an extension to a home/office-contents contract. The decision really hinges on whether serious problems would emerge if the machine were to be out of action for more than a few days.

A final type of cover deals with the exclusions of wear and tear and derangement found in most regular policies. Many micro users, especially those

with business interests, find the insurance companies' exclusions irritating. As far as they are concerned, if the machine is down they want it put right as quickly and as economically as possible, whatever the cause. The traditional answer to this problem has always been a maintenance agreement of a similar nature to that which many of us have to look after our central heating. For an annual fee, an engineering company will agree to service the equipment free of labour and we just have to pay for the parts.

## Datacover

However, computer users now have an alternative which is growing rapidly in popularity. It is known as Datacover and is organised by the Bristol firm of insurance brokers, Halsey and Company. Its distinctive feature is breakdown cover. The Datacover policy includes parts as well as labour on an all-risks basis, and expenses of recompiling data, hiring alternative equipment and normal loss or damage are included. The idea is that the average computer user needs a policy which really covers all insurable risks and is simple to claim on. Datacover is cheaper than a maintenance agreement, and the user has the freedom to contact any engineer and then present the bill to the insurers.

Critics of Datacover argue that maintenance agreements ensure that the engineer places the contracted customer high on the priority list. In other words if you ring XYZ Engineers Ltd when your machine is down someone will come today if you have a maintenance contract but you will have to wait till next week if you use Datacover. There is some doubt, however, whether things are really quite as bad as this. Surely, where there is competition between engineering firms there is ample incentive to deal with all customers promptly. The Datacover concept looks like catching on and represents a very good deal.

There are few professional advisers who can offer help in choosing a policy to insure a micro. On the whole, if a machine is being used for personal use then an extension to a home-contents all-risks policy may be adequate unless a lot of software is being produced. If the micro is being used regularly for personal or business purposes and any breakdown would be costly or inconvenient, then Datacover may well be the answer. For firms which can do their own maintenance or the individual who enjoys soldering PCBs a normal special computer policy may be enough.

As with all insurance policies it pays to get what advice you can and to read the small print. What are the exclusions? Does it cover transit? How much consequential loss is covered? The day when the micro can be insured as easily as the car may be some way off, but a little shopping around should produce a suitable policy for home and business users.

A WELL THUMBED book of tables is an indispensable part of most central-heating engineers' equipment. The vital information it contains includes data on the heat output of radiators of a given size, water flow in the pipes, boiler sizing and plenty more besides. A rough-and-ready convertor specifying what size of radiator is required for a room of a particular size is likely to be particularly well used.

However, an efficient system calls for some extensive calculations to make sure that fuel is not wasted in overheating some rooms while others remain chilly. In the first place you need to work out precisely how much heat is required in each room. The inside and outside temperatures, the volume of the room and how often the air in the room is changed are the most crucial factors. The area of glass in the room, the temperature of the house next door and the insulating properties of various building materials also need to be taken into account. It all amounts to quite an involved series of calculations which must be repeated for each room in the house.

If you have ever done the exercise for yourself the thought is bound to have dawned that this is work more suited to a computer than a human. With this program you can repeat the calculations for a series of external temperatures and compare the results. A bonus is that any errors in your raw data can easily be corrected without having to spend hours checking the knock-on effect in other rooms: you just run the program again.

## Making changes

The program makes it particularly easy to change the target temperature in any room. Other parameters can be altered by changing the appropriate program line. Likely candidates are: number of rooms, variable name Nrooms% at line 120; external temperature, variable name Outside at line 100; and the temperature in adjoining building: variable name Ndoor at line 110.

The data itself is placed in Data statements. It is not worth using a data file if you just want to run the program a few times. If you need to run the program regularly you can modify it to read from such a Data file; the data is simply loaded into anarray for analysis in lines 180 to 220.

The program assumes that each room has six rectangular surfaces, so lighthousekeepers will have to make approximations. Only one window is allowed for in each wall, but you can aggregate the areas of several windows. No allowance is made for internal doors; errors arising from this assumption are negligible as it is bad practice to design for large temperature differences across internal walls. External doors present a slightly different problem, which can best be dealt with by adding a few tens of watts to the heating requirements of the room in question.

The program calculates the heat loss and ventilation loss for each room. The heat-

## Home neating

John Smith's program takes the hard labour out of calculating radiator sizes and the boiler rating for a domestic central-heating system.

loss calculation uses the general formula: Heat loss = area of surface x U value of surface x temperature difference across

where area is in square metres, the temperature in °C and the heat loss is in | Ventilation loss per room = number of air

watts. In each surface a separate calculation is done for the window area and non-window area.

Ventilation loss is calculated from the formula:

```
COPRINT"CENTRAL HEATING PROGRAM 'HEAT'"

30PRINT" BY John Smith. (C) 1983"

40TIME=0:REPEAT UNTIL TIME>250

50VDU3:CLOSE£0:REM ensure printer is off and any files from other programs cl
ed 608%=$10
70VDU 23,240,24,24,0,0,0,0,195,195
BOREM DEFINE SOME CONSTANTS
90shfactor=0.37:REM INCLUDES SPECIFIC HEAT OF AIR
100outside= -1:REM OUTSIDE TEMPERATURE
110ndoor= 12:REM NEXTDOOR TEMP
120nrooms%= 9:REM NUMBER OF ROOMS
130valuesperroom%=48
140maxdata%=valuesperroom%*nrooms%
 140maxdata%=valuespercoom%+r
1501%=0:REM a search pointer
160DIM data(maxdata%)
170REM fill the array
180FORI%=1 TO maxdata%
190READ data(i%)
200NEXT
 210READeof%
 2201Feof% > 10000 PRINT"missed end marker": STOP
230CLS: PRINT"Process entire data ? (P)"; "Change a room temp ? (C) "
240PRINT"Chaose option -> ";
250ppts=GETs

260PRINTopts

270 IF (opts="P") OR (opts="p") GOTD 470

280 IF (opts<>"C") AND (opts<>"C") GOTD 230

290PRINT''"RODM / CDDE"'"-----"'

300FORIX=1 TO nrooms%

310PROCroom(i%=-1)

320PRINTrooms," (";i%;")"
 250oots=GETs
 33ONEXT 340INPUT' "Enter code of room to be changed ";r% 350INPUT"What is the desired temp ";t%
3501NFUT"What is the desired temp ";t% 360PRINT 370REM find the room 380FOR i%=1 TO maxdata% 390IF data(i%)=r% *-1 GOTO 410 400NEXT 410data(i%+i)=t% :REM change to new temp 420REM Tell user what's been changed". 430FROCroom(r%*-1) 440FRINT"Temp in the ";room*;" is now ";t% 450PRINT"Press SPACE to continue":A=GET 460GOTO 230
 46000T0 230
470 REM
480REM STAR
                 START PROCESSING
 490PRINT' "Output to printer ? (Y/N) ";
500opts=0ET$
510PRINTopts
510PRINTopts
520IF(opts<>""") AND (opts<>"y") AND (opts<>"n") AND (opts<>"n") GDTD500
530CLS:PRINTTAB(0,23);"-----
Lowest outside temp assumed = ";outside;" ("
Temp next door is assumed = ";ndoor;" !"
620VDU28,0,19.39,6:REM Define text window
630total%=0
640FDRp%=1 TO maxdata% STEP 48 :REM for each room
650q%=p%
660roomid%=data(q%):q%=q%+1:REM which room
```

## **Applications**

changes per hour x volume of room x specific heat capacity of air x temperature different to outside.

The boiler losses are simply estimated as being 10 percent of the total losses so far. An additional 3kW is then added for domestic hot-water requirements to arrive at a total figure for the minimum boiler capacity needed. A conversion factor is applied to give results in BTU per hour, as manufacturers still quote radiator and boiler outputs in these units.

Before entering the data, draw a rough plan of each floor of the building. Label each room with a unique identification number, starting at -1 and going on to -2, -3, etc.; this number corresponds to program variable RoomID. Mark the desired temperature in each room in  $^{\circ}$ C. Then draw up a table with the dimensions in metres of each room and, where appropriate, the size of the windows. Assume one wall to be north and then work round east, south and west, which is a help when checking the data afterwards.

The program expects data in the

Surface	U value
Cavity wall .	1:9
Cavity wall with foam infill	0.5
Brick internal wall	2.1-2.5
Breeze-block internal wall	2.4
Tile/slate roof on battens w	ith
felt	2.0
Tile/slate roof, insulated wit	th
glass-fibre	0.5
Wood floor, uncovered	1.8
Wood floor, carpeted	1.1
Solid floor	1.1
Intermediate floor	1.6
Intermediate floor	1.2
Single-glazed windows	5.6
Double-glazed windows, se	aled 2.7
Double-glazed windows, no	n-
sealed	4.0
Table 1. U values.	

Sitting room	2
Bedroom	1,5
Bathroom	2
Kitchen	3
Hall	1.5
Table 2. Air changes pe	r hour.

following order: RoomID; temperature;  $x_{surf}$ ,  $y_{surf}$ ,  $U_{surf}$ ,  $x_{glass}$ ,  $y_{glass}$ ,  $y_{glass$ 

- the absolute value of the RoomlD of the room adjoining this surface;
- —999 if the surface is an outside wall;
- —999 if the surface is an outside wall; —1000 if surface adjoins other building.

The Tag is the key to the operation of the program. The temperature difference across each surface is required to calculate the losses, and the program picks up a Tag and scans the entire data looking for a RoomID corresponding to it. RoomIDs are negative and so can be easily extracted from

(continued on next page)

```
670destemp=data(q%):q%=q%+1:REM what temp for this room
680Totalroomloss=0
690PROCroom(roomid%)
700PRINT';room$;": Desired temp = ";destemp
710FORK%=1 TO 6:REM for each surface of the room
720adjroomid%=data(q%+6)* -1
730 IF ABS(adjroomid%)=999 adjroomtemp=outside:GOTO780:REM it's an external wa
11
     740 IF ABS(adjroomid%)=1000 adjroomtemp=ndoor:GOT0780:REM this wall is 'shared
     with nextdoor 750FOR 1%=1 TO maxdata%: REM find out which ROOM is adjacent to this wall.
      760IF data(1%)=adjroomid% adjroomtemp=data(1%+1)
      770NEXT
7801F1%>maxdata%+1 PRINT"Cops & can't find room ";adjroomid%:STOP
 790tempdiff=destemp-adjroomtemp 800btuloss=(((data(q%)*data(q%+1)-data(q%+3)*data(q%+4))*data(q%+2)+data(q%+3)*data(q%+4)*data(q%+5))*tempdiff)*3.4121
     810total=total+btuloss
820Totalroomloss=Totalroomloss+btuloss
830FRINT'Surface ";k%;" Loss = "INT(btuloss);" 8tu/hr"
840q%=q%+7:REM on to the next surface
      850NEXT

860vol-data(q%)*data(q%+1)*data(q%+2)

B70airch=data(q%+3)

B80ventfactor=(vol*airch*(destemp-outside)*shfactor)*3.4121

B90PRINT, "Ventilation loss = ";INT(ventfactor);" Btu/hr"

900Totalroomloss=Totalroomloss+ventfactor
       910total=total+ventfactor
   920|Fopt%="Y"PRINT'"Radiator needed = "INT(Totalroomloss);" Btu/hr" ELSE PRINT
CHR$240;" Radiator needed = "INT(Totalroomloss);" Btu/hr"
930PRINT'"****"
   930PRINT'"****"

940IF(opt$<>"V") OR (opt$="y") A=GET:CLS
950NEXT

940PRINT'"Sum of losses so far = ";INT(total);" %tu/hr"

970PRINT'"Add 10% for the boiler losses:"
980total=total+total+total*0.1

990PRINT'"Now allowing 10000 Btu/hr for domestic hot water,"
1010total=total+10000
1020PRINT'"boiler capacity must be at least = "INT(total);" Btu/hr (";INT(total), 23);" Watts)"
1030VDU3,26
1040PRINTTAB(0,22):"

PROGRAM COMPLETE

"
    1040PRINTTAB(0.22):"
                                                                                                PROGRAM COMPLETE
    1050END
1060DEFPROCroom(roomid%)
   1060DEFPROCroom(roomid%)
1070IFroomid%=1 room$="Living room":ENDPROC
1080IFroomid%=-2 room$="Lounge":ENDPROC
1090IFroomid%=-3 room$="Lounge":ENDPROC
1100IFroomid%=-4 room$="Lounge":ENDPROC
1110IFroomid%=-4 room$="Rear bedroom":ENDPROC
1120IFroomid%=-6 room$="Front bedroom":ENDPROC
1130IFroomid%=-6 room$="Front bedroom":ENDPROC
1130IFroomid%=-7 room$="Small bedroom":ENDPROC
1140IFroomid%=-9 room$="Bathroom":ENDPROC
1150IFroomid%=-9 room$="Bathroom":ENDPROC
1150IFroomid%=-9 room$="Bathroom":ENDPROC
1150DATA -1,22
1180DATA 3.56,2.3,1.9,1.68,1.49,5.6,999
1190DATA 3.7,2.3,2.5,0,0,0,2
1210DATA 3.7,2.3,2.5,0,0,0,2
1210DATA 3.7,3.56,1.1,0,0,9,999
1230DATA 3.7,3.56,1.1,0,0,0,999
1230DATA 3.7,3.56,1.3,2
1240DATA 3.7,3.56,2.3,2
1240DATA 3.7,3.56,2.3,2
     1250REM
     12eODATA -2,20
127ODATA 3.56,2.3,2.5,0,0,0,1
12BODATA 3.55,2.3,2.5,0,0,0,4
129ODATA 3.56,2.3,1.9,2.92,1.47,5.6,999
```

```
1300DATA 3.85,2.3,2.5,0,0,0,1000
1310DATA 3.85,3.56,1.1,0,0,0,999
1320DATA 3.85,3.56,1.6,0,0,0,6
1330DATA 3.85,3.56,2.3,2
1340REM
1350DATA -3,16
1360DATA 2.11,2.3,1.9,1.78,1.17,5.6,999
1370DATA 4,2.3,1.9,1.14,1.15,5.6,999
1380DATA 2.11,2.3,2.5,0,0,0,4
1390DATA 4,2.3,2.5,0,0,0,1
1400DATA 2.11,4,1.1,0,0,0,999
1410DATA 2.11,4,1.1,0,0,0,9
1420DATA 2.11,4,1.4,0,0,0,0,9
1430DATA 2.11,4,2.3,3
1430REM
  1340REM
  1440DATA -4.16
 1440DATA -4,16
1450DATA 2.11,2.3,2.5,0,0,0,3
1460DATA 4.15,2.3,1.9,0,0,0,999
1470DATA 2.11,2.3,1.9,2.11,2.3,5.6,999
1480DATA 4.15,2.3,2.5,0,0,0,2
1490DATA 4.15,2.11,1.1,0,0,0,999
1500DATA 4.15,2.11,1.1,0,0,0,0,8
1510DATA 4.15,2.11,1.1,0,0,0,0,8
1510DATA 4.15,2.11,2.3,1.5
1520REM
1530DATA -5,21
1540 DATA 3.56,2.36,1.9,1.6B,1.33,5.4,999
1550DATA 3.7,2.36,2.5,0,0,0,6
1570DATA 3.56,2.36,2.5,0,0,0,1000
1580DATA 3.7,2.36,2.5,0,0,0,1
1590DATA 3.7,3.56,1.2,0,0,0,1
1590DATA 3.7,3.56,1.2,0,0,0,1
    1610REM
    1620DATA -6.20
 1620DATA -6,20

1630DATA 3.56,2.36,2.5,0,0,0,5

1640DATA 3.85,2.36,2.5,0,0,0,7

1650DATA 3.56,2.36,1.7,2.72,1.47,5.6,999

1650DATA 3.85,2.36,2.3,0,0,0,1000

1670DATA 3.85,3.56,1.2,0,0,0,2

1680DATA 3.85,3.56,1.2,0,0,0,799

1690DATA 3.85,3.56,0.5,0,0,0,799
    1700REM
1710 DATA -7,21
   1710 DATA -7,21
1720DATA 2.11,2.36,2.5,0,0,0,8
1730DATA 1.95,2.36,1.9,0,0,979
1740DATA 2.11,2.36,1.9,1,1,5.6,999
1750DATA 1.95,2.36,2.5,0,0,6
1750DATA 2.11,1.95,1.2,0,0,4
1770DATA 2.11,1.95,1.2,0,0,4
1770DATA 2.11,1.95,0.5,0,0,999
1780DATA 2.11,1.95,2.36,1.5
   1790REM
1800DATA -8,16
1810DATA 2.11,2.36,2.5,0,0,0,9
1820DATA 2.54,2.36,1.9,1.4,1.9,5.6,999
1830DATA 2.11,2.36,2.5,0,0,0,7
1840DATA 2.12,36,2.5,0,0,0,6
1850DATA 2.11,2.54,1.2,0,0,0,4
1850DATA 2.11,2.54,0.5,0,0,0,999
1870DATA 2.11,2.54,0.5,0,0,0,999
     1790REM
  1870DATA 2.11,2.54,2.36,1.5
1880REM
1890DATA -9,19
1900DATA 2.11,2.36,1.9,1.12,1.16,3.9,999
1910DATA 3.15,2.36,1.9,0,0,0,999
1920DATA 2.11,2.36,2.5,0,0,0,8
1930DATA 2.11,3.15,1.2,0,0,0,5
1940DATA 2.11,3.15,1.2,0,0,0,999
1950DATA 2.11,3.15,0.5,0,0,0,999
1960DATA 2.11,3.15,2.36,2
1970DATA 10000
```

## **Applications**

```
Surface 4 Loss = 670 Btu/hr
CENTRAL HEATING PROGRAM 'HEAT'
                                                                        Surface 5 Loss = -54 Btu/hr
    BY John Smith. (C) 1983
                                                                        Surface 6 Loss = 494 Btu/hr
     Lowest outside temp assumed = -1
     Temp next door is assumed = 12 |
                                                                        Ventilation loss = 1295 Btu/hr
Living room: Desired temp = 22
Surface 1 Loss = 1947 Btu/hr
Surface 2 Loss = 435 Btu/hr
                                                                                                                4445 Btu/hr
                                                                        Radiator needed =
Burface 3 Loss = 139 Btu/hr
Surface 4 Loss = 725 Btu/hr
Surface 5 Loss = 1137 Btu/hr
Surface 6 Loss = 71 Btu/hr
                                                                        Front bedroom: Desired temp = 20
Surface 1 Loss = -72 Btu/hr
Surface 2 Loss = -78 Btu/hr
Surface 3 Loss = 2281 Btu/hr
Surface 4 Loss = 620 Btu/hr
Ventilation loss = 1759 Btu/hr
Radiator needed =
                                         6217 Btu/hr
                                                                        Surface 5 Loss = 0 Btu/hr
                                                                        Surface 6 Loss = 491 Btu/hr
                                                                        Ventilation loss = 1286 Btu/hr
Lounge: Desired temp = 20
Surface 1 Loss = -140 Btu/hr
Surface 2 Loss = 302 Btu/hr
                                                                        Radiator needed =
                                                                                                                4530 Btu/hr
Surface 3 Loss = 2252 Btu/hr
Surface 4 Loss = 604 Btu/hr
Surface 5 Loss = 1080 Btu/hr
                                                                        Small bedroom: Desired temp = 21
                                                                        Surface 1 Loss = 212 Btu/hr
Surface 2 Loss = 656 Btu/hr
Surface 6 Loss = 0 Btu/hr
                                                                        Surface 3 Loss = 987 Btu/hr
Ventilation loss = 1671 Btu/hr
                                                                        Surface 4 Loss = 39 Btu/hr
Surface 5 Loss = 84 Btu/hr
Surface 6 Loss = 154 Btu/hr
Radiator needed =
                                        5771 Btu/hr
                                                                        Ventilation loss = 404 Btu/hr
Kitchen: Desired temp = 16
Surface 1 Loss = 981 Btu/hr
Surface 2 Loss = 1295 Btu/hr
                                                                        Radiator needed =
                                                                                                                2539 Btu/hr
Surface 3 Loss = 0 Btu/hr
Surface 4 Loss = -471 Btu/hr
Surface 5 Loss = 538 Btu/hr
                                                                        Upper hall: Desired temp = 16
                                                                        Surface 1 Loss = -128 Btu/hr
Surface 2 Loss = 1231 Btu/hr
Surface 6 Loss = -139 Btu/hr
                                                                        Surface 3 Loss = -213 Btu/hr
Surface 4 Loss = -205 Btu/hr
Ventilation loss = 1249 Btu/hr
                                                                        Surface 5 Loss = 0 Btu/hr
Surface 6 Loss = 155 Btu/hr
Radiator needed =
                                        3456 Btu/hr
                                                                        Ventilation loss = 407 Btu/hr
Lower hall: Desired temp = 16
Surface 1 Loss = 0 Btu/hr
Surface 2 Loss = 1051 Btu/hr
                                                                        Radiator needed =
                                                                                                                 1249 Btu/hr
Surface 3 Loss = 1576 Btu/hr
Surface 4 Loss = -326 Btu/hr
Surface 5 Loss = 558 Btu/hr
                                                                        ****
                                                                        Bathroom: Desired temp = 19
                                                                        Surface 1 Loss = 822 Btu/hr
Surface 2 Loss = 963 Btu/hr
Surface 6 Loss = 0 Btu/hr
                                                                        Surface 3 Loss = 127 Btu/hr
Ventilation loss = 648 Btu/hr
                                                                         Surface 4 Loss = -127 Btu/hr
                                                                        Surface 5 Loss = 81 Btu/hr
Radiator needed =
                                         3509 Btu/hr
                                                                        Surface 6 Loss = 226 Btu/hr
                                                                        Ventilation loss = 792 Btu/hr
Rear bedroom: Desired temp = 21
Surface 1 Loss = 1818 Btu/hr
Surface 2 Loss = 148 Btu/hr
                                                                        Radiator needed =
                                                                                                                 2888 Btu/hr
Surface 3 Loss = 71 Btu/hr
                    Sum of losses so far = 34607 Btu/hr
                    Add 10% for the boiler losses:
                    this makes the losses up to 38068 Btu/hr
                    Now allowing 10000 Btu/hr for domestic hot water,
                   boiler capacity must be at least =
                                                                                   48068 Btu/hr (14083 Watts)
```

## (continued from previous page)

the data; the program just multiplies the Tag by -1 before beginning its search for a RoomID. When the program finds a RoomID which corresponds to the Tag, the temperature in that room is simply the entry following that RoomID in the array. In the example for which data is given,

the hall was treated as two rooms, as the geometry of the building lent itself to that approach; remember to add one to Nrooms% if you do this. Changes should be made to the procedure in lines 1070 to 1150 to associate the RoomID with the name of the room for your application.

The program runs on the BBC

Microcomputer Model B in Mode 6; change line 10 to read Mode 7 to run on a Model A. It takes about a minute to compute the results for a whole house and output can be sent to a printer as one of the options. Page mode is engaged when output goes only to the screen, and is disengaged for printer output. 四

## IOFE STORY

Gordon Baker had often thought about buying a computer, but his courage always failed him at the vital moment. "I'm not a technical man", he explained. "I need patience and understanding and when I saw Columbia in a recent issue of a computer magazine, it looked so attractive and uncomplicated that I just had to send for more details."

A package arrived from Icarus the following Monday. With trembling hands Gordon opened it and read through the letter and introductory brochure. It seemed too good to be true: Columbia embodied all that had been missing from his previous relationships.

A meeting was arranged.

Gordon passed that afternoon with his local Icarus dealer in a state of near ecstasy! Columbia was not only attractive to look at, but, as the dealer explained and demonstrated,

proved extremely competent without being overly complicated.

Soon after that initial contact
Gordon had to fly North on
business and it was a fortnight
before he could contact
the dealer to fix another
meeting. It was decided
to bring Columbia round
to Gordon's office to be
introduced to the staff. It
was vital to establish as soon as
possible whether Columbia could
operate efficiently in his own

business environment.

Things could not have gone better. Columbia was a big hit with everybody; Accounts, Stock Control, Sales, Research and Forecasting were all of one accord: Columbia was terrific.

They enthused over the high resolution amber screen, were effusive about the choice of CP/M 86 and MS-DOS operating systems and IBM PC compatibility, and then became quite emotional over Columbia's floppy and Winchester disc configurations, its expandability up to 896K RAM and the access it gave to hundreds of 16 BIT 'off the shelf' software packages.

The dealer asked Gordon if he would like to see Columbia again. "Oh, please", said Gordon, "could it stay for just a couple more days?"

Within a week Columbia had moved in permanently, and Gordon was on top of the world.

"I'd just about given up hope of ever finding my perfect partner", he said, "until Columbia came along and changed my life!"

In the background, the warm glow from the amber screen seemed to indicate that Columbia too was well pleased with the situation...

If you think the Columbia PC could be your perfect

partner too, we'll be pleased to send you more intimate details in complete confidence.



ICARUS COMPUTER SYSTEMS LTD, Deane House, 27 Greenwood Place, London NW5 1NN. Tel: 01-485 5574. Telex: 264209

## Apple operations

## Peter and Owen Benson set up the Apple II as a process controller.

THE GATEWAY between your Apple II and the big, wide world outside is that little socket which has so far been monopolised by the game paddle and joystick. An A/D converter is built into the Apple, so analogue signals received through the games port can be converted into digital form. They can then be stored or manipulated by the computer.

The essential component of a games paddle is a variable resistor or potentiometer, the value of which depends on the position of the paddle knob. When reading the games port the Apple checks the current value of the potentiometer by measuring how long it takes to charge an internal capacitor through it. The value produced is a number between 0 and 255, corresponding to resistances in the range zero to  $150 \mathrm{k}\Omega$ .

Suppose games paddle 0 is in the middle of its travel, and you enter the instruction PRINT PDL (0)

The number 127 appears on the screen. If you were playing a game, the value of the paddle setting would not be printed, but would be used to provide instructions as to how to move something on the screen.

The Apple obviously has no means of knowing what kind of resistor is connected to the Game I/O socket so any resistive devices can be used instead of a paddle. There are a huge variety available, but one of the simplest is a thermistor, which is just a resistor that changes its value according to its temperature. Thermistors can be bought for a few pence from electronics stores, Tandy shops, etc.

Clearly a thermistor can be used to enable the Apple to measure temperatures, then graph them, manipulate them or store them. These values can even be used as triggers to instruct the computer to switch heaters, fans or warning devices on and off.


Listing I shows a program to take temperature readings each minute and graph the results.

As written, the program produces results in arbitrary units. To give temperatures in conventional units such as °C or °F you have to calibrate the thermistor. The first problem is that thermistors come in a variety of types. For example, some increase in resistance as the temperature

Peter Benson is director of studies at Aiglon College, Switzerland.

rises, while others decrease. Either type will do. The next variable is the thermistor's resistance. It is probably best to choose one with a resistance between  $60k\Omega$  and  $100k\Omega$ , since this is near the middle point of the Apple's measuring capacity.

To calibrate the thermistor, place it in crushed, melting ice to find its resistance at 0°C, and then next to a household



Pin 1 — +5V at up to 100mA

Pins 2 to 4 — used for the push buttons

Pins 6, 7, 10, 11 — used for the paddles

Pin 8 — electrical earth

Pins 12 to 15 — annunciator outputs, up

to 10mA

The connector plugs in with pin 1 towards the front of the Apple. Figure 3. Game I/O connector.

thermometer under a lamp or other heat source. Allow a few minutes for the temperature to stabilise in each case.


The Apple has provision for four games paddles, so it can handle up to four separate thermistors at once, which are read by PDL (0), (1), (2) and (3). Data from two sensors could be used to monitor outside and inside temperatures, or two chemical baths in a dark-room, and control heaters accordingly.

You can do a similar sort of thing with other resistive devices. A light-dependent resistor, LDR, can be bought from Tandy for about £1. As the name implies, the value of the resistor depends on the amount of light striking it, so you could use it to monitor light levels, compare the output of supposedly similar light bulbs, or control operations in the dark-room.

An LDR can be used to count the number of times a light beam is interrupted, since the resistance suddenly changes when the light is blocked. A limiting factor here is that the LDR does not respond instantly, so it can only be used for events happening less frequently than about 100 times per minute.

You can use a set-up of this kind in the physics lab to measure the speed of a moving cart. The computer starts counting when the beam is first interrupted, and stops when the beam is reinstated. By converting the count value into seconds and dividing the length of the vehicle by the calculated time you obtain a very useful value for its speed. Only one LDR is needed, and the light source can be daylight from a window. If possible, choose an LDR with a resistance of about  $80k\Omega$ , so that it normally lies near the middle of the Apple's measuring range.

The LDR is also the key to measuring other factors, which are not in themselves variable resistances. For instance, a voltage



## Interfacing

or current to be monitored can be used to operate a light bulb or LED which shines directly on to the LDR. If screened from the ambient light — you can use a plastic 35mm. film canister — the resistance of the LDR will vary with the changing voltage or current, allowing the computer to track it. The values will not be known directly, but this is often not necessary.

It is almost as easy for the Apple to control external electrical devices as it is for it to receive data. By arranging for it to do both, the computer can be used to run a sophisticated control system.

The Game I/O socket includes four outputs, known as annunciators, which can be turned on or off by software. They are labelled AN(0) - (3). The voltage level at these outputs is normally close to zero, but when they are turned on the voltage is set to +5V. Suitably buffered for the safety of your computer, this change can be used to turn on or off an electrical device.

The command to turn on annunciator (0) is Poke - 16295,0. Pin 15 then remains at +5V until turned off by the command Poke - 16296,0. The only complication

arises from the fact that the Apple can only provide a few millilamps of current, so some degree of amplification is called for.

In figure 1, the annunciator output is taken to the base of an NPN transistor such as a 2N-2222, with a relay placed in the collector circuit of the transistor. When the +5V signal arrives at the transistor base, the transistor allows current to flow through the relay coil, which in turn switches on whatever appliance is connected to the relay contacts. The power to operate the relay coil is best derived from an external source, such as a 9V battery.

In figure 2, complete electrical isolation is achieved by having the annunciator output turn on an LED which shines on an LDR in the control circuit of a similar transistor. The LED will not draw more current than the Apple can safely provide. The optical coupling to the LDR prevents any expensive surprises which might result from accidental connections between the computer and the apparatus being controlled.

The program in listing 3 could be used to switch on a fan and give a warning beep if

the temperature rises too high. The value 200 in line 110 should be adjusted to suit the characteristics of your thermistor and the switch-on temperature required.

The Game 1/O connector is shown in figure 3. In most cases, only four or five wires will be needed. Since the connector is small, it is best to keep down the number of wires and use very thin, stranded wire. The connection is made using a 16-pin Dip header obtainable from Tandy, for example. Carefully solder the wire in place, using a soldering iron with a very small bit. If you are a novice with the soldering iron, be very careful that no solder bridges are formed which might connect one pin with another inside the header plug.

A lead length between 18in. and 24in. should be adequate. You can start by experimenting with just two wires, connected to the +5V on pin 1 and GC(0), pin 6. The other ends of these wires can be terminated with insulated alligator clips, or soldered directly to the thermistor or LDR leads. Take great care that the bare wires do not touch each other, or any part of the Apple, otherwise expensive damage could occur.

## Listing 2. Listing 1. 100 INPUT "LENGTH OF OBJECT (CMS) ";L 100 REM: PLOT THE GRAPH AXES 110 HOME 110 REM: CONVERT TO METRES 120 FOR I = 1 TO 20 120 L=L/100 IF I = 10 THEN PRINT "TEMP": GOTO 150 130 X = 0140 PRINT " I" REM: P = BASE LEVEL OF LIGHT 140 150 NEXT T 150 P= PDL (0) 160 PRINT " "; REM: MONITOR LDR FOR INCREASED RESISTANCE 160 170 FOR I = 2 TO 15170 R=PDL(0) PRINT "-"; IF R < 1.1\*P GOTO 170 180 180 190 X = X + 1190 R=PDL(D) 200 PRINT "TIME (MINS)"; 200 210 1F R > 1.1\*P GOTO 190 FOR I = 26 TO 39210 PRINT "-"; REM: CONVERT TO SECONDS 220 230 X = X / 67230 NEXT I PRINT X" SECS" 240 400 REM: RECORD DATA & DISPLAY 250 REM: CALCULATE SPEED & ROUND OFF 410 FOR TIME = 1 TO 30 S=INT(100\*L/X+0.5)/100 X = PDL (0)420 PRINT "SPEED = "S" M/SEC" 270 430 TEMP = X\*(40/255)280 END Listing 3. 440 REM: CONVERSION FACTOR DEPENDS ON THERMISTOR 100 X = PDL(0)450 VTAB TEMP: HTAB TIME: PRINT "+" IF X< 200 GOT 0 100 FOR DELAY = 1 TO 46800: NEXT DELAY 460 120 POKE -16295,0 REM: 1 MINUTE DELAY FOR BEEP = 1 TO 50 470 130 NEXT TIME S = PEEK(-16336)480 140 VTAB 23 150 NEXT BEEP 490

NOT SURPRISINGLY, there are well established techniques for sorting, searching and manipulating tables. Since this column is dedicated to helping you get the best out of your programming 1 will be discussing some of these techniques, as well as other programming topics, in this and future issues.

One of the problems that good table handling can solve is direct access to disc files by means of a symbolic key. Suppose you want to access the membership file of your local tennis club. If each member can be identified by means of a simple, consecutive serial number there is no problem. The Get command in Microsoft Basic, allows you to read data from disc by means of a record number, and most other programming languages allow you to do the same. So to get member number 5 you simply read record number 5.

But it would be much more convenient if

## Table manners

Call it an array, matrix, vector or what you will, the humble table is one of the programmer's best friends. Mike Lewis explains how to use it properly.

you could reach your members' records with an alphanumeric key such as their initials or their names, rather than by an impersonal, easy-to-forget number. Some

languages include the means to access files in this way: the Find command in dBase and the symbolic key option in Cobol are examples. But most micro languages do not, which is where the table comes in.

The first step is to build a table holding the keys in the same sequence as the records in the file. Your program must look at every record in turn, extract the key which obviously must have been stored in the file in the first place - and add it to the table. The sequence of the records within the file is immaterial, and the keys do not all have to be the same length. Then, when you want to access a specified member's record, you search the table for the key. The position of the key within the table specifies the member's record number.

## Crude search

The program in listing 1 shows a crude way of doing a linear search. It is the simplest possible table search and it requires no further explanation. You look at each table entry in turn until either you find the one you want or, if the key is not in the table, you drop off the end.

I have used Basic for this and other examples because it is still the most widely known language. It is the technique that I

This column is dedicated to helping you get the best out of your programming. Even if you are one of those sensible micro users who normally tries to avoid programming at all costs, please stay with us as every month Mike Lewis will be passing on tips for using popular packages like WordStar, dBase II, Supercalc and the like.

## How to sort the table

Exchange sort. Far and away the easiest sort to code, and also the least efficient. You compare each pair of adjacent table entries, swapping them if they are out of sequence. Keep repeating until you have done an entire pass of the table without any swaps.

Binary insertion. For each entry in turn except the first, look to see where it fits in the sequence of the entries before it. Move all the entries below this insertion point down one place, then place the current entry in the gap thus created. The method is similar to the one you would use to sort a hand of cards. It can be very fast, especially if a binary search is used to find the insertion point.

Counting sort. Here the aim is not to put the entries in sequence, but to determine the ranking of entries within the table. You end up with a second array, which follows the same sequence as the main table and which contains an integer to indicate the rank - 1 = first, 2 = second, etc. the corresponding entry. Compare each entry in the main table with each of the subsequent entries. For each comparison, increment the count in the second table that corresponds to the lower of the two entries being

Heap sort. Put each adjacent pair of entries in sequence. Then merge each pair with the next pair, creating a run of four. Merge these four with the next four to create a run of eight; and so on. This is the most practical method for very large sorts where the intermediate groupings must be held on disc files.

Shell sort. Similar to the exchange sort, except that you start by

comparing far-apart elements. It is reasonably fast.

Merge sort. This is another method that comes into its own for large sorts. Start by loading a small section of the file into a table, and sort it using any of the previous methods. Write the sorted table to a work file on disc. Then sort the next section of the original file, but this time merge it with the work file. Repeat, merging each sorted section with an everincreasing work file. After the final pass, the work file will have become a sorted version of the original file.

Listing 1.

SIZE% is the number of items in the list; ARRAY\$(SIZE%) is the 2000 REM -list; ITEM\$ contains the item which we are searching for.

2010 FOR J%=1 TO SIZE%

2020 IF ITEM\$=ARRAY\$(J%) THEN GOTO 2100

2030 NEXT J%

2040 REM --Come here if required item not found

2100 REM --Come here if found; J% is the required record number wish to illustrate; the logic can be coded just as easily in other languages, such as Pascal and C.

The simple linear search is extremely easy to program, but it suffers from being very slow. On average, a successful search must test half the entries in the table, while an unsuccessful one must test them all. Most of the methods of improving the search depend on the table being pre-sorted so that the keys are in ascending sequence, but it is only worth doing if you are likely to be performing many searches in the same session. In fact there are dozens of ways of sorting a table. Andrew Featherstone described several of them in a series of articles "Know Your Sort" published in the March and April 1983 issues of Practical Computing, and they are summarised in the box on the opposite page.

The trouble with sorting the table is that you can no longer rely on the position of the key within the table to indicate the record number. To get round this, you must keep a separate list of record numbers which you sort in parallel with the main table.

## Time halved

Once your table is in sequence you can improve the performance of the search by branching out as soon as a table entry is greater than the specified key. This will not speed up a successful search but it will, on average, halve the time needed to discover if a key is absent.

If you are going to the trouble of sorting the table, you might as well go further and do a binary search. This is the classic way of searching a table, and while it is a little

trickier to code it will greatly improve the speed of the search.

In the binary search program shown in listing 2 you start by testing the searchedfor item against the middle entry in the table. If your key is below this value, you confine the next stage to the lower half of the table; if it is above, you confine it to the upper half. You then test the middle entry in the chosen half, thus confining the next stage to one-quarter of the table.

## **Homing in**

You repeat the same process, halving the search area each time. As you can see, you very rapidly home in on the required item. Whatever the size of the table, the number of comparisons is kept to a minimum, giving a very fast search.

Another approach to table searching is the percolated search, which does not require the table to be sorted. Instead it takes advantage of the fact that some entries are accessed more frequently than others. The percolated search is just like the simple linear search, except that each time that you find a hit, you swap the entry with the one immediately before it. So the more frequently used elements will gradually percolate through to the start of the table, making each subsequent search a little faster.

This technique really comes into its own if you can arrange to write the table back to disc at the end of each session, thus accumulating the benefit. An idea similar to percolation forms the basis of the least used/first discarded algorithm, which has many uses in programming and will be dealt with in a later article in this series.

Come here if found; the record number is in RECNO%(J%)

## When things crash

I PICKED UP a useful trick from a group of enthusiasts who revel in the name CPMUGUK, which stands for CP/M Users Group United Kingdom. The idea is to have a quick way of getting back into a CP/M program when it crashes — that is, when a BDOS error or similar tragedy causes a return to CP/M command level.

Before you can use this dodge your disc directory must contain a COM file of length zero. This is easily achieved by typing, at command level:

SAVE 0 RESTART.COM Of course, Restart is just an example. Any valid name will do.

Next time your program crashes, just type Restart. The effect is to pass control back to the program that was running when the crash took place, without disturbing the transient program area, TPA.

With a bit of luck, everything in the TPA will be just as it was before. For example, in MBasic your source file and variables will be preserved. I cannot guarantee that this will work every time, but think how much aggravation it could save you when it does.

## WordStar wisdom

I HAVE BEEN USING Micropro's WordStar word-processing package regularly for the last four years. Yet I am still discovering new tricks and techniques.

Take, for example, the dummy Find and Replace, which is useful if you wish to type a particular word or phrase many times in the same text. You might perhaps be writing a thesis on logical positivism. It would be nice to have a quick way to type these two words over and over.

You do it as follows. Enter Control-QA. WordStar asks

"FIND?"

Press Return, and WordStar asks "REPLACE WITH?"

Type "logical positivism", or whatever, and WordStar asks

"OPTIONS?"

then press Return.

From now on, every time you want to type "logical positivism", just enter Control-LY. WordStar interprets the Control-L as a dummy Find, and it duly finds whatever is at present under the cursor. It then asks if you want to replace it, and interprets the Y as "yes", so the required word or phrase appears at the current cursor position.

Listing 2. SIZEM, ARRAYS and ITEMS as in 2000 REN -previous examples; a separate list RECNO% (SIZE%) contains the record numbers, and is in the same sequence as ARRAYS. 2010 LOW%=0: HIGH%=SIZE% 2020 WHILE LOW% <= HIGH% 2030 J%=(LOW%+HIGH%)-/2 2040 IF ITEM\$ < ARRAY\$ (J%) THEN HIGH%=J%-1 ELSE IF ITEM\$>ARRAY\$(J%) THEN LOW%=J%+1 ELSE GOTO 2100 2050 WEND 2060 REM --Come here if requ ired item not found

2100 REM --

IN MANY computer applications it is necessary to keep a list of names. Common examples include customers and suppliers for businesses, passengers for travel agencies, clients for the professions, and patients for hospitals. This telephone directory program illustrates some of the techniques that can be used in managing and searching such lists.

The program is written for the 40-column Commodore Pet but uses no machine-specific features of Basic other than the screen-formatting characters, which are described in the text. The program will run in 8K but with a restricted directory.

One of the problems encountered when searching name lists is that the name being sought may not be known precisely. For instance, my own name is frequently spelt "Clarke" or "Clark" and sometimes even "Clerk or "Clerke". Clearly when searching the index it is useful to show all the entries that are phonetically similar.

The Soundex code has been devised for this purpose. As implemented in the program the steps in coding a name into its Soundex equivalent are as follows:

- 1. The first letter of the code is the first letter of the name.
- 2. Subsequent letters of the name are replaced as follows:

B, F, P or V — replaced by P C, G, J, K, Q, S, X or Z — replaced by S

M or N — replaced by M
L or R — coded without change
A, E, I, O, U, W, H or Y — not
coded

All consonants with similar pronunciation are grouped together.

 A sequence of uninterrupted letters of the same coded value is replaced by a single code letter, though this does not include the first letter of the name. It can be included by changing line 2000 to read

SD\$ = LEFT\$(NM\$,1):L\$ = SD\$:N = 0

4. The code is forced to be exactly four characters long, either by truncating or by padding at the right with the letter

The routine to perform the coding is at lines 2000 to 2160. In the examples shown in figure 1 phonetically similar names code identically, though the quirks of English spelling and pronunciation mean that this will not always be the case. "Belvoir" codes to BLPR, whereas it may be pronounced "Beaver", which codes to BPRA. Similarly "Bough" codes to BSAA but can be pronounced "Boff" or "Bow", which have Soundex codes of BPAA and BAAA respectively.

The Soundex code is sufficient to find entries in a small personal telephone directory, but it would only form part of a search algorithm for a larger index. Typically such lists are searched in stages, with the search critieria becoming less restrictive at each stage.

Thus the first stage could be to look for an exact match on surname, initials, sex

## Sounds familiar

David Clarke programs the Soundex algorithm, which will find a set of similar-sounding entries.

```
200 GOSUB400
 200 GOSUB400
210 GOSUB600
220 GETIP$:IFIP$="I"THEN210
230 IFIP$="L"THENGOSUB800:GOTO300
240 IFIP$="R"THENGOSUB1200:GOTO300
250 IFIP$="F"THENGOSUB1200:GOTO300
260 IFIP$="S"THENGOSUB1400:GOTO300
270 IFIP$="N"THENGOSUB1600:GOTO300
280 IFIP$="D"THENGOSUB1600:GOTO300
290 IFIP$="D"THENGOSUB1800:GOTO300
290 IFIP$="D"THENGOSUB1800:END
295 GOTO320
290 IFIP$="E"THENGOSUBIS00:END
295 GOTO220
390 PRINT"MOMENTER CODE FOR NEXT FUNCTION,"
310 PRINT"OR 'I' FOR INSTRUCTIONS":GOTO220
480 SE$="@":CD$="%MOMENTERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATERMINIMATER
    645 PRINT MUNOW, OR IN RESPONSE TO THE PROMPT:-"
650 PRINT MYENTER CODE FOR NEXT FUNCTION,"
655 PRINT OR 'I' FOR INSTRUCTIONS'":
660 PRINT MENTER ONE OF THE ABOVE LETTERS"
    660 PRINT MENTER ONE OF THE ABOVE LETTERS"
665 RETURN
800 IFNN<>
001 IFNN<>
002 OFTEN FOR THE ABOVE LETTERS BEEN LOADED RETURN
805 PRINT CENTER FILE-HAME" INPUT#1, LF$:PRINT
810 OPEN, 21, 0: INPUT#2; PL, FF, NN
820 PRINT MOTHERE ARE"; NN; RECORDS ON FILE
838 PRINT MOTHERE ARE"; NN; RECORDS ON FILE
838 PRINT MOTHER HAMPON MORE? ": INPUT#1, A$:N=VAL(A$):PRINT
848 DIMT MOTHER HAMPON FIX (NN+N)
850 IFN=0THENSSO
   860 FORI=NN+1TONN+N-1:PTX(I)=I+1:NEXT
870 PTX(NN+N)=FF:FF=NN+1
880 FORI=1TONN:INPUT#2.PTX(I),TP$(I):NEXT
880 NN=NN+N:CLOSE2:RETURN
1000 IFNN=0THENPRINT"JUSE 'N/ OR 'L' TO CREATE OR LOAD A FILE":RETURN
1010 PRINT"ZENTER NAME, SURNAME FIRST, DO NOT USE":PRINT"COMMAS":PRINT
1020 INPUT#1.NM$:PRINT
1030 PRINT"MENTER SEX ('M' OR 'F' OR 'O' FOR":PRINT"BUSINESSES ETC) ";
1040 INPUT#1,SX$:PRINT
1050 IFSX$="M"ORSX$="F"ORSX$="O"THEN1070
1060 PRINT"MENTER ADDRESS, DO NOT USE COMMAS"
1070 PRINT"MENTER ADDRESS, DO NOT USE COMMAS"
1080 PRINT:INPUT#1,AD$:PRINT
1090 PRINT:NENTER TELEPHONE NUMBER"
1100 PRINT:NPUT#1,TL$:PRINT
1110 GOSUB2000
                                      FORI=NN+1TONH+N-1:PTX(I)=I+1:NEXT
                                                 RC$=SD$+NM$+SE$+AD$+SE$+TL$
        1130 GOSUB2200
1140 IFER=0THENUD=1:RETURN
1150 PRINT"DFILE FULL. ENTER 'S' TO SAVE, THEN"
1155 PRINT"DFILE FULL. ENTER 'S' TO SAVE, THEN"
1155 PRINT"DFILE FULL. RUN THE PROGRAM AGAIN. USE"
1160 PRINT"DFILE TO LOAD THE FILE AND EXPAND IT"
1155 PRINT"DECORDS":RETURN
1206 GOSUB3000:ND=0
1210 IFERCORTHENRETURN
1220 GOSUB2400
1230 IFERCORTHENRETURN
1230 IFERSD#=1FFT*(IP*(CP).5)THEN1270
                                                G0SUB2200
           1230 IFSD$=LEFT$(TP$(CP),5)THEN1270
1240 IFNPC>0THEN1220
        1240 IFNPCOBINENTEZU

1250 IFND=OTHENPRINT"MNO MATCHES":RETURN

1260 PRINT"MALL MATCHES FOUND":RETURN

1270 GOSUB2600:IFND=6*INT(ND/6)</DOTHEN1240

1280 PRINT"MUMHIT SPACE TO CONTINUE"

1290 WAIT59410,4,4:PRINT"D":GOTO1240


1400 PRINT"DENTER FILE-NAMME":INPUT#1,SF$:PRINT

1410 OPEN2,1,1:PRINT#2,FU;",")FF;","NN

1420 FORI=1TONN:PRINT#2,FTX(I);",")TF$(I):NEXT
         1430 UD-0:CLOSE:RETURN
1430 UD-0:CLOSE:RETURN
1600 IFNNC>0THENPRINT"JYOU ALREADY HAVE A FILE":RETURN
1604 PRINT"JHOW MANY RECORDS DO YOU REQUIRE? ")
```

Indexing

and date of birth. If this failed to produce the required match, the second stage could be to search on Soundex, sex, and year of birth. The particular search method employed depends on the application and the importance being attached



to finding exact and close matches.

Various data structures could be used to create the index. The simplest would be a serial array or file. Additions would always follow the last-used record in the array, the array having been declared large enough for anticipated expansions. Deletions require the index to be searched for the entry to be deleted, and this set to a special value such as Deleted or "", the null string. If there are a lot deletions there will need to be a procedure to recover the deleted records. Searching the index for all matches requires every record to be examined.

A more useful structure is the linked list. It is used in the program and is a structure widely employed within more comprehensive data structures and data-

base-management systems. A pointer is added to each record, indicating the location of the next record in sequence; the pointer corresponds to the value of the subscript of the appropriate record. Because Basic does not allow you to mix string and numeric variable types the pointers are held in a sparate array, PT%, which is maintained in parallel with the main data array, TP\$.

Initially all the elements of the array are assigned to a free list. The pointer to the first element in this list is held in FF and each element of PT% is set to point to the next, so:

PT%(1) = 2PT%(2) = 3

the last element in PT% is set to zero, indicating the end of the list. Another pointer, FU, gives the subscript of the first used record. The structure is shown diagramatically in figure 2.

Any new record is assigned to the location given by FF, the first record in the unused record list; it is subscript 7 in the example. The free-list pointer is then reset to the value of the pointer corresponding to this record, 18 in this case.

The new record is linked into the used list so that records are kept in sequence. Therefore the pointer for the record of key GHK is set to the subscript of the new record 7 and the pointer of this record set to point to the record 4, formerly pointed to by GHK.

Deletion of records is simpler. The free-




Figure 2.

list pointer FF is set to the subscript of the record being deleted, while the pointer for this record is set to the former value of FF, thus linking the deleted record to the head of the free list. The record that previously pointed to the deleted record is set to point to the record formerly pointed to by the deleted record. Both these procedures require additional coding to deal with addition/deletion to or from the start and end of the list.

Searching is carried out sequentially following the pointers. This ensures that keys are scanned in ascending sequence and the search is complete when the key of the record being compared exceeds the key being sought.

The linked-list structure is quite suitable (continued on next page)

```
1605 INPUT#1,N$:NN=VAL(N$):PRINT
1610 IFNN<200RNN)250THENPRINT"%20-250 IS THE LIMIT. RE-ENTER "):GOTO1605
                                       DIMTP$(NN),PT%(NN)
  1630 FUB-18F61
1630 FUB-18F61
1640 FORI=1TONN-1:PTX(I)=I+1:NEXT
1650 PTX(NN)=0:RETURN
1800 IFUDC\1THEN1850
1810 PRINT"IMMOU HAVE CHANGED THE FILE. DO YOU"
1820 PRINT"WISH TO SAVE IT?"
1830 GETA*:IFA*="N"THEN1850
1840 IFA
  1846 IFA$
1847 GOSUB1460
1845 GOSUB1460
1856 GLOSE1:RETURN
2000 SD$=LEFT$(NM$,1):L$="":N=0
2010 FORI=2TOLEN(NM$):A$=\mathbb{N}$=\mathbb{N}$\text{V}\text{THENC$="P":GOTO2090}
2020 IFA$="B"ORA$="G"ORA$="Y"THENC$="P":GOTO2090
2030 IFA$="C"ORA$="B"THENC$="T":GOTO2090
2035 IFA$="T"ORA$="B"THENC$="T":GOTO2090
2040 IFA$="Q"ORA$="S"ORA$="Z"THENC$="S":GOTO2090
2040 IFA$=\mathbb{N}$\text{V}\text{ORA$="K"THENC$="S":GOTO2090}
2050 IFA$=\mathbb{N}$\text{V}\text{ORA$="K"THENC$=\mathbb{N}$="K"THENC$=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{V}\text{ORO$}=\mathbb{N}$=\mathbb{N}$\text{V}\text{V}\text{V}\text{V}\text{ORO$}=\mathbb{N}$\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V}\text{V
     2080 L$=A$:GOTO2110
2090 IFC$=L$THEN2110
     2100 SD$=SD$+C$:N=H+1:L$=C$
2110 HEXT
    2110 HEXT
2120 IFN=3THEN2150
2130 IFN<3THEN9D$=SD$+LEFT$("ARA",3-N):60T02150
2140 SD$=LEFT$(SD$,4)
2150 SD$=SD$+SX$
    2160 RETURN
2160 RETURN
2200 ER=0:IFFF=0THENER=1:RETURN
2210 NP=FU:IP=0:CP=0:TP$(FF)=RC$
2220 IFNP=0THEN2280
  2210 NP=FU:IP=G:CP=G:TP$(FF)=RC$
2220 IFNP=OTHEN2280
2230 GOSUB2400:f%=LEFT$(TP$(CP),5)
2240 IFSD$>A$THEN2220
2250 IFIP=OTHENFU=FF:GOTO2270
2260 PTX(IP)=FF
2270 N=PTX(FF)=PTX(FF)=CP:FF=N:GOTO2350
2280 IFCP=OTHENFU=FF:GOTO2300
2290 PTX(CP)=FF
2300 N=PTX(FF):PTX(FF)=NP:FF=N:GOTO2350
2290 PTX(CP)=FF
2300 N=TX(FF):PTX(FF)=NP:FF=N:GOTO2350
2350 RETURN
     2350 RETURN
2400 IP=CP:CP=NP:NP=PT%(CP):RETURN
2600 RC$=TP$(CP):L=LEN(RC$):J=0:K=0
    2610 FORI=6TOL
2620 IFMID$(RC$,I,1)<>"@"THEN2650
2630 IFJ=0THENJ=1:GOTO2650
    2640 K=I
2650 NEXT
    2650 NM$=MID$(RC$,6,J-6):AD$=MID$(RC$,J+1,K-J-1)
2670 TL$=RIGHT$(RC$,L-K)
2680 PRINT"M";NM$;TAB(20):TL$:PRINTAD$
2690 ND=ND+1:RETURN
    2800 GOSUB3000: IFER OTHERRETURN
2810 GOSUB2400
2800 GOSUB2800: IFERCOTHENRETURN
2810 GOSUB2800
2820 IFSD*=LEFT*(TP*(CP),5)THEN2850
2820 IFSD*=LEFT*(TP*(CP),5)THEN2850
2820 IFNCOGNDSD*=LEFT*(TP*(CP),5)THEN2810
2820 IFNCOGNDSD*=LEFT*(TP*(CP),5)THEN2810
2820 PRINT"XMUDLETE THIS RECORD? ('Y' OR 'N')
2820 PRINT"THEN2820
2820 IF1P=8THENPE1PX(CP);
2820 IF1P=8THENPE1PX(CP);
2820 PRINT(IP)=FTX(CP);
2820 PRINT(IP)=FTX(CP);
3820 PRINT"XENTEN NAME, SURNAME FIRST, DO NOT USE":PRINT"COMMAS":PRINT
3820 PRINT"XENTER NAME, SURNAME FIRST, DO NOT USE":PRINT"COMMAS":PRINT
3820 PRINT"XENTER NAME, SURNAME FIRST, DO NOT USE":PRINT"COMMAS":PRINT
3820 PRINT"XENTER SEX ('M' OR 'F' OR 'O' FOR":PRINT"BUSINESSES ETC) ";
3850 IPVIT*!,SX*:PRINT
3860 IFSX*="M"ORSX*="F"ORSX*="O"THEN3880
3870 PRINT"M* OR 'F' OR 'O' PLEASE, REPERT":GOTO3850
3890 PRINT"O":RETURN
```

Indexing

(continued from previous page)

for records held entirely in RAM but requires the addition of one or more index when extended to use backing store. It may still form the basis of such a system, having the particular virtue of allowing additions and deletions without major file restructuring.

The program to implement these procedures has been constructed in a modular fashion, as modular programming simplifies coding, testing and subsequent enhancements. The art of coding is in solving the problem and designing the solution. The first step is to define the problem; coding should be left as late in the programming cycle as possible. If the program has been well

planned and designed from the outset, coding becomes a largely mechanical process.

The next step is to reduce the solution to a set of modules. At this stage you may prefer to use a structured pseudo-language or a flowchart. The main requirement is that modules should be functionally well defined and small enough for their purpose to be clear. It should also be possible to code each one in a reasonable number of lines. I always assign routines to line numbers advancing by 200 and expect to code the module within the 200 lines with line numbers advancing by 10, allowing space for 20 lines of code.

In Basic, each model except the controlling module should be coded as a

subroutine. Because the purpose of the modules can be clearly stated, and they are not too large, they should present no coding difficulties. Furthermore they can be implemented top-down.

Each subroutine is initially coded as a stub, which may simply be a Return or more usefully a line of code to print the subroutine name and then Return. As each subroutine is coded it replaces its stub, and so the program is gradually built up. Where necessary the stub may set values in variables to simulate its actual function, the routines being added and tested one at a time. As the process continues the common routines will be frequently used and you will become increasingly confident in their correctness.

## Variables.

NN — number of records assigned to index

TP\$(NN) — telephone index

PT%(NN) — record links RC\$ — index entry

NM\$ - name

MIND — Hall

SX\$ — sex AD\$ — address

TL\$ — telephone number

SD\$ - Soundex code

NP — pointer to next record

IP - pointer to previous record

CP - pointer to current record

FU - pointer to first record of index

FF - pointer to first unused record

IP\$ - input action key

LF\$ — name of file to be loaded

SF\$ — name of file to be saved UD — update flag, set to 1 if file is

created/amended

ER — error flag

ND — number of records being

displayed

SE\$ — separator character, ""

CD\$ — cursor-movement string

A\$, N, I, N\$, L\$, C\$, J, K, L — general-

purpose variables

## Routines.

Cursor-movement characters peculiar to the Pet are shown by codes inside square brackets. The codes used are: CD, cursor down, HOM, cursor home; and CLS, clear screen.

Master Routine, lines 200-310. Calls the initialisation and instruction routines. Accepts input of action key and calls the corresponding routine.

Initialisation, lines 400-410. Sets up constants and initialises UD to zero, showing that initially the Index does not require saving. Open 1,0 in line 410 opens the keyboard as an input device. Data can then be accepted from the keyboard by Input #1. The advantage of this is that pressing the Return key on its own does not cause the Ready display, but is ignored. The disadvantage is that a literal prompt may not be used with Input #1 and the Return which completes entry does not produce a new line on the screen. These disadvantages are easily overcome and are a small price to pay for a program that does not leave the user wondering what Ready means.

Instructions, Ilnes 600-665. Straightforward display.

Load routine, lines 800-890. NN is initially zero; if it is not, an index has already been created/loaded and the user is told of this. The named file is opened and read and the user may extend the file if desired. The additional records are linked into the existing ones by lines 860-870.

Add control routine, lines 1000-1170. Line 1000 ensures records cannot be added until the file has been loaded or created. Details of record to be added are provided for, with error checking, in lines 1010-1100. Commas cannot be used in the input strings as Basic treats a comma as a separator. Subroutine 2000, called in lines 1110, creates the Soundex code. Line 1120 creates the record by concatenating Its separate parts. Subroutine 2200, called in line 1130, adds the new record into the index. Lines 1140-1170 cope with the File Full condition detected by subroutine 2200. The user is asked to save the file and then rerun the program and expand the file when it is loaded.

Search routine, lines 1200-1290. Lines 1200-1210 accept the search key. Lines 1220-1240 search through the index one record at a time. The subroutine at 2400 returns CP with the pointer to the next sequential record. Line 1250 detects if there have been no matches, and displays an appropriate message showing that the search was unsuccessful and all matches have been found. Line 1270 prints the matching record and checks that the screen is not full. If it is, lines 1280 and 1290 allow the user to examine the matches before displaying the remainder. The Wait 59410,4,4 in line 1290 is specific to the Pet; it waits for the space bar to be pressed. If this instruction is not entered exactly the Pet is liable to hang on the Wait statement in an uniterruptible state. Some safer alternative code is: 1290 GET A\$: IF A\$<>" "THEN 1290 1300 PRINT"[CLS]": GOTO 1240

Save Index, lines 1400-1430. The index is saved to a named cassette-tape

file. The comma separator between variables must be forced on to the tape by Including it specifically in the Print #2 statements.

New Index, lines 1600-1650. Details of the new file are requested, and the corresponding arrays are set up. Lines 1640-1650 link all the elements of the array into the unused list.

End routine, lines 1800-1850. The keyboard file is closed. If the index has been changed the user is given an opportunity to save it.

Soundex, lines 2000-2160. This follows the description given in the text.

Add New Entry, lines 2200-2350. If FF = 0, line 2200, there are no unused records and the new record therefore cannot be added. Line 2210 places the record in TP\$(FF) and sets up a loop to scan for the correct place at which to add the record: lines 2220-2240 form the body of the scan. The scan is left either when the correct point has been found or all the used records have been examined and NP = 0. Line 2250 caters for addition at the start of the index. Lines 2260-2270 add the new record into the index. Line 2280 caters for an addition to an empty index. Lines 2290-2300 cater for an addition at the end of the index.

Next Record, line 2400. Resets IP, CP and NP.

Record Display, lines 2600-2690. The main part of the routine, lines 2610-2670, separates RC\$ into name, address and telephone number. The actual display is at line 2680. Line 2690 increments a counter of the records displayed.

Delete, line 2800-2910. The key of the record to be deleted is entered in line 2800, and the index scanned to find it in lines 2810-2840. Lines 2850-2880 give the user an opportunity to abandon the delete. Lines 2890-2910 delete the record as described in the text.

Key Entry, 3000-3090. The name and sex are accepted as input by lines 3020-3070, and the Soundex code is created by line 3080.

**OUR NAME SPEAKS FOR ITSELF** 

## NO-NONSENSE WARRANT

order for 7 years. -Jiem builles need sed Ynedmoo best advertisement. Our parent satisfied. Your satisfaction is our Full exchange or refund if not

What Direct Disk Supplies means:

\* Top quality disks \* Value for money

\* Immediate despatch **★ DIAL-A-DISK telephone ondering** 

MILH ENEBA 10 DIZKZ \*SEE 10 LIBRARY BOX

MITH EVERY 30 DISKS (XAMATAB\ZHV 0813) \*VIDEO TAPE

## Easy pricing. Use the DDS Price Matrix for the right price first time. Or DIAL-A-DISK, for firm quoted prices.

A&A Lockable disk boxes Smoked perspex lockable lid			100						Sulev Telin			37:	2	1		
påp per box		05'	05'	301	Next-	vilab yeb	ery servic	AO 19q 9:	IIA -: A3G	orders u	nder 100	disks £7.	.50. Order	tos	37	THE
See 10 library boxes		1.95	56.1	SE'L	Prices	per box	leib OF to	V. DX9 22	.T.						27	
p&p per 10 disks		56.	59.	501		26.	59.	301		56.	59.	oof		56"	59.	ooî
d/density 96tpi 16 sect	91/96/2	66.4E	99.55	66.SE	91.722	66.25	66.4E	66.EE	You'll never regret buying Maxell. It even looks right.							
dydensity 96tpi 10 sect	0 L/96/Z	66.₽€	33.99	32.99	01.722	66.2£	66'PE	99.EE								
d/density 96tpi soft sect	96/Z	34.99	66.EE	66.SE	10.722	66.2E	34.99	99.55	MD2-DD	66.14	66'07	66.6E	WD2D-96	43.99	45.99	66'11
d/density 48tpi 16 sect	91/00SZ	56.99	66'57	66.4Z	91.055	66.8Z	27.99	66'97	MH2-16	66.FE	30.99	29.99	борал	JLU4 esin		
d/density 48thi 10 sect	32DD/10	56.99	66'57	24.99	01.022	66.8Z	65.75	66.92	MH2-10	86.FE	66'0E	59,99	If you	re used t	villeup o	II,nox
d/density 48tpi soft sect	ggsz	56.95	56'57	24.99	10.022	66'87	66.75	26.99	MD2-D	86.FE	86.0E	29,99	MD2D	35.99	31.99	66.0E
5.25° double sided disks	CODE	£-1	6-1	+01	CODE	E-1	6-10	+01	CODE	1-3	6-7	+01	CODE	E-1	6-7	+01
q/density 96tpi 16 sect	91/96/1	56,99	52'66	24,99	91.772	27.99	66'92	52.99	Keene	st prices.					-	
d/density 96tpi 10 sect	01/96/1	26.99	55,99	24.99	01.772	66.TS	66'97	25.59	Maxell quality, consistently high.			can justify. You know the film, to the disk. It's phenomenal Fuji.				
q/density 96tpi soft sect	96/1	26.99	52'66	54.99	10.TT2	66.TS	56.95	55.99	dd-ram	31.99	30.99	56'67			y at a pric	
didensity 48tpi 16 sect	91/QQS1	66.91	66.81	66.T1	91.252	21.99	50.99	19.99	91-LHW	66'EZ	55"99	21.99			gh-grade	
didensity 48tpi 10 sect	01/00S1	19.99	66.81	17.99	01.252	21.99	66.02	66'61	OT-THM	23,99	22.99	21.99				
d/density 48tpi soft sect	agsı	19.99	66.81	66.71	10.252	21.99	20.99	19.99	MD1-D	23.99	22,99	21.99	GLGM	24.99	23,99	22.99
s/density 48tpi soft sect	GSST	16.99	66'51	66'71							4.18					
5.25" single sided disks	CODE	£-1	6-17	+01	CODE	1-3	6-1	+01	CODE	E-1	6-12	+01	CODE	E-1	6-17	+01
	0	<b>B</b>	S∀	E	Verbailing®  Datalife 5 year warranty			maxell,								

TNT, or Red-Star. Subject to quotation.

OF CHAKGE, Same day delivery:- by despatch rider, cab,

are very welcome (eg Govt. Depts. Local receive them. If not we'll refund the carriage. 01-541 1144 to arrange. We guarantee you will 3. Crucial Orders Same day service, phone

(Other times by arrangement). waiting for you. From 10.00 to 17.00 Weekdays. FROM OUR OFFICES - phone and they will be and they're as good as received. COLLECT Dictate your order with a credit card number 2. Urgent orders:- DIAL-A-DISK. 01-541 1144. minimum cost, or send first class for extra speed. your cheque. Use our FREEPOST address for 1. Complete the coupon below and post with HOW TO ORDER:

DIAL-A-DISK

<del>bb</del>ll lb5-l0.♡.

service will record your order out of hours. to order your disks. Our answering

LISA DISKS - DIAL-A-DISK for our Ex-Stock Only £39.95 + VAT APRICOT DISKS - Sony 3.5" micro-disks

1.25

66'9L

43'68

AO9

AOP

1.75

66.41

66.51

PP11 172-10

*RARGAIN BOX* 

prices. Ex-stock

p&p per lockable box

zolzib 08 – 28M labor

colsib Ob - SEM lab


longer! double density, they don't last any machine. Why pay more for unused VIC-20, 8BC, or any other single density Dysan 104/1). APPLE, COMMODORE 64, density disks (BASF equivalent for JAV. BASF 155D single sided single BASF disks at low, low prices. £12.99 +

offer ends 30th April 1984, so don't chance to buy at genuinely low prices, promotion items are excluded. A double density disks (BASF equivalent for Verbatim 525-01, Dysan 104/1D). E14.99 + VAT BASF 15DD single sided

hesitate. DIAL-A-DISK.

to 932905 (LARCH G). low bulk prices. Urgent official orders by telex purchases will receive immediate attention and Authorities, Universities etc.). Tenders for large 4. Official orders - Orders from Official bodies

All offers and prices subject to change without notice. Video tape offer ends 30th April 1984



PC2/84

oof	E180 videotape per 30 disks*		0813
		-	
92i1q	Description	Qty	эроэ

Nett price excluding Bargain Box

Cheques payable to DDS. Debit my Access/Barclaycard No: Total payable to DDS Postcode %SLIAV letotdu2 Carriage **Address** 

• Circle No. 144

Signature:

To: Direct Disk Supplies Ltd., FREEPOST, 29 Dagmar Road, Kingston, Surrey KT2 6BR.

## Tomorrow's world

DE CRECY watched Madame Zsa-Zsa's | afford to buy another one at the moment. ample bosom heaving after their exertions. Only a true patriot could make l'amour so passionately; she could not be an English

Suddenly the door burst open and the macho Don Sebastian, Ambassador to King Philip of Spain, strode in holding his weapon.

"French whore," the Spaniard declared. "This is how you keep faith with me."

His rapier rested upon De Crecy's nipple. "Prepare to die, you cur."

Fearlessly, the brave De Crecy awaited the final thrust.

> INSPIRATION EXHAUSTION **ABORT**

Oh shit," said Lord Seymore. A monocle fell from his eye.

"Ouch," said the gold-rimmed monocle as it hit the floor.

The trappings of his ancient peerage surrounded him in the library of the family's medieval mansion: bookshelves piled high with fusty books; deathwatch beetle tap, tap, tapping overhead; dust collecting on the disc drives, keyboard, and VDU, even on Seymore himself. Dirty sunbeams oozed through dirty window panes, staining the floor with anaemic

Seymore had struggled all day dictating another best-seller into his word processor, but the story had gone. His second Nobel prize would have to wait: he could not

He glanced outside at the police storming

"Shit," he repeated. He slammed the microphone on to the desk.

"Ouch," said the microphone.
"Oooh," squealed the masochistic desk with pleasure.

Seymore muttered something under his

## by Andrew Walker

breath about "goddamn intelligent machines".

"Curtains," he commanded, and the curtains drew across the window just as one of the policemen mounted the fence and was fried in a laser beam.

"Three-D TV," Seymore commanded, swivelling in his chair to face the screen.

The picture was fuzzy. He had had to repair it himself, because the rental company was reluctant to lose any more staff. They were still suing him over the last five repair men, who had been disintegrated by his over-zealous bodyguards.

The President was speaking.

"Furthermore," she said, projecting her voice across the country, "it is my view and the view of the American people that this man should not escape punishment lightly, that his advantaged position should not afford him the slightest clemency. Therefore, in accordance with the powers vested in me, I decree that he should spend no less than 25 years in the state penitentiary for the crime of attempting to pervert the course of justice." She paused to allow her audience to stand and cheer and clap and pick each other's pockets.

It was election year and the man she was sentencing was a senator on her own staff. He was the vote-saving sacrificial goat. He had originally been convicted of underbribing a public official and sentenced to 50 lashes. Being 93 years old he had died of exposure the moment his shirt was ripped from his back.

The public cry of outrage had shaken the foundations of the White House. A presidential aide had gone unpunished: had his money tipped the scales of justice? Had the President bent the law to suit her own ends? Had his lawyers found a new loophole in the penal system? Rumour abounded.

Defeat had previously been inconceivable. She had risen to power with a landslide victory: Mount Rushmore had mysteriously crumbled and her opponent was crushed in the rubble of Washington's left nostril. She was the idol of the American minorities. Her biograpy showed her to be black, Roman Catholic and of Chinese and Puerto Rican descent, which gave her the backing of 75 percent of the people.

Despite this, her position had been threatened by the moral indignation surrounding the senator's indiscretions.



The senator was also disliked by her biographer, the influential chief programmer for Robo-of-America, who had designed and still maintained her.

ad Dan the gardener walked rudely between Seymore and the television carrying his blood-stained axe. Tall and gaunt, he spoke to no one but carried out his duties while whistling a tune.

He swiped at a fly as he left the room. The fly dodged.

"Missed me you old . . ." Its curse was cut short as it flew into the wall.

It picked itself up, dusted itself off, and followed Dan from the room into the large cobweb-ridden hallway. There it ignored Dan and made for the nearest of the mousetraps that littered the floor. The cheese looked good but a mouse beat him to it and pounced. The trap snapped shut.

"Ouch," cried the mousetrap.

"Aaaagh," screamed the mouse, which otherwise kept its trap shut.

The cook rushed from the kitchen, her heart set on the fresh ex-rodent.

"Mouseburger and chips for His Lordship's lunch," she chortled, licking her lips enviously.

The fly, grateful to her for opening the door, flew into the kitchen. A slab of steaming red meat lay on the window sill, playground for a gang of bluebottles and a million bacteria.

"Lord Seymore — enemy of the people!" An instinct that had been burned into his memory flashed before him. His mission: to assassinate Lord Seymore by contaminating his food.

The American Nationalist Army of liberation had plotted the mass murder of all imperialist oppressors for 10 years. They had designed the super bluebottle at a cost of several billions, and each one was individually programmed for a specific target.

The creature's eyes lit up when he glanced into the corner where the potatoes lay in a pile. A soft, warm pile of doggy-droppings. As he made the approach run

his senses were raised to new heights. The excrement's aroma grew, his lust became insatiable, a tidal wave of desire washed over him.

## INTERRUPT

"COME-INTO-MY-PARLOUR" WARNING

With a swipe of contempt he brushed aside his logic chips and landed.

He could not move. With all his might he tried to lift his feet but not one of them would budge. Panic seized him, a subconscious awareness of danger. He looked around to cry for help . . . his friends on the sill. He called out. They did not hear.

A fast-rising horizon blotted them from view. This mass that once promised heaven now threatened hell. It swelled before him, putrefying as it did so.

And then it was a mountain, towering above him, engulfing him, burying him in an insecticidal tomb.

"My god, these fiendish humans," was his final thought.

"And now a word from our sponsors,"
the TV blasted.

Ted Teeth, smiling adman, was earning another million plugging the latest microproducts.

"Yes folks, take it from me — it really fools all known insects. Remember the name: Crap-a-Fly, the world's first flycatching dog turd. Made by Turdomatic Inc., a subsidiary of tonight's sponsors, Robo-of-America."

So now what? Should he return to De Crecy's predicament? He shook his head: not in the mood. What about the children's story he was dabbling with? What was it called? He searched his memory, drumming his fingers on the desk top, sending its insatiable sensors into electroorgasm.

"Susan the Dragon and the Robot Gangbang," he recalled aloud. It had a certain ring to it.

Queen Henry was executing orphans for not writing games programs on their microcomputers. Prince Peregrine was playing Dungeons and Dragons with the real thing, while King Twit 111 was molesting sheep on the croquet lawn.

It was rubbish, Seymore knew, but that was what the kids wanted. He just could not conjure up any enthusiasm for it though. Perhaps tomorrow.

"I'm not waiting all day," thought the microphone, and switched itself off.

He considered setting the machine on auto. His agent had insisted that he had his brain profile saved on disc.

Brain profiles were all the rage. Every cell was copied — the sum total of his thoughts for the rest of his life. The computer could use the disc to generate new ideas, working in parallel on up to four novels, writing in hours what would have taken Seymore a lifetime.

Many rejected the whole thing as inhuman, claiming that literature was the last bastion of natural creativity and that it should be defended against the invading automaton hordes. Most writers set them to work and retired to live off the 10 best-sellers a year that they produced. Unscrupulous publishers killed their authors, taking the profit from the obedient, prolific emulators.

"It'll guarantee this year's Nobel," Seymore pointed out. But he shook his head. It was too impersonal. He preferred the human touch.

"Curtains."

Daylight flooded the room, and before Seymore's admiring eyes lay the scenery of Death Valley. It was all there: the Tower of London, Buckingham Palace, Ben Nevis, Blackpool's Golden Mile: most of Britain had been shipped to the States, leaving only Scunthorpe and bits of Manchester behind.

Mad Dan walked across the garden cutting the grass, short and black as it was. All the time he looked to the sky. The flowers were in midsummer bloom with charred petals on withered stems. The goldfish were sunbathing, or so Seymore thought. Actually they had died from radiation poisoning, which caused them to glow in the dark, a phenomenon that had always puzzled him.

(continued on next page)



## Tomorrow's world

(continued from previous page)

Albert was watching the fish: he had nothing better to do. Being Lord Seymore's favourite gnome was no fun; being his only gnome made it unbearable. The others had run off because of the conditions and poor wages. They had gone to work on the Paris Underground, getting jobs as Metrognomes.

Albert rolled his trousers down and began defecating on the flowers. A duck-billed-chicken-rabbit hopped across the garden, its fluffy feathers ruffled by the hot nuclear breeze. It was one of the few Nubreeds still permitted to roam wild.

Amateur Genetic Engineering had taken off in a big way until the world's governments had banned the disastrous experiments of the less ethically minded participants. The last straw was the nesting of the elephant-sparrows, and the terror of the red-admiral-piranha still lived in the memories of the survivors.

Seymore himself had built up a large safari park of these quirks of science. His rhinocerhorse, resembling the unicorn of legend, had been a great crowd-puller, while around thanksgiving the delicious octopus-turkey sold well to large families who all wanted a leg.

"Quack," said the lion-giraffe-duck. Despite government orders, Seymore refused to destroy all his creatures. It bit Albert's head off.

"Ouch," cried Albert's head, the cry echoing down the long throat as he slid slowly along. His body squatted above the flowers, nonplussed, wondering where his head had gone.

A laser flash caught Seymore's eye. The security team was defending his freedom again. Police Commissioner Macdonald had been converted to a heap of cinders as he dropped over the fence, shotgun in hand.

Seymore tut-tutted. All that money in bribes and this was how the likes of Macdonald repaid him.

."Damned unemployed scroungers," he

Ever since he had been replaced by Commissioner Macrobot, Macdonald and his men had lain seige to the Seymore estate.

Seymore had never understood people's rejection of phased leisure progression. Why work when the government was

willing to let you retire and have a machine to do your job? He shook his head in wonder.

The police no longer had to face day-today dangers: no more homicidal maniacs, no more shootouts with liquor-store robbers. Anyway, most of the big-time crooks had robots of their own built to do the jobs for them.

Who else was out there? Seymore panned the camera. It was hard to recognise anyone, charred and bloodied as they were from the pounding they were taking from the Cybercops.

The media were there in force with their autofocus, remote-control cameras, relaying live television picutres and their image-translators that turned the pictures into the written word for the newspapers. Vultures gorged on the carrion of the day's crises. The auto-reporters paid particular attention to the old journalists, who with the ex-cops and others were trying to tear down the fences.

Le Blanc was there, the physicist famous for perfecting hand-held laser weapons. Wilson and Tate, the science-fiction writers, had reached the inner perimeter but had fallen into the clutches of the voracious doberman-cockroaches and were quickly being devoured by the seven-feet-wide genetic abominations. The members of the Computer Programmers Union had long since perished in the same way.

The defences were gradually being overwhelmed as more of the rioters climbed over the wires, pushing the Cybercops back step by step, drowning them in numbers.

The drone of engines caught everyone's attention. The fighting stopped, all eyes cast to the sky. Mad Dan burst into aimless, rabid action.

The aeroplane came out of the sun, unmarked and mysterious. As it passed overhead, a single parachute began to descend. A deathly silence fell over the Valley. Rioter and Cybercop stood side by side. The chilling thought ran through all minds: "Was it the enemy's superbacteria? Was this the end of the world?"

Lives flashed before eyes. Who would remember them when tomorrow had come? The insignificance of their existence hit them like a slap in the face. How could they start again, afresh? Images of what could have been, what still could be, reflected in the tear-stained mirrors of their eyes, shining through the dim myopia of reality. But it was too late.

The package cradled beneath the parachute landed with a thud. Mad Dan ran forward through the concentrated gaze

of the onlookers, ripping it open to reveal the coffin-like box within. He prised the lid up and stopped, wide-eyed.

She was beautiful: an Amazon. He pulled her from the container and stood her up to admire her full glory. "I'm gonna turn you on, baby," he promised learfully. His hand strayed nervously to her left breast, and with a hasty jab of his finger he flicked the bright red switch on the nipple.

She simmered into life, stretching felinely, displaying every elegant sensuous curve. "Hello Big Boy," she oozed, letting rip with a slow, deliberate wink. "Robo-of-America made me yesterday. You can make me today." She was barely able to keep her feet as Dan dragged her home.

A wave of relief washed over the rioters. It had not been the super-bacteria after all. When tomorrow came they would still be there. They could build a new tomorrow.

e Blanc started it. He lashed out at the nearest robot with a length of broken gatepost. The victim crumbled to the ground and pandemonium broke out all around. As the blood poured from the shattered skull Le Blanc realised that he had made a mistake.

"Ouch," cried the fence as it fell down under the weight of the Artists Against Robots society. Le Blane's head skimmed across the grass, severed from its shoulders by the slash of a razor-sharp laser, and landed at the feet of a guard-roach.

"Gulp. Yummy," said the Doberman cockroach as it licked its lips.

The Nuke Warning light suddenly flashed red. Lightning instincts crashed Seymore's fist on to the Alert button.

"Ouch," screamed the button.

Sirens wailed, blast-proof shutters clamped down on doors and windows. The Cybercops stopped beating the invaders and retreated to the safety of the fallout shelters. The guard-roaches withdrew into the woodwork. The rioters simply stopped, puzzled, looking for something to fight.

Seymore was livid: this was an unscheduled attack and a blatant infringement of the right to riot.

Silence fell on the rioters, then death.

Through heavily filtered screens Seymore watched the flash of the bomb. Then the crowd outside melted away.

"Unemployment Down," cried the headlines.

Albert ran blindly for his own shelter, but without a head he bumped into trees, ricocheting like a pinball until at last he fell into the pond. Seymore sadly watched his last gnome turning to jelly in the intense heat.





INDEPENDENT NATIONAL USE GROUP FOR THE BBC MICRO

MEMBERSHIP NOW EXCEEDS 20,000

18.000 MEMBERS CAN'T BE WRONG — BEEBUG PROVIDES THE BEST SUPPORT FOR THE BBC MICRO. BEEBUG MAGAZINE — NOW 62 PAGES INCLUDING NEW PRODUCT GUIDE SUPPLE MENT — DEVOTED EXCLUSIVELY TO THE BBC MICRO. Programs — Hints & Tips — Major Articles — News — Reviews — Commentary, PLUS members discount scheme with National Retailers. PLUS members Software Library — a growing range of software from around £3.50 per cassette, 10 Magazines a year. First issue April 1982. Reprints of all issues available to members.

November issue: Program Features: Reversi, a challenging board game, Lunar Escape, an addictive arcade type game, Sharfer, a very useful disc recovery program. Shaper for defining multiple character shapes. Rapids, another short game, Demolition, a sizzling display with matching sound effects. Plus articles on a Clock Display, the Teletext Mode (part 2 of a series), an Introduction to Interrupt Programming, a new Mode 8 and The Beeb in Slow Motion. Plus Extension ROM Board Raviews, Games Reviews, Book Raviews, M-TEC Torch Basic Review. Plus News, Hints and a new Competition.

December Issue — Program Features: Killer Dice game, Galactic Invasion, a fast moving space invasion game, LINK, a very useful disc utility for program development, ASTAAD, a really excellent program for Computer Aided Design, the Percussion Machine, moving Chaques Board display, Screen Freezer, a routine to freeze your favourite game in mid-play, and a musical rendering of the Twalve Days of Christmas to add a seasonal flavour, Plus articles on the Teletext Mode (part 3) and Fitting an External Speaker. Plus Disc Drive Reviews, Book Raviews, Hints and Tips.

Magazine programs now available on cassette to members at £3.50 inc; VAT &  $\rho$  +  $\rho$  — see April/May issue for details

BEEBUG NEW OPERATING SYSTEM OFFER
BEEBUG New OPERATING SYSTEM OFFER
BEEBUG Microber's gab now obtain the new 1,2 OPERATING
SYSTEM ROM at around HALF PRICE
See BEEBUG Magazine February, March o April for details.
As a result of BEEBUG negotiations with Acoun the ROM new may
also be offered by other user groups to their members.
MEMBERS SOFTWARE LIBRARY+
EEBUGSOFT: BEEBUG SOFTWARE LIBRARY
offers members a growing range of software from f 3.50 per
Cassette
1, STARFIRE 1324: 2 MODINAMDER 1681, 3D NOUGHTS AND CROSSES
132k), 3, SHAPE MATCH 1681, MINDBENDER 16(4), 4 MAGIC ELL 132k), 5
Cylon Artack 132k), 6, Astro-Tracker 132k).
Ubilities: 1, Disassembler 1618, Reddine 1684, Min Teat Ed. 132k),
Applications: 1, Superplot (32k), 2, Masterfile 13k).
13% discount to members on the excellent wordwise word processing
package—this represents a saving of over £5.00.

Send £1.00 & SAE for Sample.

Membership: UK 15.40 for six months
£9.90 for one year.

E9.90 for one year only:

Europe £16.00 Middle £ast £19.00

Americas & Artice £27.00

Other Countries £23.00

Make cheques to BEEBUG and send to: BEEBUG Dept 5, 374 PO Box 109 Baker Street, High Wycombe, Bucks HP11 2TD. St Albans, Herts, AL1 1AR

Circle No. 149

Circle No. 148





56-way I.D.C. connector and ribbon cable assembly, designed and manufactured by Varelco in conjunction with C.P.S. Ltd., to fit the Sinclair Spectrum computer. Available in both single and double end format. Also available, paddle board to convert female connector to male plug format.

Please send me the following:	Insert Quantity here							
6" grey cable with connector each end	£8.99 each							
9" grey cable with connector each end	£9.49 each							
9" colour coded cable with one connector	£5.99 each							
12" colour coded cable with one connector	£6.49 each							
Connector only	£4.95 each							
Paddle board for conversion to male plug format each Prices include VAT and Post & Packing Lenclose cheque/PO value £								
Block capitals please								
Name								
Address								
Town								
CountyPost C	Code							
If paying by Access, enter number here  Available from:								
Hawnt Electronics Limited								
Firswood Road, Garretts Green, Bir								
Reg. in England No. 3068	308 PC2/84							

## Isn't it time you stopped running your computer at printer speed?

In ten seconds, your computer can output enough print data to keep your printer busy for five minutes, or longer.

Instead of waiting around for the printer, you could install a print buffer, and free your computer for its next task in seconds.

Print buffers take care of the printing and the waiting. And the more you print, the more time a buffer will save.

Buffers for any combination of micro and printer/ plotter. Internal buffers for Epson printers; Apple Computers. 'In-line' buffers for IBM PC, Sirius, Commodore 20/40/80 series, Super Brain, BBC, Tandy, etc.

Data transfer in RS232c serial, Centronicsparallel, IEEE-488 formats. Protocol conversion. RAM sizes from 2K to 256K.

## A>Line Computer Systems

1 Church Farm Lane, Willoughby Waterleys, Leicestershire LE8 3UD.

Telephone: Peatling Magna (053 758) 486

Talk to the specialists. We have the answers.



Circle No. 152



presentation packs and sleeves printed in one to four colours.

Circle No. 153

POCKET COMPUTERS do not seem to have caught the popular imagination in the way home micros, office personal computers and even the larger-sized portable computers have done. It sems that there has to be a certain necessary power crammed into the package before you have a computer worth anyone's while. Until recently the bottom limit has been machines like the Epson HX-20 and Tandy Model 100, which have full-sized keyboards and reasonable sized displays. Their main advantage is that you can also run practical software on such machines without having to write it yourself.

But a new wave of technical advance is beginning to transform prospects for the very small computer. The notebook-sized Husky Hunter packs CP/M into its small 2.5lb. bulk, and is capable of running WordStar or Supercalc just as fast as the desk-top Sirius I am using now. VisiCalc, the genuine article from Visicorp, can be run on the lighter weight Hewlett-Packard 75C. Admittedly these two machines are the most expensive in this survey, but now is a convenient time to take a look at what is available over the whole range of pocket computers, from super-calculator to supercompressed office system.

## **Battery powered**

For the survey we are defining the pocket computer category to include all machines which offer a version of the Basic programming language, which are battery-powered with at least one working day's battery life, but which are too small to have a full-sized keyboard. Rather than quibble about the size of the standard pocket computer we will include anything with a keyboard smaller than the standard typewriter — calculators are excluded because they lack Basic.

The machines in this survey find at least two distinct kinds of use. Commercial organisations and even the military are using the two successful Sharp machines and the Hunter for data collection, as well as calculation "in the field". Here a prime requirement is to have some means of storing the data collected — micro-cassettes in the case of the Sharps and battery-backed RAM in the case of the Hunter. The other major use for pocket computers is as super-calculators, which are used predominantly on the desk top, but can be moved around.

Machines like the smaller Casios are adequate in the super-calculator role. But some people are tempted to buy such machines as a cheap introduction to programming, and it must be said that the mains-powered home computers from the ZX-81 upwards offer a preferable buy, with their better display, sound facilities, vast range of entertainment software and heavy support from specialist magazines.

Battery-powered portability is not worth paying for if you do not want it, since at present the low power consumption CMOS

# Shrinking the the computer

lan Stobie discusses squeezing the computer into a calculator's shell in an examination of 10 pocket-sized battery-powered machines with Basic.



## **Suppliers**

Canon X-07 Canon (U.K.) Ltd, Waddon House, Stafford Road, Croydon CR9 4DD. Telephone: 01-680 7700. Casio Casio Electronics Co Ltd, Unit 6,

1,000 North Circular Road, London NW2 7DJ. Telephone: 01-450 9131.

HP-75C Hewlett-Packard Ltd, PC Group, King Street Lane, Winnersh, Wokingham, Berkshire RG11 5AR. Telephone: (0734) 784774.

Husky Hunter Husky Computers Ltd, PO Box 135, Foleshill Road, Coventry CV6 5RW. Telephone: (0203) 668181. Sharp PC-1251, PC-1500 Sharp

Sharp PC-1251, PC-1500 Sharp Electronics (U.K.) Ltd, Sharp House, Thorp Road, Manchester M10 9BE. Telephone: 061-205 2333.

Texas CC:40 Texas Instruments Ltd, Manton Lane, Bedford MK41 7PA. Telephone: (0234) 67466. technology used in battery-powered computers is slower and more expensive than conventional NMOS. Major investment has been going into CMOS, and it is now producing results in the form of cheaper and faster circuits.

Portable flat-screen display technology is also improving fast, with larger LCD arrays coming in further up the market on machines like the Gavilan, Tandy Model 100, Olivetti M-10 and NEC PC-8201. Already Hitachi has a flat-screen TV at the experimental stage.

Finally, various technologies are being explored to get rid of conventional cabling. This offers great advantages for portable computing. The Canon X-07 we have in the office is connected to its mains-powered printer by an infra-red link.

Seiko is introducing a product in Japan in early 1984 which takes matters a step further. Using the induction loop principle, Seiko designers have built a pocket computer split into three components, just like a miniature conventional office computer but without the cables. The processor and 2K of user RAM fit in a box measuring 5.5in. by 8in. which goes on the desk, or into a briefcase or pocket; a completely detached mini-keyboard fits into a shirt pocket, while the display can be worn, watch-like, on the wrist.

The Seiko "wrist computer" is programmable in Microsoft Basic and features a tiny printer built into the system box. The Japanese price works out at around £160. At the moment Seiko in the U.K. pleads ignorance about any wider marketing plans, but if the idea proves successful in Japan we can expect other multi-pocket computer systems.

Details of our top 10 pocketables can be found overleaf. All prices are for unexpanded systems: for the Husky Hunter and HP-75C they do not include VAT; prices for Casio and Sharp machines are VAT inclusive.



## CANON X-07

## around £200

If you have room in your pocket for a hardback novel then you could carry an X-07 around instead. The LCD screen shows four lines of 20 characters, and it is just possible to touch-type on its 10mm.-wide button keys. The standard machine has 6.6K of RAM free to an enhanced Microsoft/Canon Basic. Battery-backed memory-expansion modules — the size of credit cards, but thicker — slot in the back. The X-07 is well set up as a system machine via its cassette port, serial port, parallel printer port and expansion port. It can communicate with its own peripherals, including four-colour mains-powered printer/plotter, via an optional infra-red module. Unfortunately, no U.K. version has been produced, but we live in hope.

For. Expandable system. Novel features such as RAM cards and infra-red communications.

Against. Not available. Canon (U.K.) may decide not to import it.



## CASIO PB-100

## £49.95

A straightforward machine, the PB·100 is aimed at the beginner. It is the size of a largish calculator at 6.5in. by 2.75in., there is a small QWERTY keyboard with separate numeric keypad and a 12-character LCD display. The PB·100 comes with the simple Casio Basic in ROM, and 1K of RAM, expandable to 2K by adding a £14 module. The user manual is particularly good. Up to 10 programs can be held in memory while the machine is switched off. Numeric results are displayed to 10 significant digits but string handling is limited. A cassette interface costs £26; the printer is £60.

For. Low cost. Good manual. Better than a calculator.

Against. Limited memory expansion. No string handling in Basic.




## CASIO FX-700P

## £59.95

This is the same machine as the PB-100 with a similar Basic. but more technically biased. For the extra money you get single-key entry of scientific functions and 2K of RAM, which is not expandable. The FX-700P is good for numerical work—much simpler to program than a calculator—but the Casio Basic is limited. You are only allowed one string variable, limited to 30 characters, and there are no sub-string manipulation functions. You can use string constants in Print and Input statements. The FX-700P will accept the same peripherals as the PB-100, including cassette interface. No commercial software is available, but a book of useful program listings is supplied with the machine.

For. Scientific functions, 2K of RAM.

Against. No further memory expansion. No third-party software.



## CASIO PB-300

## £99.95

Similar to the PB-100 but with a slightly larger QWERTY keyboard and numeric keypad, a built-in printer and more memory. The 20-column printer uses 38mm. rolls of thermal paper. Basic and display are the same as the PB-100. Standard RAM is 2K, but is not expandable. An optional interface costing £26 lets you save and store programs and data on a standard audio cassette recorder. The PB-802P is a scientific version of the PB-300.

For. Good manual. Built-in printer.

Against. Limited string handling.



## CASIO PB-700

## 2138

Top of the small-key Casio range, with a larger display, more memory and a wider range of peripherals. The LCD panel shows four lines of 20 characters or 32-by-160 dot graphics. Standard memory is 4K, expandable to 16K internally. The Basic includes plotting commands and string functions like Left\$, Mid\$, Right\$ and Inkey\$. An optional battery-powered slip-on four-colour printer/plotter costing £179 also provides an interface to a domestic audio cassette, or for £70 you can fit the Casio micro-cassette deck to form a single battery-powered unit. Other options include Centronics-type parallel printer port.

For. Better Basic. Larger screen. Good peripherals.

Against. Small keys. Little third-party software. No RS-232 option.

## Pocketables: top 10



## HEWLETT-PACKARD 75C £763

Luxury machine with wide range of battery-powered add-ons; it measures 10in. by 5in. The HP-75C has calculator-style keys with almost typewriter spacing, and a single-line 32-character LCD display. Standard 16K of RAM is expandable to 24K. The 48K of ROM contains a very powerful Basic with 12-digit numeric precision and good diary/alarm and address-list programs. Genuine VisiCalc is available on ROM for £154. The built-in card reader lets you store 1.3K per thin magnetic card. Wide range of mainly technical software available on cards or on ROM chips. The HP-75C comes fitted with an HP-IL socket which connects it to a wide range of HP plotters, printers, measuring instruments, a full-size display and larger HP computers.

For. Excellent Basic. Optional VisiCalc. Versatile HP-IL Interface.

Against. Expensive. Software and peripherals are expensive too.



## HUSKY HUNTER £997

The smallest battery-powered machine to offer CP/M. It measures 8.5in. by 6in. and is housed in a rugged castaluminium case with a sealed, waterproof keyboard. The eightline by 40-character LCD display can also show 64-by-240 dot graphics. Standard RAM is 80K, expandable to 208K, some of it configured as a silicon disc. CP/M 2.2 and Microsoft Basic are supplied in the machine's 48K ROM. The NSC800-4 CMOS CPU runs at 4MHz, so it is no slower than an eight-bit mainspowered micro. RS-232 interface included as standard for linking to printers and other computers. Options include modem and mains-powered disc drive.

For. Fast. Very tough, Vast CP/M software base.

Against. Price.



## SHARP PC-125

Compact enough to fit in a jacket breast pocket this smaller companion to the successful PC-1500 also has good expansion options. It measures 5.25in. by 2.75 in. The standard machine has a 24-character LCD and comes with 4.2K of RAM. A powerful Basic comes in 24K of ROM, offering two-dimensional arrays, scientific functions and a full range of string operations. An optional battery-powered clip-on unit costing £99.95 adds a 24-character thermal printer and a micro-cassette drive. This expanded system has been taken up by commercial users particularly in the financial and engineering fields. A number of third-party programs are available on micro-cassette.

For. Good Basic. Neat printer/cassette option. Commercially available software.

Against. Limited maximum memory.




## SHARP PC-1500

Longer established than the PC-1251 and offering a wider range of peripherals, greater memory expansion and a larger base of independent software. It measures 8in. by 3.5in. and has a 26-character LCD display. The standard 3.5K RAM is expandable to 11.5K; the 16K ROM contains a powerful Basic with full string handling, arrays and scientific functions. A range of scientific, engineering and financial programs are available on plug-in ROMs. The £149.95 printer/plotter unit uses a four-colour ball-point pen carousel mechanism and also provides a cassette interface. Other battery-powered options include a combined RS-232 and parallel interface suitable for connecting larger computers or modems. Tandy sells the same machine for £159 as the Tandy PC-2.

For. Good Basic. Printer/plotter and RS-232 options. Software.

Against. Small keys. Micro-cassette would be an asset.



## aorund £170

£79.95

£169.95

Long-delayed machine first announced in February 1983; should be available in 1984 according to Texas Instruments. It runs an eight-bit CMOS CPU with 6K of RAM, expandable to 16K; the 34K of ROM contains a very comprehensive Basic. ROM software cartridges of up to 128K can be slotted in to the right of the 31-character LCD. The CC-40 weighs 1.3ib. and measures 9.5in. by 5.75in. and is designed to have a large family of battery-powered peripherals including a 36-character four-colour printer/plotter, a stringy-floppy drive similar to the Sinclair Microdrive, and a combined RS-232 and parallel printer interface. We were allowed to examine a sample machine last year, so the CC-40 is not a complete myth.

For. Excellent Basic. Range of peripherals.

Against. Not yet here, a year after announcement.

## Many-legged beasties

Ray Coles reveals what goes on inside those little black rectangular packages sitting on the circuit board of your micro.

THE TALE of the chip began back in 1948 when the first transistor was made in the U.S. Researchers in both the U.K. and abroad soon realised the potential of this new solid-state component as a switch to replace the bulky and unreliable electromagnetic relays and thermionic valves then used in the digital computers of the day. It was this breakthrough more than any other which turned laboratory curiosities into the powerful data-processing machines which have become so indispensible.

Transistors may have made the digital computer a practical proposition, but the machines they were used in were by no means easy to live with. They were so enormously expensive that only large government or industrial concerns could even dream of tapping their problemsolving potential. Before long, however, semiconductor manufacturers packaged several transistors together on a single sliver of silicon. There they formed a complete functional circuit such as a logic gate, the basic building block of the computer.

These integrated circuits revolutionised the design and manufacture of computers. This eventually led to the introduction of minicomputers in the mid 1960s which, for the first time, brought data processing into smaller companies and scientific laboratories. The great benefits of these miniature circuits with such low price tags created a tremendous pressure to squeeze more and more transistors on to a single chip. The so called small-scale integration, SSI, of the logic gate soon led to the medium-scale integration of the counter or register, and beyond.

At this point the semiconductor manufacturers began to turn away from the conventional bipolar transistor. The new breed of field-effect transistors were simpler and smaller, which allowed even more functions to be sqeezed on to silicon chips now containing over 1,000 transistors each. Thus large-scale integration, LSI, was born. With several thousand transistors to play with, complete functional systems such as the innards of an electronic calculator could be built with only one integrated circuit. It was not long before Intel realised that a calculator could

be transformed into a general-purpose minicomputers of the day, including a 64K computer.

address range, a unified data and

The first device which was actually given the name "microprocessor" was the Intel 4004. This four-bit general-purpose digital processor was first designed for a calculator manufacturer which wanted to be able to reprogram its calculator chip to produce variations on the theme. Along with a few other pioneers who bought the new device for use in non-calculator applications, Intel soon realised the potential of this new general-purpose digital component.

By the mid 1970s Intel had introduced its eight-bit 8080A microprocessor. It had many features in common with the

minicomputers of the day, including a 64K address range, a unified data and instruction memory space and an extensive repertoire of 78 different instructions. Although some diehards still felt that such a puny computer would never catch on, others saw the writing on the wall and began to dream up new applications for the microprocessor.

The concept of a microprocessor-based personal computer appeared around this time. The precedents set by existing computers were still a powerful influence and early designs looked just like their larger cousins. They used separate teletypewriter terminals, alongside papertape readers and square CPU cabinets containing rows of individual plug-in circuit boards. It was not the sort of thing for the average living room or office.

Seeing the success of the 8080A, many other semiconductor manufacturers were hard at work to do better, and Motorola had some early success with its 6800, which needed less peripheral circuitry than the Intel device. The two microprocessors which had the greatest effect were the Zilog Z-80 and the MOS Technology 6502.

The Z-80 caused quite a stir when it was introduced in 1977. Its advanced features included a very powerful instruction set, extra registers and a sophisticated interrupt structure. Its compatibility with the 8080A provided it with a ready-made market as a replacement for the Intel device. The CP/M disc-operating system software, designed originally for the 8080A, could be used unmodified with the Zilog processor. Z-80 sales took off like a rocket.

In the same way that the Z-80 was designed as an improved 8080A, the 6502 was produced as a competitor to the 6800. It is to this processor that the honour must go of sparking off the concept of personal computers as we now know them. The simple but powerful architecture of the 6502, optimised for use with high-level languages such as Basic, proved to be just the thing for Commodore Business Machines to use in its now famous Pet.

The separate functional units typical of the big computers were replaced by an integrated system with built-in keyboard, VDU screen and cassette-tape unit. Instead

## **CPU** chips

INTEL 8080A, page 106 Used in: S-100 micros

ZILOG Z-80, page 107 Used in: Camputers Lynx, Cifer Club, Gemini, Galaxy, Osborne, Rair Black Box, Research Machines 380Z, Sinclair ZX-80/81 and Spectrum, Sord M-23, Superbrain, Tandy Models I, II, III and IV, Video Genie

MOS TECHNOLOGY 6502, page 108 Used in: Acorn Atom, Acorn Electron, Aim 65, Apple models I, II and III, Atari, BBC Micro, Commodore Pet, Commodore Vic-20, Oric


MOTOROLA 6809, page 109 Used in: Dragon, Tandy Color Computer

TEXAS 9900, page 110 Texas Home Computer

INTEL 8088, page 111 Used in: ACT Sirius, DEC Rainbow, IBM Personal Computer, Sharp PC 5000, Texas Professional

MOTOROLA 68000, page 112 Apple Lisa, Bleasdale BDC 680, Britannia Baby, Torch 700, Hewlett-Packard 9826 and 9836

ZILOG Z-8000, page 113 Used in: forthcoming Commodore system



The 6502, like many other microprocessors, is housed in a 40-pin plastic dual-in-line package measuring 2in. by 0.6in. The semiconductor chip itself is in the centre of the package and measures typically 0.3in. square; most of the package volume consists of just plastic or metal frame. Much smaller packages are therefore possible, and are available for high-density applications. Some 16-bit microprocessors may need more than 40 pins, and this has triggered the development of much larger packages. One trick commonly employed to reduce the number of pins is to multiplex or time-share the data- and address-bus pins. This demands additional circuitry to de-multiplex the information outside the microprocessor package.

of loading the Basic interpreter into RAM from a paper tape or cassette the operating system and a Basic were inside the machine, stored in permanent ROM. Best of all, the concept of separate plug-in circuit boards for CPU, memory and I/O functions had gone. Although this reduced flexibility it cut costs dramatically. For the first time, the smallest business budget could withstand a computer, and schools and some lucky households could afford them too. Alongside the Pet, Tandy's TRS-80 with its Z-80 processor and the 6502-based Apple led an American personal-computer boom.

#### Home users

In Britain Sinclair Research introduced a computer aimed for the first time at High Street stores and the ordinary consumer. The educationally sophisticated but relatively impecunious British home market helped Sinclair create a brand-new low-cost computer formula, turning the tables on the Americans and the Japanese. Where Sinclair led, other British brand names in the computer stores, like Oric, Dragon and Lynx, have followed into the burgeoning computer departments of the country's chain stores.

Meanwhile there was brisk business back at the semiconductor manufacturers, and the resulting profits led to massive investment in the development of new and more exotic microprocessor chips. Eightbit designs like the Z-80 and the 6502 are now cheap and easy to make, and semiconductor technology has moved on to provide smaller geometries and more transistors per chip. The 8080A and its contemporaries had from 5,000 to 10,000 transistors on a chip. Today 50,000 to 100,000 is routine, and by the end of the decade, microprocessors with 1,000,000 transistors will be commonplace.

There is always a time lag before a new device appears inside a commercially available microcomputer, but 16-bit microprocessors have already provided another quantum jump in processing power since the advent of the first personal computers.

Eight-bit data words can represent a single ASCII character or provide a numeric resolution of one in 256. They are about the smallest units that can usefully be employed in a practical data processor. But eight-bit resolution is not adequate for most numeric applications, so even in eight-bit machines multiple operations are

necessary to achieve the more usable arithmetic precision of 16 or 32 bits. So for every simple calculation made by the Basic interpreter, several eight-bit operations have to be performed one after the other, which slows things up considerably.

#### **Extra goodies**

Though improved computational performance is the main driving force behind the move to 16- or 32-bit microprocessor chips, many other benefits are provided too. With 16 bits to play with, more instruction codes become possible and lots of new features can be added to the instruction set. As the data bus becomes wider so does the address bus, and the 64K maximum memory map exands to a megabyte or more.

The technology which manages to squeeze a 16-bit processor on to a chip also allows features such as extra registers and hardware multiply/divide units to be incorporated. As a result, the 16-bit microprocessor is much more than twice as powerful as its eight-bit predecessor.

The first 16-bit processor to see wide use was the Texas 9900. It appeared early

(continued on next page)

# Many-legged beasties

(continued from previous page)

because Texas decided to miss the eight-bit evolutionary step altogether. This proved popular in embedded computers for avionics and the like, and was built into a home computer by Texas itself. It never really caught on, perhaps because of its unusual architecture based on the Texas 990 family of minicomputers.

The first 16-bit device to achieve real prominence was the 8088/8086 family from Intel. This company is still a market leader, after the success of the 8080A and its successor the 8085. The 8086 provides the power of a mid-range minicomputer from a single 40-pin plastic package with a 16-bit time-multiplexed data and address bus. Though the 8086 package is no bigger than that used for earlier eight-bit devices, 20 address bits are available to provide access to 1Mbyte of memory. Its only major limitation is that its internal addressing techniques restrict access to four 64K segments at a time.

The cost-sensitive personal-computer market was not really ready for the 8086 when it first appeared, so Intel launched the cut-down 8088 at almost the same time. The 8088 is cut-down in only one sense: it uses an eight-bit data bus in place of the 16 bits of the basic 8086. Inside the 8088 is a complete 8086 16-bit processor with a full-

#### How it works READ READ/ INPUT/ MICROPROCESSOR OUTPUT ONLY WRITE MEMORY MEMORY (1/0)CRYSTAL (ROM) (RAM) RESET ADDRESS BUS **BI-DIRECTIONAL DATA BUS**

When the microprocessor is powered-up or reset it wakes up in a predefined state and begins to fetch instructions from memory and to execute them. The rate at which it does this is determined by the crystalcontrolled clock oscillator which is used to synchronise all activity. The processor fetches an instruction from ROM or RAM memory by issuing an address on the address bus and then reading the instruction it has addressed into its internal instruction register via the data bus. What the processor does next depends on the instruction to be executed, but instructions may involve internal arithmetic and logical operations, or further external bus activity in transferring data to or from the RAM memory or input/output ports. Since the address bus is always driven by the processor it is uni-directional, but data may be transferred in either direction on the bi-directional data bus. The amount of memory which can be accessed by the processor is determined by the address-bus width. which is usually 16 bits for eight-bit processors. The "eight-bit" label actually refers to the width of the data bus which determines the precision of the data which can be handled in one transaction. The main reason that the newer 16-bit machines are more powerful is that they can transfer data twice as fast. In most cases they also have an address but which is more than 16 bits wide, so that they can reach more than 64K.

#### Memory and peripheral chips

For every processor sold, at least eight memory devices are sold too. Not suprisingly, therefore, this market is even more important to the manufacturers than that for microprocessor chips. Advances in technology have been very rapid. The 4Kbit chips which were available in the heyday of the 8080A became 16Kbit devices for the Z-80; now 64Kbits is the norm for new machines. Just around the corner are the 256Kbit chips able to exploit the addressing range of 16-bit processors like the 68000. Costs per bit are dropping dramatically to make large memory arrays an affordable proposition.

As the density of RAM memory chips increases, personal-computer manufacturers are able to offer higher-resolution graphics and more advanced software. In some cases the software need not be read in from floppy discs but can be resident in the machine, stored in ROM. The density of ROM devices is even higher than that of RAM. Even now 256Kbit chips are the norm, with 1Mbit not far off. Just think what you could do with 128K of software available as soon as you hit the On switch. As well as a fancy operating system like Unix, there would be room for a word-processing program, a spreadsheet and no doubt a few games too. It's quite an improvement over the 4K Basics of just a few years ago.

Also needed to build a complete system are the specialised peripheral devices. They are often just as dense and sophisticated as the microprocessors they serve. One of the most commonly used peripheral chips is the universal asynchronous receiver transmitter or Uart, which interfaces with RS-232 serial links for VDUs,

modems and other external facilities. Devices of this type are available from the various manufacturers.

Graphics-controller chips are widely used to unload the tedious chore of screen refresh from the processor. Devices are now available which offer not only high-resolution bit-mapped colour graphics but the ability to draw lines and shapes without processor intervention. Add to these the extensive array of parallel interfaces, floppy-disc controllers, text processors, floating-point arithmetic units and memory managers, and you can see why there are often so many little black rectangles inside your office computer.

Each of these specialist chips is likely to cost as much as the CPU itself. At the lower end of the market lots of peripheral chips like these would soon have the price rocketing out of control. The designers of high-volume personal computers therefore turn to custom logic arrays. They are programmed at the manufacturing stage to form a peripheral chip tailored specifically for a particular machine and its needs.


These cost-cutting devices provide only a subset of the general-purpose facilities offered by the conventional peripheral chips. But by clever design and compromise customised arrays can often be made to provide multiple functions such as dynamic-RAM refresh, graphics control and printer interface all from one package at a fraction of the cost of three separate chips. The use of these custom logic arrays means that there are relatively few components in mass-market home micros like the Sinclair Spectrum or Oric.

width internal bus. The memory addressing range is still IMbyte, but instructions and data are fetched from memory eight bits at a time. This slows down the processor of course, but it also allows it to be used with external memory and peripheral devices organised on a byte-wide basis, which in turn reduces the overall system costs.


The success of this ploy is plain to see. More 8088 processors have been sold than 8086s, and nearly all the first-generation 16-bit machines like the IBM PC and the ACT Sirius have used it. Better still, 8088 software is absolutely identical to 8086 software. System builders have a no-hassle upgrade path when they need it, which Intel has extended further to the 80186 and 80286 processors now available. In contrast, the more powerful Zilog Z-8000 processor family does not include an eight-bit bus version, which is one of the reasons why this otherwise attractive device has not caught on so well.

For the ultimate in 16-bit power, though, take a look at the Motorola 68000. This beautiful processor is designed with 32-bit architecture on the inside but uses a 16 bit bus to the outside world. If offers an elegant, regular instruction set and a 16Mbyte address range. The 68000 looks a natural for the second generation of 16-bit personal computers and has already been employed in advanced new machines like the Apple Lisa and others. An eight-bit bus version, the 68008, is available and the 68020 with a full 32-bit bus will be along soon.

On the following eight pages you will find details of the eight major families of CPU chip. They range from Intel's pioneering 8080A to the Motorola 68000 whose intricacies are giving the designers something to work on for micros that will be appearing in the second half of the decade.



Zilog's super-fast Z-80H eight-bit chips run at 8MHz.



Preparing silicon waters at Ferranti for ULA chips, key elements in cheap home micros.

#### Does it matter?

A few years ago, when personal computers were a brand-new phenomenon, any prospective buyer was made immediately aware of which microprocessor had been used to animate his or her new-found friend. Today the picture is changing, and in some cases one can comb the glowing text of the advertisements without finding so much as a hint of what the microprocessor chip is among the "128K" and "16-bit" superlatives. So should it really matter to today's prospective buyer what lurks within the oh-so-sexy box? The answer, as so often, is yes and no.

Any particular microprocessor chip can be compared with its contemporaries and a judgment made about its relative power or performance. Regrettably, the potential of that device may not be fully realised in the personal computers in which it is used, so it is better to compare personal computers on the basis of memory, word size, graphics capabilities, available software, and similar overall system parameters than to choose on the basis of the CPU chip used. Regular readers of this magazine have heard often enough about proud owners of new 16-bit machines who discover to their horror that programs actually run faster on their old eight-bit systems. Software is the great leveller, and bad 16-bit software is worse than good eight-bit code, no matter how big the price tag on the system.

But the choice of processor does matter because, by and large, different processor chips cannot run each other's software. If you choose a machine which uses an obscure processor you will find that software is difficult to come by, and expensive too. Happiness is definitely more assured if you go for the Ford Escort processor, rather than for that alluring Porsche with such great potential but so little support.

It also matters if the potential user intends to write any assembly-language software, since in this case the power and instruction set of the processor itself will be more important and more easily exploited. Finally, even if some of today's available software for 16-bit machines is mediocre, it is a fair bet that the situation will improve dramatically. The 16-bit machines do have much more untapped potential in terms of memory expansion and raw processor power, which will ensure that they remain useful for many years to come.

#### 8080A The one that started it all


In 1972, when Intel introduced the first microprocessors, the 4004 and the 8008, the world had little idea of the revolution it was about to witness. They were puny devices with limited capabilities and instruction sets, and were fabricated in the difficult PMOS technology. These newcomers gave no hint of posing any threat to real computers, so most system designers looked briefly at the data sheets and passed on.

Within Intel itself, however, the possibilities opened up by a complete central processor on a single chip of silicon were soon recognised. Development of a more powerful successor using the new NMOS technology was vigorously pursued. The result was the 8080A, launched only 10 years ago as the leader of a revolution which was soon to affect us all.

The 8080A was a real computer in miniature, with a 64K addressing range, a useful set of 78 instructions, plenty of registers, and binary or BCD arithmetic capability. Initially produced in small numbers and with a high price tag, the 8080A went on to sales exceeding two million units per year and made Intel almost a household name.

Right from the start visionaries foresaw its potential for use in small personal computers. The first real example, the Altair 880B, became so successful that its S-100 back-plane bus went on to become an industry standard. CP/M too, was designed for the 8080A, and is still the most popular operating system, offering access to a vast range of software. Intel's chosen successor to the 8080A, the 8085, was a damp squib by comparison, and attention soon switched to the Z-80 device from the competing Zilog corporation.

#### 8080A



ACCUM	8	Flags	8	PSW
В	8	С	8	вс
D	8	E	8	DE
Н	8	L	8	HL
STACK POINTER			16	SP
PROGRAM COUNTER		16	PC	

#### Register set


The 8080 has a single accumulator which acts as the implied focus of most instructions. In addition there are six eight-bit general-purpose registers which can be used as three 16-bit pairs, a stack pointer, a program counter, and a flag register. There are no true index registers.

#### Family members

Basic 8080A also needs 8224 clock generator or 8228 bus controller. Very wide range of peripheral circuits including serial Uart, parallel I/O, DHA, interrupt controller, keyboard encoder, etc. The 8085 CPU has same instruction set but improved bus and I/O.

#### Software and instruction set

The 8080A looks rather primitive today, but any system using CP/M runs code written for this processor since CP/M was originally developed for the 8080A. Thus a huge software base is available, including all popular languages and a host of special application programs. The instruction set is register orientated and contains 78 basic instructions including some BCD and 16-bit arithmetic types. A separate I/O address space is available using in and out instructions.



Byte, eight bits Word, 16 bits

Addressing modes Implied Immediate Register Register indirect Direct

# **Z-80** Zilog's challenge

Shortly after the introduction of the 8080A, a group of engineers who had worked for Intel on that project broke away and formed the competing Zilog corporation. They had ambitious plans for a more powerful processor, and it was launched in 1977 as the Z-80.

The Z-80 is impressive even by today's enlightened standards; in 1977 it was a blockbuster. With two complete sets of 8080A-style general registers, two new index registers, on-chip dynamic-RAM refresh logic, three interrupt modes, and no less than 158 instructions including block operations, bit addressing, and BCD shifts, the Zilog Z-80 posed a real and sustained challenge to Intel.

To cash in on the blooming 8080A market, Zilog made its processor upwards compatible at the object-code level. This endowed the Z-80 with a messy and confusing instruction set, but also ensured ready industry acceptance and access to the gigantic CP/M software base. To provide room for all the new instructions, Zilog took advantage of the 12 unused op codes in the 8080A set. Some were used directly, and others were trap doors to additional op-code tables, each with 256 new op code possibilities. This technique made it necessary to use two op code bytes to reach the new tables, and resulted in instructions up to four bytes long, but the wisdom of the Zilog approach to compatibility has been amply demonstrated by the sales figures.

Also introduced were a family of very powerful peripheral devices which used the sophisticated Z-80 interrupt structure; they are still considered the best devices of their type available. Used in many personal computers including all the Sinclair family, the Z-80 will be with us for many years to come.

#### **Z-80**


Manufacturers: Zilog, Mostek, NEC, Sharo, SGS Used on: Sinclair ZX-80, 81 and Spectrum; Lynx;

Tandy; Video Genie; Nascom; etc.

Technology: NMOS

Memory address range: 64K Clock frequency: 2.5MHz or 4MHz

Power supply: +5V



A 8	F	8	A	8	F1	8
В	С		B <sup>1</sup>		C1	
D	Ε		D¹		E <sup>1</sup>	
Н	L		H <sup>1</sup>		L1	
1	R			_	_	
INDEX REG		IX 16				
INDEX REG		IY 16		Iternativ		er set ternative
STACK POINT	ER	SP 16	16 set can be used. Bank			Bank
PROGRAM CI	NTR.	PC 16	C 16 switch is achieved with EX			

and EXX instructions.

#### Register set


The Z-80 register set is very generous and has two banks of 8080-style general registers plus two 16-bit index registers. Also included is an interrupt page address register I and a dynamic-RAM refresh counter register R.

#### Family members

The Z-80 requires an external clock generator but does not need a bus controller. Zilog has a powerful family of peripheral chips including a PIO, CTC and dual Uart/SIO, each of which includes vectored interrupt logic; 8080 peripherals can also be used.

#### Software and instruction set

This processor is probably better endowed with available software than any other, thanks to upward 8080 compatibility and the CP/M operating system - and Clive Sinclair. The instruction set is much improved over that of the 8080 and includes extended 16-bit compatibility, relative jumps, indexed addressing, bit set. test, and reset, block operations, and BCD shift operations. There are 158 basic instructions.



Data types Nibble, four bits Byte, eight bits Word, 16 bits Block, up to 64K bytes

#### Addressing modes

Implied Immediate Register Register indirect Extended, Direct Relative Indexed Bit

# 6502 Commodore's Pet chip

Shortly after the introduction of the 8080A, Motorola introduced the MC-6800, a pretty chip with some nice features like single-supply 5V operation and an easy-to-use instruction set. Due in part to a lack of on-chip registers, the 6800 was never as popular as the 8080A and was not very good at running high-level languages like Basic.

Once again, a small competing firm, in this case MOS Technology, decided it could do better, and the 6502 was born. It was optimised for data-processing applications and had the advantage of two index registers and a comprehensive set of addressing modes which, rather surprisingly, allowed it to run certain benchmarks even faster than the Z-80. The chip was simple and cheap, and right from the start it attracted the attention of budding personal-computer manufacturers.

The very first single-box personal computer, the Commodore Pet, was designed around the 6502. It was hotly pursued by the Apple, and when MOS Technology ran into trouble Commodore took over and is now a fully fledged semiconductor manufacturer in its own right. Two aggressive second sources, Rockwell and Synertek, back up the field. The 6502 is actually only one device in a whole family of processors with the same basic architecture, including single-chip processors with RAM, ROM and I/O all in the same package.

#### 6502

Manufacturers: MOS Technology, now Commodore

Semicon Group; Rockwell, Sybertek


Used on: Atom, Apple, BBC, Commodore Pet, Vic-20,


Oric, etc.

Technology: NMOS

Memory address range: 64K Clock frequency: 1MHz or 2MHz

Power supply: +5V





#### Register set

The 6502 register set appears odd but it has been designed to provide maximum facilities from the minimum of silicon. Apart from the single accumulator there are no general-purpose data registers, but the whole of memory page 0 can be used for this purpose. The short index registers are enlarged by clever addressing modes but the short stack pointer mandates the use of page 1 for the stack.

#### Family members

The 6502 is just one member of a large family of closely related microprocessors which offer various features and address ranges. There is a large family of 6502 peripheral devices including Uarts, PIOs, CRT controllers and combination chips.

#### Software and instruction set

The 6502 has been chosen for many personal computers, which guarantees a broad software base. The Achilles heel of the 6502 is its incompatibility with CP/M and the lack of a universal 6502 orientated alternative OS. The instruction set is well thought-out and squeezes a lot of performance from a short set of 56 basic types, thanks to a large repertoire of addressing modes. The 6502 performs very well when running high-level languages — often better, than the Z-80.



#### Data types Byte, eight bits Word, 16 bits

Addressing modes
Implied
Immediate
Zero page, eight-bit direct
Absolute, 16-bit direct
Relative
Indexed absolute
Indexed page 0
Indexed indirect
Indirect indexed



## **6809** Best of the eight-bitters

When the 6502 stole most of the Motorola 6800 thunder, there was only one thing for Motorola to do and that was to build a new processor that was better in every respect. So dedicated were the Motorola designers to building the very best eight-bit device, that the resulting 6809 chip has just about everything that anyone could want from an eight-bit processor, except one thing: it was not around when it was really needed.


This elegant paragon of a microprocessor arrived on the scene too late to grab much of a share of the thriving eight-bit personal-computer market, and most designers had already opted for the Z-80 or the 6502 for their shiny new machines. The classic lines of the 6809 were enough, however, to ensure that some manufacturers would adopt it, and it has appeared in the Dragon, the Tandy Color Computer and a few others you may be lucky enough to own.

Like the 6502, the 6809 does not enjoy the undoubted benefits of CP/M compatibility, and so software availability is a problem. What software there is runs very fast on the sleek architecture of this powerful processor. With two accumulators, two index registers, two stack pointers, a host of addressing modes and a hardware multiplier, the 6809 does well in high-level language applications. It can be expected to Benchmark ahead of the Z-80 or the 6502 on most data-processing tasks. It will be interesting to see whether this chip manages to carve out its own niche in the microprocessor hall of fame before the coming deluge of 16-bit machines swamps the market.

#### 6809

Power supply: +5V

Manufacturers: Motorola, AMI, Fairchild, Hitachi Used on: Dragon, Tandy Color Computer Technology: NMOS Memory address range: 64K Clock frequency: 1.0MHz, 1.5MHz, 2MHz



ACCUM A 8	ACCUM A 8 ACCUM B		D
DIRECT PAGE   FLAGS			
INDEX REGIST	ERX	16	Х
INDEX REGISTER Y		16	Υ
USER STACK POINTER		16	LL
SYSTEM STACK POINTER		16	S
PROGRAM COUNTER 1		16	PC

#### Register set


The 6809 puts right the shortcomings of the 6800 and 6502 register set and is optimised for data-processing and high-level language applications. There are two stack points, two index registers and two eight-bit accumulators which can be concentrated to form the 16-bit D register. The direct page register allows the register page to be positioned anywhere in memory.

#### Family members

The 6809 has a companion device, the 6809E, which is optimised for multi-processor tasks. Since the 6809 bus structure is compatible with the 6800 and 6502, peripheral chips from those families are used for expansion: the special 6829 memory-management unit is also available.

#### Software and instruction set

The 6809 is ideal for personal-computer applications since it is optimised for data-processing tables. Unfortunately it has not been widely used due to its late arrival on the market, and the available software base is consequently restricted. The instruction set is regular, elegant, and powerful with lots of nice features such as the eight-by-eight multiply and extensive 16-bit operations. The additional stack pointer is useful for RPN maths and high-level language interpreters.



Data types Byte, eight bits Word, 16 bits

Addressing modes
Inherent, implied
Immediate
Register
Direct, eight-bit
Extended, 16-bit
Indexed, five sub-modes
Indexed indirect
Relative
Program counter relative

#### 9900 First to 16-bits

The 9900 represented a bold move by Texas Instruments, one of the largest of the semiconductor manufacturers. In 1976, Texas announced that the 16-bit 9900 represented the "end of the two-bit eight-bit", but things are never that clear cut or predictable in the fickle microprocessor market. Despite plenty of early interest from scientific and military designers who needed the high throughput and 16-bit precision the 9900 offered, this unique device was too costly and too different to be used in the volume applications so essential for success. With separate 16-bit data and address buses, the Texas chip needed an expensive 64-pin package, but could only address 32K.

The architecture is based on that of the Texas 990 family of minicomputers and has many novel features, including the use of blocks of workspace registers in RAM memory rather than the more usual on-chip register sets of conventional processors. I/O arrangements are unusual too in using a serial communications register unit which can address up to 4,096 individual bit I/O lines. It is therefore possible for Texas to produce a family of peripheral devices using smaller packages than those used by the competition. But programming the 9900 requires a special approach since there are no stack operations and no JSR instruction.

To the initiated, however, the 9900 chip is powerful and flexible. To show what could be done, Texas introduced its own personal computer which used it, the TI-99/4. Unfortunately it has not proved a great success in the market place and is now being discontinued in favour of an 8088-based machine. More up-to-date versions of the 9900 are now available, including the 9995 with a multiplexed bus, and the 99000 which is intended to compete with the 8086 and 68000.


#### 9900

Manufacturers: Texas Instruments, AMI, ITT

Used on: Texas home computer

Technology: NMOS

Memory address range: 32K Clock frequency: 3MHz or 4MHz Power supply: +5V, +12V, -5V



PROGRAM COUNTER	16	PC
WORKSPACE POINTER	16	WF
STATUS (FLAG) REGISTER	16	ST

#### Register set

The 9900 has a unique architecture which relies on multiple banks of workspace registers in RAM and therefore has few on-chip registers. The only onchip registers are the program-counter flag register and the register which points to the current workspace. Multiple accumulators and index registers can be provided in the workspace, but there is no true stack pointer on the chip or in the workspace.

#### Family members

Several more recent variations of the basic 9900 architecture have been produced, including the 9940 single-chip device and the 9995 with a 40-pin package and multiplexed data bus. There is a useful family of dedicated peripheral devices.

#### Software and instruction set

The 9900 is compatible with the Texas 990 family of minicomputers and can solve software with them, but there is no popular user base and no access to the huge variety of software offered by CP/M. The Texas home computer does, however, have a reasonable following and reasonable software. The instruction set is quite unique and does not include stack operations or subroutine jumps. I/O operations are also different from other CPUs and use the special serial CRU bus.



#### Data types Byte, eight bits

Word, 16 bits

#### Addressing modes **Immediate**

Workspace register addressing Workspace register indirect Workspace register, indirect auto inc. Symbolic, direct Indexed PC relative CRU relative



# 8088 Minicomputer on a desk

Intel waited until large cheap memories were available and the market was ready before launching its own 16-bit processor, the 8086. Once again its timing was excellent. Designers liked the 1Mbyte address range and the powerful new instruction set. A memory system organised for a 16-bit data bus can be expensive however — too expensive for the personal-computer market to begin with so Intel also produced the companion 8088 which uses an eight-bit data bus.

The 8088 is identical to the 8086 on the inside, and can run the same software; the only difference is the width of the external data bus. This slows things down, but has the more important effect of lowering system costs. The 8088 has been a big success in the personal-computer field, being used in the IBM PC and several other machines where it gives minicomputer performance in a low-cost desk-top system.

In a repeat of its earlier success with the 8080A, Intel has managed to gain a firm foothold in the 16-bit market with the 8088. Manufacturers are therefore likely to choose another Intel device, such as the 8086 or the newer 80186 or 80286, when the time comes to add increased performance to their products. The 8088/8086 family also has the two popular disc-operating systems CP/M-86 and MS-DOS to its credit.

Despite its success, the 8088 is not a very elegant chip. It has an untidy architecture and instruction set, and needs three separate chips for the CPU group alone. It is only the economics of its early popularity which keeps it ahead.

#### 8088


Manufacturers: Intel, AMD, NEC, Siemens, Fujitsu Used on: IBM PC, Sirius, DEC Rainbow, Texas

Professional Technology: HMOS

Memory address range: 1Mbyte

Clock frequency: 5MHz, 8MHz and 10MHz

Power supply: + 5V



#### POINTER & INDEX REGS GENERAL REGS

STACK POINTER 16	SP
BASE POINTER 16	BP
SOURCE INDEX 16	SI
DEST. INDEX 16	DI

#### SEGMENT REGS

CODE SEGT.	16	cs
DATA SEG.	16	DS
STACK SEG	16	SS
EXTRA SEG.	16	ES
	-	4

AH	AL	AX
ВН	BL	ВХ
CH	CL	СХ
DH	DL	DX

#### GS

PROGRAM COL	JNTER/	FLA
<b>INSTRUCTION F</b>	OINTER	IP
FLAGS	16	

#### Register set


The 8088 registers and architecture are identical to that of the 8086 and contain as a subset a group of 8080 types. A 20-bit address is generated by combining a pointer and a segment register, four segments being simultaneously available. There are eight eight-bit general registers which can be used as four 16-bit pairs.

#### Family members

In Min mode 8088 just needs an 8264 clock generator, but in Max mode an 8288 bus controller is also required. The 8088 is an eight-bit bus version of the 8086 16-bit processor. Few-chip versions 80188 and 80186 are now available as is the 80286 virtual-memory version.

#### Software and instruction set

Its selection for the popular IBM PC and Sirius machines has meant there is more software available for the 8088/86 than for any other 16-bit CPU. Operating systems include CP/M-80, MS-DOS and Unix. There are no software differences between the 8088 and 8086, and both are upwards compatible with the 8080 at the objectcode level. The instruction set is aimed at minicomputerstyle applications in high-level languages and contains multiply/divide, bit operations and Z-80 style block operations.



Data types Bit Byte, eight bits Word, 16 bits Double word, 32 bits Bytestring, N bytes Wordstring, N words

Addressing modes Implied Immediate

Register indirect Direct Based Indexed Based indexed String

Register

## **68000** Beauty . . .

Motorola has always produced elegant processors. Its 6800, despite coming second to the 8080A, was much easier to understand and to program, and the 6809 is the best of all the eight-bit chips. With the 68000, though, Motorola has surpassed itself with a processor that is not only prettier to look at than the competition but is also a lot more powerful into the bargain.

While others use fancy extras and clever tricks to squeeze extra performance out of their chips, the secret of the 68000 lies in the sheer scale of its internal 32-bit architecture. With 17 32-bit registers, a 16-bit data bus and a 24-bit address bus, the 68000 does not need tricks to get performance. The programmer is faced with a simple set of only 56 basic instructions which can be expanded by data-type and address-mode options to provide over 1,000 combinations.

The 68000 is powerful enough to take advantage of the much favoured Unix operating system from Bell Labs, which is fast becoming a standard for 68000 users. Unix offers the same advantages that were ultimately achieved by CP/M on the 8080 and its derivatives — a common software base.

While the 8086 needs lots of awkward add-ons to squeeze more performance from it, as in the new 80286, the 68000 is really a more powerful machine struggling to escape, and so upgrades are simple. Next to appear will be the 68010, still with a 16-bit data bus but offering virtual-memory support. After that we are promised the 68020, which reveals for the first time the full glory of that 32-bit architecture.

#### 68000

Manufacturers: Motorola, Mostek, Rockwell, Signetics, Thompson CSF

Used on: Apple Lisa, Torch 700, HP 9826


Technology: HMOS


Memory address range: 16Mbyte

Clock frequency: 4MHz, 6MHz, 8MHz, 10MHz,

12.5MHz

Power supply: +5V





#### Family members

At the moment there is a shortage of 68000 peripheral devices and no maths processor but 6800/6502 peripherals can be used. Other processors available or planned are the 68008 eight-bit data bus, the 68010 with virtual-memory support and the 68020 with full 32-bit data bus.

#### Software and instruction set

The 68000 is a very powerful processor and will probably become very popular as new systems are introduced. The most popular operating system at the moment is Unix in several versions. Available software is fairly limited at the moment but the situation will quickly change as support grows. The instruction set is powerful, simple and elegant, being based on just 56 basic mnemonics. Surprisingly, the 68000 can perform floating-point arithmetic almost as fast as the 8086 with 8087 co-processor.



#### Data types

Bit Nibble, four bits Byte, eight bits Word, 16 bits Long word, 32 bits

#### Addressing modes Implied

Immediate
Immediate
Register
Register indirect
Absolute, direct
Relative

 plus many more sub-modes, including indexing

#### **Z-8000** . . . and the beast

The Z-8000 appeared after the 8086 and before the 68000 and has unfortunately turned out to be neither first nor best. A processor very much from the Zilog mould, the architecture is designed for raw processing power with no concessions to the seekers of elegance or simplicity. The Zilog motto seems to be: if it's any use, stick it in. As a result, this admittedly powerful device is the most complex 16-bit processor around, having 110 basic instruction mnemonics and an extensive but tangled register set. But despite the complexity, it actually uses fewer transistors on the chip than the 8086 because it uses logic for instruction decoding rather than the simpler but more wasteful microcode of its competitors.

One of the Z-8000's features, inherited and expanded from the similar Z-80 facility, is an extensive set of 20 block or string macro instructions able to move, compare and translate whole blocks of memory in one go. One of its biggest disadvantages, on the other hand, is the fact that no eight-bit bus version has been produced, effectively keeping the door firmly closed to use in pioneering 16-bit personal computers. Up to now, the Z-8000 has been most successful in military applications, but Commodore has recently announced its intention of using it in a new machine, so perhaps it is not too late. The label Z-8000 is a family name for the Z-8001, with 8Mbyte addressing, and the Z-8002 which addresses 64K. There is no Z-8000 chip as such.

Zilog itself seems to be having second thoughts, because it has launched an entirely separate 16-bit processor, the Z-800. It has the great advantage of being upwards compatible with the Z-80, which the Z-8000 is not.


#### **Z-8000**


Manufacturers: Zilog, AMD, SGS, Sharp, Toshiba Used on: Zilog System 8000, newly announced

Commodore system Technology: NMOS

Memory address range: 8Mbyte Clock frequency: 4MHz, 6MHz, 10MHz

Power supply: +5V





#### Family members

The Z-8000 family includes: the Z-8001, 48-pin, 8Mbyte; Z-8002, 40-pin, 64K; and the Z-8003 and Z-8004 with virtual-memory support. There is an extensive family of peripheral chips including a maths unit, memory manager, and a universal peripheral controller.

#### Software and instruction set

The Z-8000 has not caught on in the personal-computer market despite its power and availability so software support is limited. A version of CP/M called CP/M-8000 is available; as yet there is little software to run under it but this may change when Commodore introduces its promised machine using the Zilog chip. The instruction set has 110 basic mnemonics and many advanced features, including comprehensive string and block functions. Unfortunately, it is also rather messy.



Data types Bit Nibble Byte Word Double word Byte strings Word strings Addressing modes Implied Immediate Register Indirect register Direct Relative Index Base Base index

# **PROJECT** PLANNING

ON YOUR **DESKTOP COMPUTER** 

**IBC PROJECT PLANNER GIVES YOU:** 

**Network Analysis** Resource Analysis Resource Scheduling Resource Costing Subnet Library

**User Defined Reports** User Defined Bar Charts Histograms Critical Path Reports Special Sort Feature

#### DEALER ENQUIRIES WELCOME

Computer Systems Ltd, Belgreen House, Green St, Macclesfield, Cheshire (0625) 616399

• Circle No. 154



p made payable to LASERBUG. Please send the form to LASERBUG Dept. P 10 Dawley Ride, Colnbrook, Slough, Berks., SL3 0QH.

# **MAYFAIR MICROS**


I enclose a cheque PO for E

* * PRINTERS * *		* * COMPUTERS * *
		PRICE PRICE EX VAT EX VAT
EPSON	DIABLO	APRICOT
RX 80T RX 80F/T	£256.00 SHEET FEEDER	1699.00 256K 0.315MB
FX 80 MX 100F/T III	E335.00 E375.00 RICOH	256K 315Kx2 £1445.00 256K 315Kx2 MONITOR £1575.00
FX 100F/T SEIKOSHA	RP 1600S	£945.00 SIRIUS
GP100A	£175.00 RP 1600S TRACTOR	£459.00 128K 1.2MB £1675.00 £138.00 128K 2.4MB £2025.00
GP250X GP700A Colour	£219.00 FLOWRITER £ £349.00	1249.00 256K 2.4MB 226K 10MB 22995.00
OKI MICROLINE		128K MEMORY EXPANSION 225.00 256K MEMORY EXPANSION 2335.00 512 MEMORY EXPANSION 2473.00
OKI 80A OKI 82A OKI 83A	E180.00 E289.00 PRINTERS — OTHER E435.00	WASP 40MB STREAM/HARDDISK £4495.00
OKI 84A (P) OKI 84A (S) OKI 92P	E655.00 BROTHER HR1	17718.00 OLIVETTI 6525.00 160KB 2x320KB Disk Drives \$1995.00
I OKI 93P	£395.00 CANNON AP400KSH £545.00 DRE 8925 2400ps	£760.00         160KB 2x320KB Disk Drives         £1995.00           160KB 2x640KB Disk Drives         £2395.00           £350.00         160KB 10MB Hard Disk         £395.00
OKI 92S OKI 93S	CE12 00 OLIVETTI ET121 + INTERFACE	E330.00 5299.00 SPECTRUM
MANNESMANN TALLY	OLYMPIA ESW102 PRINTRONIX P300 3001pm	£675.00 SPECTRUM 48K £108.70
MT80 MT160	£495.00 SMITH CORONA TP1	E240.00 E299.00 COMMODORE
MT180 PIXY PLOTTER	2505.00 STAR DP510 STAR DP515	E235.00 COMMODORE 64 E156.51 COMMODORE DISK 1541 E165.21
QUME 9/45 RO	£1500.00	COMMODORE C2N CASSETTE \$236.51 COMMODORE 1525 PRINTER \$175.00
9/55 RO	£1780.00	COMMODORE 64 INTERFACE 228.69  IBEK 64-Parallel INTERFACE 259.95  COMMODORE 1311 JOYSTICK 26.09
	E1250.00 X X MUNITURS X X	COMMODORE 1312 PADDLES £11.30
TEC	NEC JC1201DE	E185.00 EPSON E735.00
	£959.00 PHOENIX P12 £1235.00 SANYO 14in Colour Hi-Res	£84.50 HX20 EXECUTIVE £575.00 £280.00 HX20 £375.00
SHEET FEEDER		£84.50 QX10 £1600.00

# **MAYFAIR MICROS**

• Circle No. 155

# Success Breeds Success



# National Exhibition Centre, Birmingham. May 4-7, 1984.

After one show the Midland Computer Fair has already established itself as an outright winner. Not only is it the leading exhibition in the Midlands for microcomputers and related products, but it stands in its own right as a major national event.

In recognition of this, and the need to accommodate thousands of expected visitors the venue for the 1984 Midland Computer Fair is to be Britain's premier showcase — the National Exhibition Centre, Birmingham. The NEC with its superb facilities for exhibitors and visitors alike will

be the fitting site for this major event which attracted over 17,000 people for the first show.

Whether you are interested in microcomputer enthusiasts or would prefer to take space in the Business Section to meet small business microusers, the Midland Computer Fair is definitely for you.

So why not let a little of the Midland Computer Fair's success rub off on your company by reserving a stand at the next show.

The road to success starts by filling in the coupon below:

Midland Computers Home computing Small business systems

Return to the: Exhibition Manager, Reed Exhibitions, Surrey House, 1 Throwley Way, Sutton, Surrey SM1 4QQ Tel: 01 643 8040 Telex: 946564 BISPRS.G

Name
Position
Company
Address



Now runs on your BBC as well as many other micros. The price includes 2650 roboFORTH™ +VAT **Operating System** and detailed documentation! Superbly constructed in black satin anodised aluminium, the CYBER 3 robot is ideal for the educational and light industrial user. It emulates, in behaviour and capabilities, larger industrial robots the arm can access 350 degrees, with a reach of 50 cm and lift up to 400 gm. It also uses RoboFORTHTM, the acknowledged language for robotics applications. For further information on the CYBER 3 robot and all other products including speech synthesis units please contact: CYBER ROBOTICS LTD. 61 Ditton Walk, Cambridge Tel: Cambridge (0223) 210675

GT.YARMOUTH NR30 2PA + TEL:(0493) - 2023

Circle No. 157

# CAMDEN

All prices exclude VAT.

We have good documentation of all our products, free of charge.
All equipment can be tried out without obligation; if returned undamaged within 10 days, you only pay postage and packing costs.

COMPUTER SYSTEMS LIMITEL

462 COVENTRY ROAD, SMALL HEATH BIRMINGHAM B10 OUG

Telephone: 021-771 3636 (10 lines) Telex: 335909 (Camden G)

THE COMPUTER PEOPLE

#### **5MB WINCHESTER**



#### SPECIAL OFFER

APPLE IIE PLUS GREEN SCREEN
MONITOR
5 MEG WINCHESTER WITH BUILT-IN
FLOPPY.
RECOMMENDED PRICE £2810
OUR PRICE £1995

10 MEG VERSION

£2275

ALL PRICES EXCLUDING VAT



	RRP	CAMDEN PRICE
APPLE IIE	845	645
80 COL CARD	80	70
'80 COL + 64K	180	150
DISK WITH CON	345	270
DISK W/OUT	245	220
TRIDENT 5 MEG	1450	1150
TRIDENT 5 MEG		
PLUS FLOPPY	1700	1465



CHA

12 MONTHS PARTS AND LABOUR ON ALL APPLE AND TRIDENT PRODUCTS

Circle No. 158

# The market leaders!...

APRICOT 256K +315K sls 3½" disk ONLY- £1399

ring 01 833 0044 for latest PRICES

#### Attention Dealers!

As a result of demand ATA UK has been established to supply dealers, computer products at attractive prices.

Ring now (dealers only) (0727) 37327 (0742) 700802

Export specialists - ring or telex for details

# ...with recognised professional support



#### Apricot

Apricot Computer 256K RAM + 315K s/s 3}" disk 1399.00
Apricot Computer 256K RAM + 3/5 s/s 3\sqrt{2}" disk 1595.00
Apricot Computer 256K RAM + 3/5 s/s 3\sqrt{2}" disk 1555.00
Apricot Computer 256K RAM + 315K s/s 3\sqrt{2}" disks + monitor (inc. basic, utilities, comms, SuperCalc). 1795.00

# Sirius Hardware £ Sirius 1 128K 1.2mb disk drives 1795.00 Sirius 1 256K 2.4Mb disk drives 2395.00 Sirius 1 256K 1.2mb disk drive 2395.00

 Sirius 1 256K 1.2mb disk drive

 & 10Mb
 3295.00

 internal Winchester
 264.00

 128K RAM Boards
 264.00

 256K RAM Boards
 399.00

 384 RAM Boards
 499.00

 512K RAM Boards
 575.00

#### Z80 CP/M 80 System SSE Z80 CP/M 80 System .....

#### SSE Z80 CP/M 80 system ......395.00 Sirius Software

# Languages 179.00 CBasic 86 179.00 Level 2 Cabal with forms 2 595.00 Microsoft Basic compiler 269.00 Microsoft Pascal compiler 335.00 Microsoft Fortran compiler 335.00

#### **Word Processing**

WordStar	269.00
SpellStar	
MarlMerge	
Word Mailer	80.00

PRICES EXCLUSIVE OF VAT AND CURRENT AT TIME OF PRINTING

Data	bases	
------	-------	--

dBase II	
Autocode	
DataStar	135.00
0 11	

## Spreadsheet 180.00 Multiplan 180.00 CaleStar 80.00

System Utilities	£
Diagnostic package	69.00
MS DOS programmers toolkit Sirius 1 hardware reference manual	169 00
IEEE 488 package	169.00
Asynchronous communications	169.00
remote batch	285.00 340.00

#### I.C.E. Winchester Sub-Systems

5	Megabyte	 1395.00
10	Megabyte	 1599.00
20	Megabyte	 2099.00
40	Megabyte	 3399.00

#### **Colour Monitors**

Luxor high resolution	
25Mhz linear & TTL	499.00
Kaga Denshi medium resolution TTL	325.00
Kaga Denshi low resolution	265.00
We also stock the Hantarex RGB monitors, a recommended by Apple in Europe.	s

# Kaypro II £ KAYPRO II 2 × 200K disc drives .................. 1395.00

#### IBM Peripherals

Control of the Contro	
64K installed	190.00
Smorgasboard 64K 1 serial & parallel etc., 1	280.00
Baby Talk - Local 3270 emulation	625.00
IRMA 3270 emulation - Local	925.00
Baby Blue Z80 + 64K	399.00
Big Blue Z80	

#### 

#### Printers & Plotters

#### Epson

chann	
Epson RX80 120 CPS	245.00
Epson FX80 160CPS	349.00
Epson RX80FT	265.00
Epson FX100 160cps	480.00
A -1	

#### Apple

APPLE Dot Matrix 120 CPS	
Ricoh	
Ricoh 1300 Flowriter	1155.00
Ricah RP1600 Flowriter	1/100 00

# Ricoh RP1600 Flowriter 1499.00 Mannesmann Tally MT160L 449.00 Mannesman Tally MT180L 649.00 Plus full Range of Centronics Printers Available

#### 

WE ALSO STOCK APPLE AND HEWLETT PACKARD

#### TERMS AND CONDITIONS

For delivery please add £0-£199 + £5, £200-£1499 + £13, £1500 + 117.%.

#### CHEQUES WITH ORDERS

Please allow 10 days for clearance. PLC's, public sector etc 30 days credit available on official orders, subject to 5%

subject to 5% credit charge.

ATA — LONDON 4 Albion Hse, 1 Back Hill, London EC1. 01-833 0044

Telex 25102 CHACOM G ATA — POTTERS BAR 197, High— Street, Potters Bar, Herts EN6 5DA (0707) 57113

ATA — SHEFFIELD 72 Eldon Street, Sheffield, S1 4GT. (0742) 700802

FREFPOST SHEFFIELD ST TAY




# How to score with the 64

Games on the Commodore 64 are noisy and colourful, but its capabilities are only just beginning to be exploited, as Paul Bond discovered.



Outstanding graphics are a feature of Commodore's forthcoming Soccer.




Mirrorsoft's Caesar aims to keep the larder mouse-free.


WITH ITS elephantine 64K of memory, nearly 38K of which is available for Basic programs, and a choice of 16 colours, together with the impressive sound capability of the Sid chip, the Commodore 64 is ideal for home use. On the minus side, its Basic is slow. The machine's potential may be further extended by the adition of the new Simons Basic, but this may be a pricey privilege.



Radar Rat - Pacman with windows.



Jeff Minter's Matrix from Llamasoft.



Garden aggro in Hovver Bovver.



#### **Blue Moon**

Like the song *Blue Moon*, the Merlin Software game of the same name is an old standard: you shoot at things coming down the screen. Nevertheless, the game has some originality in its interpretation.

You take the part of the pilot of an intergalactic spacecraft, and have to rescue another spacecraft then return to the safety of the Blue Moon. But before you can get any ground elapsed time under your belt you have to dock with the other half of your ship. There is nothing so infuriating as having to carry out this kind of delicate operation before you can get down to laving waste vast regions of the cosmos. But it is intensely satisfying, seconds later and docking achieved, when you are catapulted straight into a comet storm. You have to dodge them if you want to have any future in the Space Corps, and it won't do your score any harm if you put a few ergs into these irritating ice blocks.

Presently the blue bouncers appear and bounce around the screen firing plasma bombs. They can mutate into pods and fall to the bottom of the screen.

Occasionally the Tecom Man drifts across the screen dropping droids and large yellow eggs containing bell birds. They are pretty handy with the old plasma bombs too.

You have to zap the whole sorry crew before you delta-vee down to the lunar surface, where you have a choice of difficult and easy landing sites.

Blue Moon is a good example of how traditional games are implemented on the 64 — not original in concept but visually appealing and addictive if you like shootem-up games. It is certainly fast.

#### **Matrix**

Still in space, and travelling faster than before, we approach the fine-mesh tracery of the Power Grid surrounding planet Earth. Llamasoft's Matrix, implemented by Jeff Minter for the Commodore 64, is the true son of Gridrunner. Minter's original game is claimed to be number 7 in the American popularity stakes. The follow-up is set 10 years after the infamous Grid Wars when space pilots with nerves of steel battled to free the Power Grid of alien infestation.

In Gridrunner the evil droids traversed the grid horizontally; now they come in diagonal waves too. In the original game the X,Y zappers running along two sides of the grid formed pods at the nodes of their crossfire. If you were not caught in the crossfire, the pods would probably obliterate you by hurling a bolt of energy down the grid. It's the same in Matrix, but there is a treacherous humanoid, the Snitch, who runs along the top of the grid pointing you out to the enemy. Camels appear and run down the grid, reducing

your score, and force fields hurl your fire back at you. On the plus side, ship control — achieved by joystick — no longer limits you to the lower regions of the grid; you can move anywhere other than the top four lines.

There are 20 skill levels. The first six are selectable before play and after that you must fight. Action is incredibly fast and furious throughout, and the interminable sounds of cosmic weaponry are well reproduced by the Sid chip. This is essential, if only to drown out the demented screams which people playing this game inevitably emit.

#### **Hovver Bovver**

Back to the green hills of Earth. Since most surviving grid pilots are good for little other than mowing the lawn, it is fitting that we should move on to another Minter extravaganza, Llamasoft's Hovver Bovver.

It is summer-time in England. Gordon Bennet presumes too much and borrows his neighbour Jim's Air-Mo. But Jim decides he wants his mower back.

The scene is set for a horticultural holocuast in which, using the joystick to manoeuvre Gordon and his mower, you run away from Jim at the same time as your dog Rover fights a rearguard action, snapping at Jim's heels. However, Rover is frightened of the Air-Mo, so monitor Dog Tolerance and Dog Loyalty readouts carefully. If you slice through a flower bed, an angry gardener will join in the chase. The game has 16 different lawns, including one shaped like a llama. As with Matrix, the graphics are good but the sound-track is particularly telling. Mowing, screaming, snapping and barking are well reproduced and a nonstop rendition of In an English Country Garden churns on and on.

#### Caesar the Cat


From Rover the dog to Caesar the Cat, Mirrorsoft's cute game for the Commodore 64. Mirrorsoft is part of Mirror Group Newspapers and you can buy the software via MGN publications or from newsagents, plus the usual commercial outlets. If Caesar is anything to go by, MGN has avoided the mistakes made by some other big companies seeking to break into the home-computing software market.

Caesar is a cheeky young cat on duty in a well stocked larder. There is a joystick/keyboard control option, which you use to guide the furry feline along crowded shelves to pounce on the mice and take them away from the larder through a door which appears at random.


With its Disneyesque graphics and (continued on page 121)



Grandmaster - the strongest yet?



Hungry Horace — for the traditionalist.



Supersoft's innovative Stix.



You are Bilbo Baggins in Melbourne House's flexible adaptation of J R R Tolkien's tale *The Hobbit*.



Epson have now launched the LQ-1500 that gives you the best of both worlds, the speed to get the information on paper fast and high quality print you'll be proud of.

The LQ-1500 is a totally new

breed of printer. A dot matrix machine capable of 200 CPS in draft mode, which can also be set to produce letter quality at 66 CPS by simply flicking a switch.

versatility has been a primary consideration of the LQ-1500, incorporating friction feed as standard with optional tractor and hopper feed, and carriage width of a full 15". Like all Epson products,

tips all the advantages of a daisy-wheel machine, in terms of quality, together with the added benefits of condensed or enlarged characters and proportional You now have at your finger-

spacing, plus a very high speed when set to operate in draft mod

Having superb graphics capabilities and optional 8 bit parallel (centronics) RS-232 and IEEE interfaces, the LQ-1500 has joined the Epson family of very fine printers.

**Exceptional quality.** 

77 7

Address

Extraordinary product.

Epson (UK) Limited, Freepost, Wembley, Middlesex HA9 6BR. Sales Enquiries: Freefone EPSON. General Enquiries: 01-902 8892. Telex: 8814169.

Name	□ Please se	□ Plages e	□ I would li	bit 2 and 30 has very	mode.
	end me details of	and me details o	ke a demonstrat		
	☐ Please send me details of the range of Epson printers.	□ Please send me details of my local stockist	☐ I would like a demonstration of the LO-1500 printer.		7
	printers.	-	printer		

on	osition _
	lame _
] Please send me details of the range of Epson printers.	Pleas
Please send me details of my local stockist.	Pleas

PC2/P

• Circle No. 161

(continued from page 119)
catchy backing music, the game should appeal to youngsters, but it is also challenging for high-scoring arcade adepts. The concept of keeping the larder free of mice, especially when portrayed so well, seems healthier than murdering encroaching hordes of presumably sentient alien beings. The game is a really excellent use of the Commodore's graphic facilities.

#### Radar Rat Race

Now from cats to rats. This cartridgebased program seemed the most promising of the bunch. Cartridges cost more than cassettes, and a lot of the games tested did not seem to merit the extra expenditure for the sake of quick loading.

Radar Rat Race, from Commodore, is like a speedy Pacman with windows. As a rat, you race through a continually scrolling maze, pursued by red rats and trying not to bump into cats sitting about in the passageways. If a rat is hot on your trail you can create a false scent by pressing the S key. On the right-hand side of the screen is a small plan of the entire maze, from which you glean where the cheese is hidden. There are 10 cheeses placed throughout the maze. The first is worth 100 points, the second 200 and so on.

There is a joystick/keyboard option and scoring more than 20,000 gives you an extra life. Radar Rat Race was not one of my all-time personal favourites, but it will appeal to maze addicts.

#### **Hungry Horace**

Remaining with mazes, we find the voracious Horace — Melbourne House's variation on an Atari theme — still in the park eating flowers and stealing the guards' lunch. The game also scrolls: the park is divided into four sections, each with an exit. Horace exits when he likes, and doesn't have to clear the screen. Each area of the park is tougher than the last. On leaving the last section, you re-enter the first with the action becoming faster and the guards meaner.

This implementation is fine if you are a traditionalist, but hopes remain high that games like this will have more life injected into them in future. Most software houses have so far failed to utilise the extra memory of the 64 to its full extent.

#### Stix

Atari-like insofar as it bears a passing resemblance to a game called Qix, Stix

from Supersoft has a scenario in which a bundle of energy roams the universe, destroying all in its path. It becomes trapped in a cosmic storm, giving you the chance to harness its evil power for the good of mankind. To control the energy you must restrict its movement by constructing force fields.

This you do by moving four field synthesisers around the screen using your joystick plugged into control port 1. A field can be completed by joining to the boundary of the screen or to another completed force field. If you keep the Fire button depressed, it takes longer to finish a border, but you do score more. When more than 75 percent of the hyperspace has been surrounded by force fields you move into a new dimension and each percent scored above 75 percent scores more points.

A game of strategy, Stix is one of the more original computer games around and its implementation for the 64 has not done it any harm. Mondrian would have loved it.

#### The Hobbit

Originally implemented by Melbourne House for the Spectrum, this is a computerised Adventure game. It is based on Professor Tolkien's famous yarn about a hairy-footed little creature in conflict with a nasty dragon. Your role is that of the feisty Bilbo Baggins — to discover the evil dragon Smaug and recover the treasure. The delinquent orcs and poor Smeagol cause as much trouble as possible. Help is sometimes available from Gandalf Greyhame, but don't rely on it

Each different scene in the adventure is colourfully depicted on the screen. Commands can be entered with a great deal of flexibility since the program has a large vocabulary. It recognises over 500 words, and can perform over 50 different actions made up by over 30 verbs, combined with about a dozen prepositions.

Flexibility combined with excellent graphics account for the success of the Spectrum Hobbit. It should be as popular in the Commodore 64 version.

#### **Grand Master**

Supposedly the world's strongest chess program yet for home computers, Grand Master was developed by Kingsoft and is distributed by Audiogenic. To begin with you see a chess board with your white pieces, nearer the bottom of the screen. Moves are entered by locating the square from which you wish to move, followed by the square you want to move to, then pressing Return.

The Grand Master displays its thoughts in the form of plys. A ply is one move for one side. If you look to the letter P, you can see how many plys deep the analysis is. So P3 means that the program has analysed one move from itself, one from you, and its own again.

If you key in an illegal move, the computer will not accept it, so the program is a useful chess tutor too. You can have response times from five seconds up to several days, the latter for postal chess. Since the original version of this game will run happily on a Vic-20, perhaps we can look forward to an even stronger program in the future.

#### Soccer

Leaving the rarified intellectual atmosphere of the chess competition I donned my Pierre Cardin football-terrace-chic pullover and had a quick kick around with the Commodore three-dimensional football game.

The game stands alone as an example of what can be done with the 64. Brilliant graphics show the players from a BBC camera angle. You can select the colours you wish to play in. Two people can play using a pair of joysticks. At any time the man nearest the ball is under joystick control. There is an option enabling you to play against the computer but, as usual, it cheats.

There are some nice touches, such as the way the players troop off at half-time. The ball even casts a shadow, and makes a realistic boinking noise as it bounces around. But as any footballer will tell you, it's the roar of the crowd that makes it all worthwhile.

Game	Publisher	Price	Rating
Blue Moon	Merlin Software	€6.50	14/20
Matrix	Llamasoft	£7.50	15/20
Hoyver Bovver	Llamasoft	£7.50	16/20
Caesar the Cat	Mirrorsoft	£8.95	17/20
Radar Rat Race*	Commodore	£9.99	12/20
Grand Master	Kingsoft/Audiogenics	£17.95	16/20
Soccer	Commodore	TBA	18/20
Hobbit	Melbourne House	£14.95	16/20
Hungry Horace	Melbourne House.	£5.95	13/20
Stix	Supersoft	£7.78	14/20

# Why all other spread

In the early days of micros, the first spreadsheets appeared, using complicated cell co-ordinate references to define plans.

This made the most of limited computing power but plans were tricky to write, and difficult to read later.

Today's micros are much more sophisticated but all the spreadsheets are more or less the same as they always were. All that is, except PlannerCalc and MasterPlanner. Described in a recent university report as "... the best spreadsheet package currently on the Market," PlannerCalc and MasterPlanner are true business aids.

Dyed in the wool calc freaks won't like them but businessmen will.

#### NEW USERS START HERE

PlannerCalc at £85.00\* is now accepted as the first choice for people new to financial planning.

Designed for 8-bit micros, it boasts the kind of features that you'd expect to pay twice as much for. (Buy PlannerCalc's nearest rival and you'll have to.)

Unlike all other 'calc' products it allows you to enter calculations in a language you understand. Plain English.

#### For example:

LINE I SALES=,100,150,175,210

LINE 2 EXPENSES=GROW 70 BY 15% FOR 4

LINE 3 NET=SALES-EXPENSES

LINE 4 CSALES=CUM SALES

COLUMN 5 YEAR=SUM OF COL 1 THRU COL 4


So it's much easier to use.

It uses the popular "spreadsheet" approach with a window that can be rolled in all directions.

Which means you can enter new figures and rules and

immediately see their effect on everything else in the model.

It comes with the best manual on the market and it's suitable for most micros with a ™CP/M 2.2 operating system, 64K of memory, giving at least 900 cells, minimum screen width of 80 characters and 2 floppy disc drives.



#### MUCH MORE POWER, NOT MUCH MORE MONEY

MasterPlanner is the most powerful spreadsheet system currently available with its increased matrix size, 2000-3000 cells on most 64K micros. (But at £245\* it certainly isn't the most expensive.)

Consolidation of models, allows you to create separate plans for each department and then combine them into an overall company

	C	OMSHARE	DEALER	S	
Aberdeen	Transfer Ltd	Gosport	Dataneser Ltd	Stag Terminals L1d	Richmond
Abbest Life	407271227862	Vauntherry Ltd	01 417 5994	943-0777	Tritech Computer Service
0.741647074	(007)1011-00	m.cNt 2 (5)(46	Ornio Computer		11 949 4711
	Bury St. Edmunds		Systems Ltd	Statacom Ltd	
Aldershot	SIRCS LIE	Grantham	01 670 8702	III. 661 2266	Rutland
EMSTURIEM	(0784) 62022	The Soft Option	CI GIR etth	Sumlark Bendain Ltd	Microspecific L18
102521313551	CPS (Data Systems) End	1087E1860(7)	Cornerate Modelline	10-29) 05/5	57712529
Altrincham	(071) 107 3and	10.0004	Consults	al-130 0363	Slough
Associated Computer		Harpenden Irradion Ltd	01 628 4103	Sun Business	RGB Macros Ltd
Senores	Camberley	105827162471		Services Ltd	1751 98581
(05.0 94) 4725	Alexander Systems Ltd	1058/7) 624/1	Dantedale Ltd	31 7 89 7549	
	(0/76) /K9/1	Hastings	01 539 7004		Southamolon
Aylesbury		RMS Computer	DER Commuter	Transam Computers Ltd	Kitan Systems Ltd
Helistaar Systems £16	Cambridge	Services EM	Systems LM	Ot 402 6111	102031 3476
(0,7%) 630364	Business Computers	(04741439190	01 246 234	***	10.001.00
	(Cambridge) Ltd	104741433192	01 439 4334	Whispin Ltd 10 556-0053	SI Albans
Barnsley	(0273) 357 (30	Hereford	Epumos Computers Ltd	05 236 5125	St Albans Computer
Brook Office Supplies Ltd	Canterbury	Honeysett Computers Ltd	05 729 2381	Malvern	Services L16
(0226) 48916	Kent Micro Systems	104321229808		Maryern Micro Systems	10777177780
Bedford	10727150200		Ferrari Software Ltd	#05645±63(500)	St Heler
MSC Hiland Ltd	10/27/130700	Hitchin	08 151 5191		The Processor Centre
an2341 50260	Julea Ltd	McVeigh Business Systems Ltd	Interior	Melksham	106 Hat 170 July
100 34) 302 60	(022/1830083	(0462) 50396	02 9430968	Citer Systems Ltd	
Berrfeet			06 4430 844	(0775) 706361	Thomas & Company Ltd
Conquest Computer Sales Ltd	Cardiff	Huddersfield	Earrogate Chd	SCEN CHE	10534177700
2017451 SHR53	Bowstrings Computer	Micrologica Systems	01-6.71 632)	107251 707211	West Buffeet
	Services L16	(0484) 47450			Fergusson Computers
Birmingham	10222136825	loswich	Ludhouse Computing Ltd	Midhurst	Ltd
Computaccount	Chatham		01 679 4 12 /	Wordskill Automaton £15	490 48400
(021) 236 3455	Medway Computers Ltd.	Anglia Microsystems	Matmas Electronics Ltd	107308116641	
	Medway Computers L19 (06.14) 9.76(90)	(5)4 8 91 7 8QUAR	01 1/19607	Millon Keynes	West Drayton
Blackburn BEC Systems	(06341829090	Learnington Spa		Percon Data	Frasers Ltd
	Chesterfield	Words Ltd	Maytair Business	Systems Ltdf	E1 41731
Services Ltd 103541677715	Nastar Computer Systems	(0926) 30209	Systems Ltd	109691624242	Weston-Super-Mare
105241611512	(0246) 20708F	14344130413	05 688 3836		Eastleen Ltd
TDS Bus Systems Ltd		Leicester	MGE Systems Ltd.	Navan	(0938) 418346
107541676915	Devedon	Leicester Micro Centre	OT-439 R617	S Triple S Ltd	
	Bard Computer	105331551869	(i) 4.59 mol/	(046) 28472	Weybridge
Bradford	Systems Ltd		Micronics Selesystems Ltd	Nottneham	Kewill Systems Ltd
Compreht	102721876 157	Lisburn	G1 263 6925	Wicropeople Etil	0932 57046
107741668050	Parameter.	WAW Electronic Ltd		effect \$1 6mil 7	Winchester
	Boncaster Boundar Computer	(08462) 3184 3665	Nokia (UK) Ltd	EURO 41 0/911 /	Modular Other
Raves Computers L18	Contra	Liverpool	01 9000421	Oxford	Systems Etd
(0.174) 306/66	(d)(0) 67) 15	BEC (Liverpool) Ltd	Pinewood Computers Ltd	Choice Business	39539005 631
Bristol	10305345/170	651 261 57 X	01 504 0401	Systems	
Avon Microcentre	Dublin	(01) (01) X	11 24-1-52	(049061) 2697	Yatton
Systems Ltd	fransler 1 M	London	P H Hare & Associates	Rayleigh	Glove Business Machine
(0272) 277778	(0001) 714571	BD Computer Systems	DI 551 19Nd	V. J. Parkins Associates	Q934 835/22
		71 415 6462	Archives U.E. Ltd.	II J. Parkins Associates 0268 J&197A	Yeavil
CCE (Europe Ltd.)	Fareham	DE 411 444		O199 14331y	Dale Computer
(0454) 323088	Electroneque Ltd	Susiness Information	D1 ZZ3 1689:	Redcar	Systems Ltd
Mercator Computer	103291 230670	Systems	Software Eld	Applestop	109351 70000
Mercator Computer Sextens Ltd		0) 3/3 3:13	01 19-7 99-77	(0642) 474707	15753) / (0.0
102771733079					

# sheets are out of date.

plan. Data transfer to word processing and other systems lets you incorporate figures in reports and output to a data base. It also has extensive formatting facilities which means you can produce reports that wouldn't look out of place in the board room.

It can store up to 25 standard reports to run when you need them. It's got full WHAT IF? analysis and direct editing of both spreadsheet and logic display.

#### JUST AS EASY TO USE

All this increased power doesn't mean you'll need a degree in advanced computing to understand MasterPlanner.

It works on exactly the same system as PlannerCalc and models written on PlannerCalc run without modification on MasterPlanner.

#### 16 BIT VERSION

A new version of Master-Planner has been specifically designed for the 16 bit micros like the Sirius 1 under ™CP/M-86 or the IBM personal using either CP/M-86 or ™MS DOS 1.1. With a vast matrix size of over 7000 cells on 128K and even more with larger memory, you'll at last be able to make the most of your micro.

#### **ULTIMATE POWER**

Fastplan is the top Comshare micro planning system.

It's file-based, allowing development of large scale models; with a staggering 18,000 cell matrix; full financial functions plus backwards iteration, file input and output; and much more. Yet, because it can be menu driven it is easy to use. For the full story, tick the Fastplan box when you return the coupon.

#### **OVER 10 YEARS EXPERIENCE**

When you invest in MasterPlanner or PlannerCalc you're not just getting the best software money can buy.



You're also getting the kind of back up and after-sales service that only a company of Comshare's track-record can guarantee.

If you'd like to know more about any product, call in at your local dealer or fill in the coupon and send it to us.

Plus VAT and post & package.

#### COMSHARE

Making the computer make sense.

\*CP/M and ™CP/M-86 are the registered trade marks of Digital Research Inc. Comshare Ltd., 32-34 Great Peter Street, London SW1P 2DB. Telephone: 01-222 5665.

Qty	Product	Micro	Op System	Disc Size	K	Amou	p.
	PlannerCalc @ £99,50 (8 bit only)		CP/M 2.2	8"/51/4"			
	MasterPlanner @ £282.95		CP/M 2.2	8"/514"			
	MasterPlanner	IBM PC	MS DOS LI	8"/51/4"			
	MasterPlanner		CP/M-86	8"/51/4"			
encl	ase send me infor ose a cheque/pos debit my Access	tal order for £.	made				
of the latest the late	иза Barcla	yeard No		for £_			-
igna	inre						
igna	ture			_			

• Circle No. 142

# LONDON COMPUTER CENTRE

#### 8/16 bit SOFTWARE The comprehensive range includes

ı	no compi	JIIGIION	ic iuliuc li	IUIUUI
	WORDSTAR £235		D BASE II £349	-
	SUPERCALC II/III £1	190	SPELLING CHECK	R £80
	WORD PROCESSING	3	LANGUAGES	2
	Spellbinder	290	MBasic	215
	Peach Pack*	332	MBasic Compiler	235
	Spellstar	134	C Compiler	330
	Maillist	50	Fortran 80/86	325
	Grammatik	85	Cis Cobol/Forms2	399/105
	FINANCIAL PLANNING	G	Pascal MT +	240
	Plannercalc	85	Pascal MT + SSP	350
	Supercalc I	130	ACCOUNTING	
	Multiplan	170	Pegasus from	250
	Lotus 1-2-3	357	Peachtree from	325
	D BASE CORNER		Tabs from	199
	FastBase	150	Exact	500
	Autocode	195	Pulsar from	195
	Quickcode	205	COMMUNICATIONS	
	Dgraph	190	Bstam	130
	Friday	185_	Crosstalk	135
	Infostar	266	Moveit 80/86	90/105
	UTILITIES		Incl. PeachSpell/Mi	aillist
	Sid £60, ZSid £76,		Please telephone for	
	Mac £133 .		LCC Software Catal	
			LUU JUILWAID VALA	Oduc

FORMATS: Superbrain, Televideo, Sirius, Sanyo, Osborne Northstar, 8" SD, DEC, Epson QX-10, IBM ICL, H-P, XEROX, ALTOS, Apricot, NEC-APC & many more All prices are exclusive of VAT

#### New! The fast and easy way to generate your own dBase 11 Applications programs - use fastBase, £150.

- \* only fastBase allows 7 index files per data base, all others allow 1 index file
- \* only fastBase allows report generation on 3 files others 1 file
- \* fastBase Structures Command files with indentations allowing maximum speed in execution
- \* fastBase uses a series of on-screen prompts and Help Menus to lead you through the process of generating your own dBase 11 Command files.

Demonstrations on all software daily - call in or order by mail.

43 Grafton Way, London W1P 5LA (Opposite Maples) Opening Hours: 10-7 Mon-Fri. 12-4 Sat. 01-387 4455 (4 lines) Telephone Answering Service After Office Hours Telex: 8953742

Circle No. 165

- ELBUG — ELBUG — ELBUG — ELBUG ELBUG - ELBUG - ELBUG - ELBUG -

# FOR THE ACORN

#### IF YOU HAVE AN ACORN ELECTRON OR ARE THINKING OF BUYING ONE THEN YOU SHOULD JOIN THE ELECTRON USER GROUP.

Members receive 10 copies of the magazine ELBUG each year. ELBUG is devoted EXCLUSIVELY to the ELECTRON MICRO. It is packed with news, Reviews, Hints, Tips, Programming ideas, Major articles, plus Regular program features including games and useful utilities.

ELBUG, is produced by BEEBUG Publications Ltd., publishers of BEEBUG, the magazine of the National User Group for the BBC Micro. BEEBUG now has some 20,000 members, and has achieved a high reputation both in this country and abroad. Acorn and the BBC have both taken out multiple memberships, for example, and our articles are now syndicated in Australia. (For further details of BEEBUG, see separate advertisement elsewhere in this issue.)

The formula which makes BEEBUG an invaluable companion for users of the BBC micro will be applied to ELBUG. By subscribing to ORBIT you gain all the advantages of a single-micro magazine, with no space wasted on programs and articles for other computers.

Further benefits of membership:

Members' discount scheme with national retailers of software, hardware and books, with savings of up to 25%. Members' software library with a growing range of titles at special prices for members.

#### SPECIAL OFFER SUBSCRIBE NOW, AND GET A FREE INTRODUCTORY CASSETTE CONTAINING 8 TESTED PROGRAMS FOR THE ELECTRON.

- SPACE CITY Defeat the invading Aliens with your laser, and save the city.

  3D NOUGHTS AND CROSSES Pit your wits against the ELECTRON on a 4×4×4 board.

- RACER Guide your racing car to victory, avoiding other cars and obstacles on the track.

  3D MAZE In this challenging game, you must escape from the maze The screen displays a 3D view from inside the
- PATCHWORK A multicoloured display of continuously changing patterns.
- KEY SET ROUTINE A program to set up the user function keys.

  MEMORY DISPLAY An efficiently written utility to diplay the contents of memory (ROM and RAM).
- CHARACTER DEFINER Define individual graphics characters with this useful utility for use in your own programs.



BEEBMAZE



RACER



SPACE CITY

#### HOW TO JOIN

To subscribe for one year, and get your free cassette, send £9.90 (payable to Orbit) plus a strong stamped addressed envelope (for the cassette) to:

ORBIT, PO BOX 109, High Wycombe, Bucks HP11 2TD

SIX MONTH TRIAL SUBSCRIPTION (5 ISSUES) ( K ONLA £5.90 — FREE CASSETTE OFFER STILL STANDS.

Membership outside UK (one year only): Fire and Europe £16, Middle East £19, America & Africa £21, other countries £23.

Editorial address BEEBUG Publications, PO Box 50, St Albans, Herts, AL1 2AR

Circle No. 166

THE AFFORDABLE TABLET

FOR YOUR BBC **MICRO** 

ADAPTORS FOR OTHER HOME COMPUTERS TO FOLLOW ...

#### **BRITISH MICRO**

A HEGOTRON GROUP COMPANY

British Micro, Penfold Works, Imperial Way, Watford, Herts. WD2 4YY Tel: Watford (0923) 48222/43956

Qty	Item	Item Price	Price inc VAT		Watfo
	Grafpad complete	£125.00	£143.75		
	C.A.D. Program	£18.00	£20.70		
	IMPORTANT!!! Postaç	e & Packing		£5.00	Name .
	BBC MODEL 2 SINCLAIR SPECTRUM COMMODORE 64	Т	'otal		Addres

To: British Micro, Unit Q2, Penfold Works, Imperial Way, Watford, Herts WD2 4YY

Circle No. 263

Lenclose cheque/PO Order £ Please charge my ACCESS/BARCLAYCARD/AMERICAN EXPRESS/DINERS CLUB

Signature

Address

Tel. No







# Pro-personal. 16-bit computer.

On performance alone, the new Argus Pro-personal computer is way above the rest.

It's a true 8086-based 16-bit machine. And it's fast-8MHz.

Our Argus Pro-personal also gives you a choice of backing store from floppy right up to big Winchesters, and memory up to 896K.

So you've got the capacity and speed for professional-sized programs, and that means savings in expensive professional time.

#### A NEW WORLD OF SOFTWARE

Running industry-standard CP/M-86<sup>†</sup>, the Argus Pro-personal opens your door wide to a vast array of 16-bit application software.

Ferranti also supplies software packages for major applications such as word processing and spreadsheet calculations. Of course the Argus Pro-personal can also run your existing 8-bit software.

It adds up to all the power and capacity you need. Benchmark tests have proved it outperforms its competitors.

#### A COMPLETE PACKAGE PUTS YOU ONE UP

Right from the start the Argus Pro-personal gives you what you want. CP/M-86<sup>†</sup> and BASIC are included. So is 128K of memory—and it's all available to you because the VDU has its own memory for both alphanumerics and high resolution graphics.

Check this out against the competition.

# A COMPUTER WITH THE HUMAN TOUCH

For all its professionalism, the Argus Pro-personal computer is easy to live with. It's user-friendly in every way. Compact and good looking, with clear characters on an antireflective screen. The VDU tilts and swivels, and the keyboard, VDU and processor box can be placed to suit the operator.

CP/M-861 is menu-driven so it's easier to use.

## IF YOU'RE LAUNCHING AN AUTOMATED OFFICE

The Argus Pro-personal with the rest of the Ferranti office product range allows access to mainframe computers, so if you want it to be part of a general office automation scheme, there's no problem.

#### You're on Firm Ground with Ferranti

Behind the Argus Pro-personal computer, a product at the leading edge of a fast moving technology, is a company with over 20 years in the computer business.

Ferranti has an unsurpassed reputation for quality assurance and reliability.

So, your investment is protected for the longest possible time. And you get a first-class maintenance service to back it up.

For a high-flying computer the Argus Pro-personal price tag is remarkably low level. It starts at just £2,800.

Ferranti Computer Systems Limited, Simonsway, Wythenshawe, Manchester M22 5LA. Telephone: 061-499 3355, Telex: 668084

# FERRANTI Computer Systems

user-t	riendly in every way. Compact and good
m=	
	¹CP/M-86 is a trademark of Digital Research Inc.

Please show me how the Ferranti Argus Pro-personal computer can serve my computing needs.

Name

Position

Company\_

Address\_

Telephone\_


Telex

Ferranti Computer Systems Limited, Simonsway, Wythenshawe Manchester M22 5LA.

PC2/84

● Circle No. 168

PRO-PERSON.



Now you can transform even the most obscure facts into high-quality, multi-colour A4 sheets or overhead projection transparencies, making the Pixy Plotter the ideal aid for all kinds of business presentation.

With the new 3-pen Pixy Plotter you can turn your facts

and figures into meaningful pie charts, flow charts, bar graphs, even circles, arcs and spirals easily and quickly.

And with the automatic pen change you can achieve up to 8 brilliant colours to create an extra dimension for reports and presentations.

With its sleek, compact design, it's the ideal companion for any popular desktop micro, only requiring standard available software to drive the plotter.

Its low cost now puts professional quality plotting within the reach of even the smallest of businesses.

There's never been a better way to put colourful pen to

paper (or film).

Why not get a fuller picture of what the new Pixy Plotter can do, from your nearest distributor or send for our free colour brochure.

Mannesmann Tally Limited, Molly Millars Lane, Wokingham, Berkshire RG11 2QT. Tel: (0734) 788711.

Telex: 847028. • Circle No. 169





MANNESMANN TALLY

CREATING THE RIGHT IMAGE FOR BUSINESS

U.K. DISTRIBUTORS C.K. SUPPLIES LTD WESTON-SUPER-MARE (19934) 418838 C. P.S. BIRMINGHAM (1021707) 3866 ENTERPRISE TECHNOLOGY COMPUTING WARRINGTON (0925) 824645 FREIGHT COMPUTER SERVICES ENFIELD (11-367 4200 MT DIRECT WOKINGHAM (07.34) 791868 NORTH BEEMS LTD SHEFFIELD (0742) 700321
IRISH DISTRIBUTOR CARA DATACOMM DUBLIN 429666

# >OPEN FILE

# PRACTICAL COMPUTING FEBRUARY 1984

# **Open File monitors**

Apple	John Harris
Atari	. Jack Schofield
BBCNichol	as McCutcheon
Commodore	Mike Todd
Dragon	lan Stobie
Epson HX-20	
IBM PC	Jack Schofield
Newbrain	David Watt
Tandy	. John Wellsman
Research Machin	
Sharp	
Sinclair	John Wellsman

Open File is the part of the magazine written by the readers of *Practical Computing*. All aspects of microcomputing are covered, from games to serious business software and utilities. Fully-debugged programs can be submitted for any micro, and for standard CP/M machines such as the Osborne and Superbrain. Programs can be in machine code or any language, including Forth and Pascal.

Submissions should include a brief description which explains what your program does, and how it does it. If possible it should be typed, with lines double-spaced. We need a printed program listing. Hand-written listings cannot be accepted. A tape or disc of the program helps if it is in a standard format.

When printing listings, please remember to use a new ribbon or double-intensity printing — faint listings reproduce badly. Use plain paper only, and try to list the program across either a 35-character or a 70-character width. Also, make sure all special graphics or inverse-video characters are either listed correctly or else include Rem statements to explain them fully.

Each program listing, tape or disc must have your name and address on it, or we cannot promise its safe return. A stamped addressed envelope is appreciated.

If you write in with a comment, correction or enquiry please remember to state the machine and the program title.

We pay at least £10 for any programs used, or £35 per page and pro rata for part pages.

#### >BBC

130 SENSATIONAL SIMON An implementation of the well known memory game.

130 CALCULATOR
In John Humphreys' arithmetical puzzle the computer provides the numbers while you guess which operators link them together.

#### >COMMODORE

## 137 TRANSFERRING PROGRAMS

Mike Todd's programming guidelines and Basic patches will help you convert Pet software for use on the Commodore 64.

**137** CATALOGUING DISCS L V Turner's compact utilities, suitable for both Basic 4 and Basic 2, catalogue your disc files.

**138** BOMBING MONSTER This arcade game illustrates Vic-20 graphics-programming techniques which help add that touch of excitement.

#### >NEWBRAIN

139 SCREEN DUMP
A Atkins' routine
demonstrates how to address memory
for the currently open screen.

139 CARD INDEX
Search through a set
of electronic record cards and print
the result.

139 RENUMBER
The absence of this useful function can be remedied with A R Armitstead's routine.

**140** BRAIN-MAN A fast and furious combination of maze, monster and power pills.

#### >SHARP

145 HIDDEN LINES
How program lines may
disappear from a listed program, but
be implemented by the interpreter
when the program is run.

## 145 THE NULL-INPUT PROBLEM

Pressing Return in response to the Input prompt can make a nasty mess of carefully formatted screen output; this routine keeps things tidy.

#### >TANDY

146 GRAPH PLOTTER
This Basic program
will plot from Data statements or
tape or disc files.

146 CODE BREAKER
A logic puzzle after the classic Mastermind game.

#### PAPPLE

149 SHOOT-OUT
Dodge the approaching invaders in D Turnbull's game.

150 SCREEN FORMATTER Save instructions or text as binary files to be formatted for display.

#### >ATARI

**152** DISC SAVER With H M Hoffman's routine you can recover a deleted file.

152 PAINTER
Chris Simon's maze game requires 16K of RAM and a joystick.

#### SINCLAIR

155 SCRUBBER
How to reserve space and load machine code.

155 VOCABULARY
Test your knowledge of a foreign language.

Send your contribution to:

Open File, Practical Computing, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS

# ensationa

REM aaaaaaaaaaaaaaaa REM aaaaaa SIMON aaaaaa REM a by D.Whitworth a REM a 23rd JULY 1983 a	abaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa		PROC REPE PROC PROC UNTI MODE *FX4	DEF PROCINSTR F\$=CHR\$141+CHR\$131+CHR\$157+ TT\$=F\$+"SIMON "+CHR\$156 PRINT TAB(13,0);TT\$;TAB(13, PRINT TAB(5,1,"Simon is a	by"playing notes and flas son the" "Screen and you mecopy this by" "Spreen in the copy this by" ""pressing the sys in the correct" "order." Each time you get it romputer" ""ig add one more repeat the" ""sequence. GRINT' TAB(6) "PRESS THE SPACE RRIT".
10 30 40	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	120 130 140 150 170 170 190 200	210 220 230 240 250 250 250 270 270 280 280 290	1000 132 1020 1020 1030 T\$	sequence ing bear of the coursor ky 1050 Pl ht the coursor the the cou

REPEAT UNTIL GET=32 ENDPROC LS CLS PROCSQUARE(7,50,50,850) PROCSQUARE(4,100,100,350) PROCSQUARE(4,100,100,350) PROCSQUARE(5,500,000,350) PROCSQUARE(1,500,500,350) PRINT TAB(15,5)*SCORE** PRINT TAB(15,15)*SCORE** PRINT TAB(15,15)*SCORE** PRINT TAB(15,15)*SCORE**	DEF PROCGAME PRINT TAB(17, PRINT TAB(17, C%=0 C%=C%+1 A%C%>=RND(4) FOR G=1 TO C% PROCSOUNDS(A% NEXT G **X15 PROSSOUNDS(A% PROFSOUNDS(A% PROFSOUNDS(A% REPEAT A-GET	PRCCSOUNDS(A-13 UNTIL player%=C, ) IF A-135<>A%(pl ENDPROC IF C%high% THE I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17,2%:high%=CH I7,17%:high%=CH I7,1
1080 1080 1080 1090 2000 2020 2030 2040 2040 2080 2080 2080 2080 2080 208	3010 3010 3010 3020 3030 3040 3040 3040 3040 3040 304	140 7 8 170 170 170 170 170 170 170 170 170 170

dy\*100

DEF PROCDLY(dy) FOR wait%=1 TO d NEXT wait% ENDPROC

DEF PROCSQUARE(col%,xstart%,yst

7040

DEF PROCCOFF VDU 23;11,0;0;0;0 ENDPROC

6050 7000 7010 7020

GCOL O,col% MVE xstar%,ystart% PLOT 80,side%,O PLOT 81,-side%,side% PLOT 81,side%,O

8010 8020 8020 8030 8040 8050

Line ";ERL

\*FX4 IF ERR=17 THEN 140 MODE7 REPORT PRINT" at tine ";ERL

DEF PROCERROR SOUND 1,-15,0,30 SOUND 2,-15,0,30 SOUND 3,-15,0,30 PRINT TAB(0,31);"ANOTHER GAME (

4020 8 4030 F 4040 V 4040 V 4050 F 4050 S 5000 S 5030 S 50

REPEAT
again\$=GET\$
UNTIL again\$="n" OR a
in\$="N" OR again\$="Y"
ENDPROC

0R agai 5080 5090 5100

SOUND 1,-10,B%(F%),2 PROCDLY(3) VDU 19,F%,F%,0,0,0 PROCDLY(5) ENDPROC

THE COMMERCIAL memory game Simon has been capturing young people's attention. The idea is to repeat a sequence in which the computer plays a series of notes while lights flash in four coloured particular note. The player uses the cursor boxes, each of which corresonds to

keys to simulate the pattern.

Each time the sequence is completed correctly one note is added to the length. If you can get as far as 20 notes then you are

doing pretty well — though I do know someone who has got as far as 33 notes.

# Calculator

So-called calculator programs can either be calculator simulators or fun programs where you have to guess the correct answer to a number of questions. J Humphreys' program is of the latter type.

The only restriction on how many questions you may be asked is the number that will fit on a screen, in this case 20. You able to, you are presented with a score as a percentage, and a congratulatory word. have all the usual options of addition, subtraction, multiplication and division. When you have guessed all that you feel

On the whole this is quite an enjoyable little program. Its screen presentation is let down only by the white on yellow prompts.

```
55 ON ERROR RUN
60 MODE 7
70 VOU 23,11,00,00,0
80 FOR A=1 TO 25
90 PRINTCHR$(134),CHR$(157)
100 NEXT A
110 PRINT TAR(14,4),CHR$(129),CHR$(1
41),"CALCULATOR"
130 PRINT TAR(14,5),CHR$(129),CHR$(1
41),"CALCULATOR"
130 PRINT TAR(14,5),CHR$(13),"====
                                                                                                                                                                                                                                                            140 PRINT TAB(11,8);CHR$(133);"THIS PROGRAM ASKS"
150 PRINT TAB(10,11);CHR$(133);"YOU WHICH SUMS YOU"
160 PRINT TAB(12,14);CHR$(133);"REQU IRE AND HOW"
**** CALCULATOR ***

** By J.Humphreys **

*** (C) 5/7/83 ***
10
20
30
35
50
```

REM SELECTION PAGE

260 MODE 250

```
(agnd ixan no panninos)
                                                                                                                                                                                                                ACTION..
                                                                                                                                                                                                                                                                                                                     20): "REMEMBER NO"
                                                                                                                                                                                                                                                              990 PRINTTAB(13,16); CHR$(133); CHR$(1
                                                                                                                                 1700 PRINTTAB(14,10); CHR$ (129);"SUBTR
                STOO BEW NOWBER OF DIVISION SUMS
                                                                                                                                                                                                                           .AN
                                                                                                                                                                                                                                                                                       980 FOR T=1 TO 1000:NEXT T
                                                                                                                                 1690 PRINTTAB (16,8); CHRS (129);"HOW MA
                                                                                                                                                                                                                                                               970 PRINTTAB(2,22); CHR$(130);"*****
                                                                                                                                 1680 PRINTTAB(12,6); CHR$(135);"=====
                                                                                                                                 1670 PRINTTAB(13,5);CHR$(132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);CHR$(14,132);C
                                                                                                                                                                                                                                                               960 PRINTTAB(2,2); CHR$ (130);"******
                                                                                                                                                                                          "SUBTRACTION"
                                          $230 @010 $500
$280 @010 $500
$250 FEI K=K+1
                                                                                                                                                                                                                                                               950 PRINTTAB(27,15); CHR$(131); CHR$(1
                                                                                                                                  1990 PRINTTAB(13,4); CHRS(132); CHRS(14
                                                                                                                                                                                                                                                               940 PRINTTAB(14,14); CHR$ (129); "YOU R
                                                                                                                                                      1650 NEXT E
1640 PRINTCHR$(134);CHR$(157)
                                                                                                                                                                                                                                                                                                                                                        00.
             930 PRINTTAB(16,12); CHR$(129); "SUMS
                                                                                                                                                                     1630 FOR E=1 TO 25
1620 VDU 23;8202;0;0;0;
                                                                                                                                                                                                                                                                                                                                                      NOT
                                              2320 IF S=R THEN 2370
                                                                                                                                                                                                                                                               920 PRINTTAB(16,10); CHR$ (129); "ADDIT
                                                                                                                                                                                                   1 940 WODE /
                                                                                                                                                                                                                                                                                                                                                        .AN
           910 PRINTTAB(16,8); CHR$ (129);"HOW MA
                                                                                                                                     1600 REM NUMBER OF SUBTRACTION SUMS
                                                                                                                                                                                                                                                              000 PRINTTAB(14,6); CHR$(135);"=====
                                                                                                                                                                                                                                                               890 PRINTTAB(15,5); CHR$(132); CHR$(14
                                                                                                                                                                                                                                                                                                                               "NOITIGGA"; (T
                   2260 PRINTTAB(21,149); CHR$ (132);P
                                                                                                                                                                                                                                                              880 PRINTTAB(15,4); CHR$(132); CHR$(14
                                                                  SS20 FE1 8=6-0
                                                                                                                                                                                                                                                                                                                                SYU NEXT E
                                               SSTO IE d>P THEN 2220
2230 LET Q=RND(99)
                                                                                                                                                                                                                                                                                   860 PRINTCHR$ (134); CHR$ (157)
                                                                                                                                                                                          0171 0109 0651
                                                                                                                                                                                                                                                                                                                850 FOR E=1 TO 25
                                                        SSSO FEL b=800(AA)
                                                                                                                                                                    OL'OSL'SL-'L ONNOS DESL
                                                                                                                                                                                                                                                                                                VDU 23;8202;0;0;0;
                                                                                                                                                                                                                                                                                                                                840 VDU Z3
                                                                                                                                                                                          1250 LET K=K+1
       SSSO LET J=F THEN LET F=F+10:60T0 4010
                                                                                                                                      7540 PRINTTAB(35,1+9); CHR$(129); "X"
01,0,21-1 0100 0221
01,010 010 0421
                                                               2190 LET 1=-1
2190 LET F=F-10
                                                                                                                                                                                                                                                                        SSO REM NUMBER OF ADDITION SUMS
                                                                                                                                                                       1520 IF S=R THEN 1570
                                                                  0791 0100 0715
                                           OL'OSL'SL-'L ANNOS DOLZ
                                                                                                                                     251 PRINT RESC, 1,000 PRINT RE
                                                                  SIZO FEL K=K+1
                                                01,0,21-1 0100 0412
01,0,2150 SOUND 1,-15,0,10
             2110 IF 0=N THEN 2150
2120 PRINTTAB(17,1+9); CHR$ (129);"X"
                                                                                                                                            1460 PRINTTAB(21,149); CHR$ (132);P
                                             0;0;0;5058;0;0;0
2090 VbU 23,8202;0;0;0
2100 INPNI 0012
                                                                                                                                                                                                                                                                                                       810 IF D=¢ THEN 3230
                                                                                                                                                                                           1450 LET R=P+Q
                                                                                                                                                                                                                                                                                                       800 IF D=3 THEN 2410
                                                                                                                                                                                  1440 LET Q=RND (99)
             2050 PRINTTAB(6,1+9);CHR$(133);"="
2060 PRINTTAB(8,1+9);CHR$(133);"="
2070 PRINTTAB(1,1+9);CHR$(133);"="
2080 YDU 31,14,1+9
2080 YDU 31,15,849
                                                                                                                                                                                                                                                                                                       CAO IE D=5 IHEN 1010
                                                                                                                                                                                  1430 FEL P=RND(99)
                                                                                                                                                                                                                                                                                                          780 IF D=1 THEN 830
                                                                                                                                 1420 IF J=F THEN LET F=F+10:6010 4010
                                                                                                                                                                                                                                                                           770 IF H<>&20 THEN 760 ELSE 780
                                                                                                                                                                                           1410 LET J=1+1
                                                                                                                                                                                                                                                                                                                                                 094
                                                                                                                                                                                         1400 LET F=F-10
                    PRINTTAB(3,149); CHRS (133); L
                                                                                            2040
                                                                                                                                                                                                                                                                                                                                 TO CONTINUE"
                                                                                                                                                                                              1390 LET J=-1
                                                                                                                                                                                                                                                                 750 PRINT TAB(18,23); CHR5(132); "BAR
                                                                M-J=N T3J
                                                                                            2020
                                                                                                                                                                      1370 SOUND1,-15,150,10
                                              IF M>L THEN 2000
                                                                                                                                                                                                                                                                                                                                                           Ε.,
                                                                                            2020
                                                                                                                                                                                                                                                               740 PRINT TAB(12,23); CHR$ (134); "SPAC
                                                      CET M=RND (99)
                                                                                                                                      1320 PRINTTAB (17,149); CHR$ (129);"X"
1350 cound1,-15,0,10
1350 cound1,-15,0,10
                                                                                            0102
                                                      TEL T=BND (66)
                                                                                            2000
                                                                                                                                                                                                                                                               730 PRINT TAB(6,23); CHR$ (132); "PRESS
                                               IF J=F THEN 4010
                                                                                            0661
                                                                                                                                                                                                                                                              14);"50MS ARE"
700 PRINT TAB(15,19);CHRS(135);CHRS(135);CHRS(141);"20"
710 PRINT TAB(16,19);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS(135);CHRS
                                           IF J=10 THEN 2180
                                                                                            0861
                                                                LET J=J+J
                                                                                            0261
                                                                                                                                                                         1320 IF 0=N THEN 1360
                                                                       1960 LET K=0
                                                                      1950 LET J=-1
                                                                                                                                       1260 PRINTTAB(6,J+9);CHR$(133);"="
1200 VDU 31,14,149);CHR$(133);"="
1200 VDU 31,14,149);CHR$(133);"="
1200 VDU 21,14,149;CHR$(133);"="
1200 VDU 21,14,149
         1940 PRINTIAB(12,6); CHR$ (154);"=====
                                                                                                                                                                                                                                                              900 PRINT TAB(14,15); CHRS(130); CHRS(
                                                                  1);"SUBTRACTION"
         1930 PRINTTAB(13,5); CHRS (150); CHRS (14
                                                                                                                                                                                                                                                               980 PRINT TAB(14,14); CHR$(130); CHR$(
                                                                 "NOITDARTBUS"; (f
                                                                                                                                                 1250 PRINTTAB(3,1+9); CHR$(133); L
                                                                                                                                                                                                                                                                                                                       141): "NUMBER OF"
         1920 PRINTTAB(15,4); CHR5 (150); CHR5 (14
                                                                                                                                                                                                                                                              141);"NUMBER OF"
670 PRINT TAB(14,11);CHR$(130);CHR$(
                                                                                                                                                                                           JSTO FEL N=F+W
                                                                                                                                                                                  1520 FEL W=BND(66)
         1910 PRINTTAB(2,22); CHR$ (129);"*****
                                                                                                                                                                         1550 FET F=8ND(66)
1510 IF 7=E THEN ¢010
                                                                                                                                                                                                                                                               660 PRINT TAB(14,10); CHR$(130); CHR$(
         1900 PRINTTAB(2,2); CHR$ (129); "******
                                                                                                                                                                                                                                                                                                                  "MUMIXAM BHT"; (141
                                                                                                                                                                     1500 IF 1=10 THEN 1390
                                                                                                                                                                                                                                                               PRINT TAB(13,7); CHR$ (130); CHR$ (
                                                                            I TX3N 0681
                             1880 PRINTCHR$(151);CHR$(157)
                                                                                                                                                                                                                                                                                                                  "MUMIXAM 3HT"; (TAT
                                                                                                                                                                                                 1180 LET K=0
                                                                      FOR I=1
                                                                                           0781
                                                                                                                                                                                                                                                               PRINT TAB(13,6); CHR$(130); CHR$(
                                                                                                                                                                                              1-=C 137 02LL
                                           1860 VDU 23;8202;0;0;0;
                                                                            1850 MODE 7
                                                                                                                                                                                                                                                                630 PRINT TAB(2,22); CHR$(129);"***
                                                                                                                                   1160 PRINTIAB(14,6); CHR$ (134);"=====
                                                                                                                                                                                                 "NOITIOGA"; ( f
                                     REM SUBTRACTION SUMS
                                                                                                                                                                                                                                                               620 PRINT TAB(2,2); CHR$ (129);"****
                                                                                                                                   1150 PRINTTAB(15,5); CHR$(130); CHR$(14
                                                                                                                                                                                                 "NOITIGGA"; ( F
                                                                                                                                                                                                                                                                                                                              9 LX3N OL9
                                                                                                                                                                                                                                                                                 PRINTCHR$ (131); CHR$ (157)
                                                                                                                                   1140 PRINTIAB(15,4); CHRS(130); CHRS(14
                                                                                                                                                                                                                                                                                                                                                 009
                                                                                                                                                                                                                                                                                                                                                 065
                                                                                                                                                                                                                                                                                                  FOR G=1 TO 25
VDU 23;11;0;0;0;0
                                                                                                                                   1130 PRINTTAB(2,22); CHR$(129);"******
                                                                                                                                                                                                                                                                                                                                                 085
                                                                                                                                                                                                                                                                                                                                   MODE
                                                                                                                                                                                                                                                                                                                                                 025
                                                                                                                                   PRINTTAB(2,2); CHR$(129); "******
                                                                                                                                                                                                                     1150
                                                                                                                                                                                                                                                                       200 REM NUMBER OF SUMS REMINDER
                                                                                                                                                                                                  NEXT I
                                                                                                   05
                                                                                                                                                                                                                    1110
                                                                                                                                                    PRINTCHRS (131); CHRS (157)
        IF F<1 OR F>20 THEN 570 ELSE 18
                                                                                           1830
                                                                                                                                                                                                                    DOLL
                                                                                                                                                                                 FOR I=1 TO 25
                                                                                                                                                                                                                    0601
                                                                    INPUT F
                                                                                            1820
                                           VDU 23;8202;0;0;0
                                                                                                                                                                     1070 MODE 7
                                                        41,95,14 UDV
                                                                                            008 L
                                                                      "SMUS 05"; (681
                                                                                                                                                                     1060 REM ADDITION SUMS
        1790 PRINTTAB(15,20); CHRS (133); CHRS (
       1780 PRINTTAB(14,18); CHR$(133); CHR$(1
6); "MORE THAN"
                                                                                 36);"MORE
        1770 PRINTTAB(13,16);CHRS(133);CHRS(1
36);"REMEMBER NO"
                                                                                                                                                                                                                                                                                                       220 CO10 SQ0
270 IE D=¢ THEN 3230
                                                                                                                                                                                                                                                                                                        230 IF D=3 THEN 2410
                                      173N:000f OT f=1 809 065f
                                                                                                                                                                                                                                                                                                       SZO IF D=2 THEN 1610
        1750 PRINTTAB(2,22); CHR$(130); "******
                                                                                                                                                                                                                                                                                                          210 IF D=1 THEN 830
                                                                                                                                   1050 IF F<1 OR F>20 THEN 570 ELSE 107
                                                                                                                                                                                                                                                                                                                              d TURNI DOS
                                                                                                                                                                     1040 TMPUT F
        740 PRINTTAB(2,2); CHR$ (130);"******
                                                                                                                                                                                                                                                                                                 VbU 23;8202;0;0;0
                                                                                                                                                                                                                                                                                                                    8'75'LS DOA D85
                                                                                                                                                                                     1020 VDU 31,29,14
        1730 PRINTTAB(27,15); CHR$(131); CHR$(1
                                                                                                                                                                                                                                                                                                                                    IPLICATION"
                                                                                                                                                                                                                                                               750 PRINT TAB(14,18); CHR$(135); "MULT
                                                                                         EGUIRE
        1720 PRINTTAB(14,14); CHR$(129); "YOU R
                                                                                                                                   1010 PRINTTAB(15,20); CHR$(133); CHR$(1
                                                                                                                                                                                                                                                                   460 PRINT TAB(12,18); CHR$ (129);"4"
                                                                                                                                                                                              36); "MART 380M"; (62
                                                                                                                                                                                                                                                                                        1 1X3N:0001 01 1=1 804 057
                                                                                                                                   1000 PRINTTAB(14,18); CHR$(133); CHR$(1
           1710 PRINTTAB(16,12); CHR$ (129); "SUMS
                                                                                                                                                                                                                                                                                                                                                  ..NOIS
```

```
3760 LET K=K+1
                                                                                                                                                                                                                                                                        5100 PRINT TAB(27,149); CHR$ (132); M
    3720 IF 0=N THEN 3760
3750 PRINT TAB(17,J+9);CHR$(129);"X"
3750 GOTO 3590
3750 GOTO 3590
                                                                               ON3 0977
                                                                               $70 0577
7770 IE 1
                                                                                                                                                                                                                                                                3080 PRINT TAB(25,1+9); CHR$(132); CHR$
                                          na=mkm them 60
                                    3070 IF N<>INT(N) THEN 3030
                                                                                                                                      5670 PRINT TAR(8,1+9);CHR$(133);"="
5680 PRINT TAR(11,1+9);CHR$(133);"="
5700 VDU 35,14,1+9
5700 TUPPUT 0
5710 TECHN THEN 37A0
                                                                                                                                                                                                                                                                                                      2000 LET L<M THEN 3030
3040 LET N=L/M
3040 LET M=RND(500)
    4400 PRINT TAB(2,20); CHR$ (132); "Do yo
                                                                                                                                                                                                                                                                                                                3030 LET L=RND(500)
                                       4300 NEXT Y
HR$ (129); CHR$ (136); "POOR"
                                                                                                                                        3640 LET N=L*M
3650 PRINT TAB(3,1+9); CHR$(133); L
3660 PRINT TAB(6,1+9); CHR$(133); x**
                                                                                                                                                                                                                                                               3020 IF J=F THEN LET F=F+10:60T0 4010
   4380 IF 2<20 THEN PRINT TAB(17,15);C
                                                                                                                                                                                                                                                                                                                            1+r=r 137 0L0¢
  4360 IF 2<60 AND 2>=40 THEN PRINT TAB

4370 IF 2<40 AND 2>=20 THEN PRINT TAB

(14,15);CHR$(129);CHR$(136);"QUITE GOO

(14,15);CHR$(129);CHR$(136);"QUITE GOO
                                                                                                                                                                                                                                                                                                                        3000 LET J=-1
3000 LET F=F-10
                                                                                                                                                                        3590 LET J=1+N
3620 LET J=6 THEN 4010
3610 LET J=F THEN 4010
3620 LET M=8ND(12)
3620 LET M=8ND(12)
                                                                                                                                                                                                                                                                 (12'12): CHER (156): CHER (139): .. AEBL 0000
                                                                                                                                                                                                 3580 LET J=-1
  CHR$(129);CHR$(129);"EXCELLENT"
 CHE#(150):CHE#(120);_EXCEFFENI.,

¢240 IE X>=80 IHEN BEINI 186(12\);

¢320 BEINI 186(10\);CHE#(13S);CHE#(
141);CHE#(13P);Z,%,

¢300 SONND 1\%\120\S

¢500 SONND 1\%\120\S

¢500 SONND 1\%\100\S

¢500 SONND 1\%\100\S
                                                                                                                                                                                                                                                                                                       2910 IMPUT 0
2920 IF 0=N THEN 2960
                                                                                                                                   3560 PRINT TAB(11,6); CHR$(134);"=====
                                                                                                                                                                                                                                                                $870 PRINT TAB(9,049);CHR$(133);W

882 PRINT TAB(15,049);CHR$(133);"="

0400 VDU 31,15,049

04010,5053,823

0401 UPUT 0
                                                                                                                                  3550 PRINT TAB(12,5); CHR$ (130); CHR$ (1 (130); CHR$ (1
                                                                                                                                   3540 PRINT TAB(12,4); CHR$(130); CHR$(1
41); "MULTIPLICATION"
                                                                                                                                   3530 PRINT TAB(2,22); CHR$ (129); *****
                                                                                                                                                                                                                                                              2840 IF W<>INT(W) THEW 2800
2850 PRINT TAB(7,J+9);CHR$(133);CHR$(
2860 PRINT TAB(7,J+9);CHR$(133);CHR$(
                                                                                                                                   3520 PRINT TAB(2,2); CHR$(129);"*****
                                                 $'05'A'L GNNOS 0227
                                                                                                                                                                                                          3510 NEXT
                                                                                                                                                                                                                                                                                                     2820 LE L<M THEW 2800
  # $250 FOR X=-12 TO 0 STEP 2
#250 PRINT TAB(7,10);CHR$(133);"YOUR
#250 LET Z=INT(K*(100/F))
#270 LET Z=INT(K*(100/F))
                                                                                                                                                     3200 PRINT CHR$ (131); CHR$ (157)
                                                                                                                                                                       2490 FOR I=1 TO 25
3480 Vbu 23;8202;0;0;0;
                                                                                                                                                                                                                                                                                                              2810 LET M=RND(500)
                                                                                                                                                                                                                                                                                                              2800 LET L=RND (500)
                                                                                                                                                                                                         3470 MODE
                                                                                                                                                                                                                                                                                                    2780 IF J=10 THEN 4010
2790 IF J=F THEN 4010
                                                            230 6010 4240
                                                                                 CORRECT
                                                                                                                                                       3460 REM MULTIPLICATION SUMS
                                                                                                                                                                                                                                                                                                                         2750 LET J=J+1
2750 LET J=J+1
  4210 PRINT TAB(11,6);CHR$(133);"WERE
4220 PRINT TAB(14,6);CHR$(133);"WERE
                                                             $500 60T0 4240
                                                                                    OBBECL
                                                                                                                                                                                                                                                              2740 PRINT TAB(14,6); CHRS (134);"====
4180 PRINT TAB(12,6);CHR$(133);"WAS C
                                                                                                                                                                                                                                                              2730 PRINT TAB(15,5); CHR$ (130); CHR$ (1
                                                            0607 0109 0217
                                                                                                                                                                                                                                                              SYSO PRINT TAB(15,4);CHR$(130);CHR$(1
                                                                                                                                  2450 IF F<1 OR F>20 THEN 570 ELSE 347
                                                                                                                                                                         2440 INHALE
2420 APA 53:8505:0:0:0
2450 APA 21:29,14
   4150 PRINT TAB(25,4);CHR$(133);"SUM 4160 PRINT TAB(25,4);CHR$(133);"SUM
                                                                                                                                                                                                                                                              2710 PRINT TAB(2,22); CHR$ (129); "****
                                                                               TEMPTED"
                                                                                                                                  3410 PRINT TAB(15,20);CHR$(133);CHR$(
136);"20 SUMS"
4140 PRINT TAB(9,4); CHR$ (133);"YOU AT
                                                                                                                                                                                                                                                              PRINT TAB(2,2); CHR$ (129); "****
                                                                                                                                                                                                                                                                                                                                                   0075
                                                                                                                                  3380 FRINT TAB(15,16HR$(133);CHR$(
136);"REMEMBER NO"
136);"REMEMBER NO"
136);"ROUTH TAB(14,18);CHR$(133);CHR$(
136);"ROUTH TAB(14,18);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);CHR$(133);C
                                                                                                                                                                                                                                                                                                                                                   0692
                                                                                                                                                                                                                                                                             PRINT CHR$ (151); CHR$ (157)
                                                                                                                                                                                                                                                                                                                                                   0897
  4,100 PRINT TAB(22,4); CHR$(129); F
                                                                                                                                                                                                                                                                                                                                                  0762
                                                                                                                                                                                                                                                                                               VDU 23;8202;0;0;0;
                                                                                                                                                                                                                                                                                                                                                  n992
                                                                               TEMPTED"
                                                                                                                                                                                                                                                                                                                                                  5920
 7100 bEINT 188(8,4); CHR$(133); KON AT 4000 IF K=1 THEN 4180 ELSE 4210
                                                                                                                                                                                                                                                                                                 SETO BEW DIAIRION ROWS
                                                                                                                                    3370 PRINT TAB(2,22); CHR$(130);"****
                                                                                                                                   3360 PRINT TAB(2,2); CHR$ (130);"*****
 PRINT TAB(2,22); CHR$(130);"****
PRINT TAB(2,2); CHR$(130);"****
                                                                                                                                   350 PRINT TAB(27,15); CHR$(131); CHR$(
                                                                    COSO NEXT X
                                                                                                                                                                                                                   REQUIRE
                                                                                                                                     3340 PRINT TAB(14,14); CHR$(129);"YOU
                   4040 PRINT CHR$ (134); CHR$ (157)
                                                                                                                                                                                                                                                            2600 VDU 37,29,14
2600 VDU 33,8802;0;0;0
2620 IF F<1 0R F>20 THEN 570 ELSE 265
                                                        4030 FOR X=1 TO
                                    4050 ADN 5318505101010
                                                                                                                                   2320 PRINT TAB(16,12); CHR$ (129); "SUMS
                                                                                                                                                                                                         IPLICATION"
                                                                                                                                    3320 PRINT TAB(12,10); CHR$ (129); "MULT
                                                                                                                                                                                                                                                            ... INY
      4000 REM SCORE AND PERCENTAGE MARK
                                                                                                                                    3310 PRINT TAB(16,8); CHR$(129); "HOW M
                                                                                                                                                                                                                                                            2880 PRINT TAB(14,18);CHR$(133);CHR$(
                                                                                                                                    3300 PRINT TAB(11,6); CHR$ (135);"====
                                                                                                                                   $250 NEXT E $250 NEXT TAB(12,5);CHR$(132);CHR$(1);"MULTIPLICATION" $250 PRINT TAB(12,5);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132);CHR$(132
                                                                                                                                                                                                                                                                                                                129) : "REMEMBER NO"
                                                                                                                                                                                                                                                             PRINT TAB(13,16); CHR$ (133); CHR$ (
                                                                                                                                                                                                                                                                                     2560 FOR T=1 TO 1000: NEXT T
                                    3990 GOUND 1,-15,10,10
3990 GOUND 1,-15,10,10
                                                                                                                                                                                                                                                             S220 PRINT TAB(2,22); CHR5 (130); "****
                                                                                                                                                      2500 PRINT CHR$(134);CHR$(157)
2500 PRINT CHR$(134);CHR$(157)
                                                             3970 LET K=K+1
                                                                                                                                                                                                                                                             2540 PRINT TAB(2,2); CHR$(130); "*****
  2810 FEL K=K+J
2820 G010 3810
2860 8010M 1-12'0'10
2860 BKINI LYB(22'1+0)'CHB2(158)'.K".
2851 INENI 2
2850 INENI 2
2850 BKINI LYB(25'1+0)'CHB2(158)'.K".
2860 BKINI LYB(50'1+0)'CHB2(125)'...".
2860 BKINI LYB(50'1+0)'CHB2(125)'...".
2870 BKINI LYB(50'1+0)'CHB2(125)'...".
2870 BKINI LYB(50'1+0)'CHB2(125)'...".
2870 BKINI LYB(50'1+0)'CHB2(125)'...".
                                                                                                                                                                                                       3230 MODE 5
                                                                                                                                                                                                                                                            2530 PRINT TAB(27,15); CHR$(131); CHR$(
                                                                                                                                                                                                                                                              2520 PRINT TAB(14,14); CHR$(129); "YOU
                                                                                                                                    3220 REM NUMBER OF MULTIPLICATION SU
                                                                                                                                                                                                                                                            2510 PRINT TAB(16,12); CHR$(129); "SUMS
                                                                                                                                                                                                                                                                                                                                                   MOIS
                                                                                                                                                                                                                                                            1VIO"; (9S1); CHR$ (16,10); CHR$ (129); "DIVI
                                                                                                                                                                                                                                                            5490 PRINT TAB(16,8); CHRS (129); "HOW M
         2800 PRINT TAB(21,1+9); CHR$(132); P
3850 LET R=P*Q
                                                                                                                                                                       3200 SOUND 1,-15,150,10
                                                                                                                                                                                                                                                            5480 PRINT TAB(14,6); CHR$(135);"====
                                                                                                                                    $100 CET K=K+1
$180 GOTO $010
$170 GOUND 1,-15,0,10
$160 PRINT TAB($7,1+9);CHR$(129);"X"
                                                   2870 FET G=8ND(15)
                                                                                                                                                                                                                                                                                                                          "NOISIAIG": (Ly
                                                                                                                                                                                                                                                           2470 PRINT TAB(15,5); CHR$(132); CHR$(1
3850 IF J=F THEN LET F=F+10:60T0 4010
                                                                                                                                                                                                                                                            2460 PRINT TAB(15,4); CHR5 (132); CHR5 (1
                                                         3800 LET F=F-10
3810 LET F=F-10
                                                                                                                                                                             3150 IF S=N THEN 3190
                                                                                                                                                                                                                                                                                                                               STRO NEXT E
                                                                                                                                                                                                                                                                                 2440 PRINTCHR$ (134); CHR$ (157)
                                                                                                                                       3790 LET J=-1
                                                                                                                                                                                                                                                                                                5720 ŁOB E=1 10 S2
5750 NDN 52'8505'0'0'0'
5710 WODE 1
                                                            0628 0100 0878
                                     OL'OSL'SL-'L ONNOS DZZE
                                                                                                                                                                                                                                                                                      (asnd snotsaud most paninnos)
```





AT LAST - a database designed to let you organise your business the way you want it!

FORMS

MASTERWORD GRAPHMASTER


THE FORMS

ENTER THE DATA

LAY OUT REPORT FORMATS

LAY OUT

## So easy to use you'll start using it in



- Fully menu driven to remove the guesswork. Full use of function keys with the assignments
- always displayed. All cursor movement and editing functions on the keyboard are supported.
- Provides full colour support and screen style customisation.
- ystem Features:
- A list of users can be kept, with passwords and security levels.
- The print style is customisable. Data can be interchanged with mainframe computers, other databases or spreadsheet programs.
- Database back-up and restore functions are integrated to reduce errors.

#### System Requirements:

- Available on IBM-PC, SIRIUS, NCR, TEXAS, WANG-PC, DEC and other 16 bit computers. Requires a minimum of 128K memory and 2 disk drives (on some micros a minimum of 192K
- memory is required). Supports floppy or hard disk drives. Supports all popular printers.

#### SOME OF THE DATAMASTER APPLICATIONS:

Inventory Control, Personnel Management, Job Accounting, Malling List, Accounting, Order Processing, Market Analysis, Financial Portfolio, Medical Office Systems, Real Estate, Agriculture, Distribution Management, Social Sciences, Bibliography, Library Management, School Records.

#### So powerful you'll have a complete application within hours

- Lay out your forms on the screen. Define data entry fields anywhere by answering simple questions. Revise the forms any time without
- Easy, fast and accurate way to fill-in the forms and enter, view or revise records.
- The reports or transactions requirements are defined in the English-like query language by answering simple questions. Select records any number of ways, combine up to 5 forms per report, perform calculations, get totals, subtotals, or statistical summary. For complete transaction processing, delete, modify or enter
- Reports are automatically formatted in several ways, or specify your own format using the Report Editor.
- To format a report complete with text, data, and graphs; use the optional MASTERWORD word-processor or the GRAPHMASTER graphics
- Display or print the report output, or take it to your spreadsheet, word processing, or graphics programs.
- Organise the access to your forms and reports by setting up your own menus.
- The underlying Relational Database Manager provides efficient storage and retrieval of records, It uses B-tree indices for efficient accessing of records, and cache memory to retain the most recently used disk sectors to reduce disk access by 50 percent.



DATAMASTER is available **NOW** to let **YOU** organise your business the way you want it. So clip the coupon to see a demonstration of DATAMASTER on your own micro or at your local Sapphire dealer.

	RI RI
To: Sapphire Systems Ltd., 1-3 Park Avenue, Ilford, Essex IG1 4LU. Telephone: 01-554 0582.	Signature
Please send mecopies of the DATAMASTER DEMONSTRATION	Name
SYSTEM @ £5.50 inc. VAT & p.p. per copy for my: -	Position
□ IBM-PC □Sirius □NCR □Texas □Wang-PC □DEC	Company
Please debit my:	
Access Card No: for £	Address
Barclaycard No: for £	
I understand that £5.00 will be refunded on the return of the demonstration system or on the subsequent purchase of the DATAMASTER full system.	Tel No:
☐ Please arrange for a demonstration of DATAMASTER.	Computertype
☐ Please send me further details of DATAMASTER and the SAPPHIRE SYSTEMS MASTER RANGE of business software.	Please allow 28 days for delivery Reg. No. 1467831 VAT No. 250078973  • Circle No. 170



You'll need professional help

DRG Dealers are fully qualified to guide you safely through the process. Firstly we'll discuss your business and analyse your requirements, then we'll recommend a package

of microcomputer, software and peripherals at a price that suits your pocket.

Hardware, software and printers

The hardware in the system will come from the range of best selling DRG Sirius and DRG Apricot microcomputers. It doesn't matter what your applications may be;



Buying a too important a

# DRG

Microsystems Division 13/14 Lynx Crescent, Winterstoke Road, Weston-super-Mare, Avon BS24 9DN Telephone: (0934) 32525/415398

						PC2/84
I'd like to	know more	shout how r	ny local DP	C Dooler co	n help my bu	ninana

Name \_\_\_\_\_\_ Position\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

#### AVON

Forbes Bus. Systems 6 Alexander Road Clevedon 0272 879331

A.C. Barrattt & Co. Ltd Bristol & South West 0272 514777

Cotswold Computer Svs Yate, Bristol 0454 322440

MOS Computers Ltd 11 Portland Square Bristol 421486

#### BEDFORDSHIRE

Mertech Systems Adelaide St., Luton 0582 37931

#### BIRMINGHAM

B'ham Computer Centre Alcester Rd, Moseley 021 449 3686

#### BUCKINGHAMSHIRE

Aylesbury Micros Ltd Gatehouse Close 0296 32591/2

Kingsley Computers High Wycombe 0494 449749/37172

#### CAMBRIDGESHIRE

Herald Computers Ltd Cambridge 0223 315662

#### CORNWALL

JM Computer Svs Ltd Truro 0872 70071

#### DEVON

Bits & Bytes Ilfracombe 0271 62801

CBS Business Systems 30 Southernhay East Exeter 0392 217631

Micros South West Coxside, Plymouth 0752 671990 from accounting, wages and invoicing, o stock control, word processing and lesign, your local dealer has a suite of software that fits the bill. And when a comes to printers and peripherals, we think you'll be pleasantly surprised at the range and quality funits we have available o complete your system.

xtensive local training

Now you have a business system that not only matches your equirements exactly, but also has the in-built flexibility to grow with your company. In order to get the very best from your system, DRG Dealers provide extensive local training programmes that leave nothing to chance.

Don't forget maintenance

Dur nationwide on-the-spot service a maintenance contract taken out direct with DRG.

This saves you any worries about local availability and time wasting; we're never more than minutes away.



£600m of support

Unlike any others, the DRG Dealer chain (and more importantly their customers) benefit from the strength and stability of the £600m DRG parent company.

Like the computer, we're here to stay.

# computer is step to take alone

#### DORSET

Brook Computers Bournemouth 0202 526008/533051

#### EAST MIDLANDS

A.C. Barratt & Co Ltd Derby, Notts, Lincs 033 17 3921

#### ESSEX

C & L Computers Ltd Basildon 0375 675656/675677

#### HAMPSHIRE

Gosport Computers Stoke Road, Gosport 0705 587862

Omega Computers Hampshire Ltd. Alton 0420 87815 and 86031

#### HERTFORDSHIRE

Alpha Business Ltd Church Street, Ware 0920 68926

#### HUMBERSIDE

Commercial Systems Hull, Scarborough 0723 351 469

#### KENT

Barratt Computer Grp Vale Road, Tonbridge 0732 366661

#### LONDON (CENTRAL)

Data Systems 33 Gt James St, WC1 01 242 9218 / 405 4006

Microcosm Research 26 Danbury Street N1 01 226 9092

#### LONDON (EAST)

Aspirin Computers Ilford, Essex 01 594 4597 (5 Lines)

Cowlard Computer Svs Barking, Essex 01 594 4597

#### LONDON (NORTH)

Chromasonic Systems 48 Junction Road N19 01 263 7341

#### LONDON (SOUTH)

Kensington Computers Philbeach Gdns, SW5 01 370 3882

#### LONDON (WEST)

Computatine Ltd Oxford Circus, W1 01 434 4017

#### MANCHESTER (GREATER)

Eclipse Computers Swinton, Manchester 061 793 5622

#### MIDDLESEX

Advanced Micro Tech. Nr. Heathrow Airport 01 890 1738

Avante Systems Ltd 9 Bridge St, Pinner 01 868 1144

#### MIDLANDS

A.C. Barratt & Co Ltd Northampton & Leics 0604 46331

A.C. Barratt & Co Ltd 136 Lawley Street B'ham - 021 359 0161

#### NEWCASTLE UPON TYNE

Solenco Info Sys Ltd 19 Portland Terrace 0632 817783

#### NORFOLK

Sumlock Bondain Norwich 0603 617083

#### NORTH EAST ENGLAND

Key Computer Serv Newcastle upon Tyne 0632 815157

#### SCOTLAND

Black Isle Systems Inverness 0381 20276 Aberdeen 0224 20737

C.B. Business Systems Fife 0592 202958 Glasgow 041 339 2237

Contralatel Ltd Forres St, Edinburgh 031 225 5975

#### STAFFORDSHIRE

Micro Applications Greyfriars, Stafford 0785 43414/5

#### SUFFOLK

Ipswich Comp. Centre 27 Old Foundry Road Ipswich. Tel: 214456

#### SURREY

A.P. Systems Ltd 90/100 Brighton Road Surbiton 01 399 1257

Data International 231 High St, Croydon 01 686 0265

Microfacilities 7 Church Road, Egham 0784 31333

J. Phillips Bus. Systems Weybridge 09323 51051

#### SUSSEX

Amplicon Micro Sys Richmond Rd, Brighton 0273 608331

#### WARWICKSHIRE

A.C. Barratt & Co Ltd Leamington Spa 0926 34371

#### WILTSHIRE

Ridgeway Bus. Systems Swindon 0793 615666

#### YORKSHIRE

New World Micro Horsforth, Leeds 0532 582018

#### YORKSHIRE (WEST)

Yes Computers Fountain Street Morley 0532 522181

#### YORKSHIRE (SOUTH)

Holbrook Bus Sys Ltd High St, Mosborough Sheffield 484466

• Circle No. 171

ASHTON TATE B dBASE II vorld's leading micro data Gets the most out of dBASE II fast.

QUICKCODE - FOR PROFESSIONALS

With QUICKCODE professionals can concentrate on using their creativity for the interesting parts of the job and not get bogged down in repetitive detail.

QUICKCODE produces dBASE II command files to carry out many of the routine data handling tasks that come up again and again in every application. QUICKCODE does it automatically - you design the screen layout and QUICKCODE produces the code - an error-free foundation on which you can build your system, QUICKCODE gives you more valuable time.

To give their clients fast and accurate results professionals

choose QUICKCODE.

#### **QUICKCODE** – FOR NEW USERS

Imagine - you've just bought the market leader - dBASE II. Probably one of the most powerful packages you'll ever buy for your micro. You know it is flexible and very comprehensive. You can't wait to get started. With QUICKCODE you can get started fast.

QUICKCODE creates a complete database from your simple screen layout. In addition QUICKCODE automatically generates 12 dBASE II programs to manage your data. Programs to Add data, Edit data and verify it. Programs to produce labels and even to link your database to WordStar. Automatically. QUICKCODE gets the most out of dBASE II fast.

#### DEALERS - Contact Fox & Geller or one of these distributors for more details

Ferrari

Softsel Tamsys Pete & Pam MPI Soft Option

01-844 2040 (Windsor) 56747 01-769 1022 01-5916511

Midlectron Software Ltd Xitan Tradesoft

(077382) 6811 01-833 1173 (0703) 871211 01-627 1800 01-751 5791



(0476) 860171

# Transferring programs

SINCE THE Commodore 64 has 40 characters on a line, and uses the same character set as the Pet and the same Basic, there should be ample scope for using Pet programs directly on the Commodore with little or no modification. As long as the programs contain no Peek, Poke, Sys or Wait commands, they should be completely portable.

In reality few programs are that simple. The commonest Peeks and Pokes are to the screen; on the Commodore 64 screen memory starts at location 1024 whereas on the Pet it starts at 32768. Fortunately, the 64 is flexible enough to move things around so that the screen memory can be moved to start at 32768.

The sequence of commands in listing 1 sets up the necessary parameters to make the Commodore 64 look like a Pet. The first line moves the screen itself, the second tells the Basic interpreter what has happened and the last two simply clear out any rubbish that is left over.

Any Pet program can now be loaded and examined, although it is possible that when the program is listed the first line may be badly corrupted. This is a result of the way some Basic programs are saved, especially on older-model Pets. If this does occur, it is very simple to recover the situation by the sequence of Pokes in listing 2.

Once the program has been converted to your satisfaction, the necessary reconfiguration can be achieved by adding the three lines of listing 3 to the start of the program and saving it again. In the future,

loading the program will not put it at the same place in the 64 as it was in the Pet, but this should not be a problem unless the program is extremely long.

Despite all this, straight Pokes to the screen will still not work. Whenever the 64 screen is cleared, the colour memory is reset to the same colour as the background, which means that any characters Poked on to the screen will not be seen.

One way of solving the problem is to Poke a colour into colour memory whenever a screen Poke occurs. This can most easily be done by simply adding 22528 to the screen Poke location and putting the correct colour code there. Another way is to fill the colour memory with a different colour every time the screen is cleared. A simple For-Next loop would do the trick, but would be unbearably slow.

A neater solution is provided in the subroutine of listing 4, which actually makes use of the fact that the colour memory is set to the background colour. The first line changes the background colour to the same colour as the current character printing colour, in location 646, first preserving the background colour.

The screen is then cleared, so setting the colour memory, and then the background colour is restored. By removing all Clear Screen characters in the program, and inserting Gosub 63400 just before each Print statement containing a Clear Screen character, the Poke problems on the screen will be solved. It is, of course, possible that there are other Peeks and Pokes in the

#### Listing 1.

POKE 53272.4: POKE 56576.5: POKE 648,128 POKE 56,128: POKE 44.4: POKE 1024.0 clear the screen

#### Listing 2.

POKE 1027.PEEK(1026): POKE 1026,PEEK(1025) POKE 1025.0: POKE 43.2

#### Listing 3.

1 POKE 648.128: POKE 56576.5: POKE 53272.4 2 PRINT "ECLEARI" 3 POKE 56.128: CLR

#### Listing 4.

63400 ZZ=PEEK(53281): PDKE 53281,PEEK(646) 63401 PRINT "ICLEAR1": 63402 PDKE 53281,ZZ .63403 RETURN

program which are rather trickier to deal with, but they will have to wait until a later date.

Finally, there is a bug on the Commodore 64 which affects the Input command when the prompt continues over the end of a line. The Pet is quite happy with this, but the 64 will not read the input correctly, so some Input statements and their associated Prints may have to be changed to avoid printing beyond the end of a line.

I must thank Bob Merry of Stockport for providing many of the ideas for using Pet programs on the Commodore 64.

#### **Cataloguing discs**

There are many ways of getting at the file names on a disc, all of which involve opening special files and a lot of Get # commands. These methods certainly work, but they require careful counting of the characters received. The result is often a complicated and rather inelegant program.

Now L V Turner of Colchester has produced an extremely simple and rather elegant approach to the problem. It involves reading the directory and generating a sequential disc file containing all the directory information. His program relies on the Directory command in Basic 4, which normally prints the directory on to the screen, and the method is simple.

Listing 1 shows the program which, first of all, opens a suitable sequential file on the disc in line 200. There is no reason why this should not be an Append command so that a complete file of all disc directories is built up. Just before the Directory command is issued, the output which would normally

(continued on next page)

#### Listing 2. Cataloguing discs. Listing 1. \*\*\*\*\*\*\* 100 REM \*\*\*\*\*\*\*\*\*\*\*\*\*\*\* \* DISK CATALOGER -110 REM \* 120 REM \* DISK CATALOGER -BASIC 2 + DOS 2 130 REM \* 140 REM \* BASIC 4 + DOS 2 L V TURNER \* 150 REM \* L V TURNER \* 140 REM \* 170 REM \* 180 REM \*\*\*\*\*\*\*\*\*\*\*\*\*\* LOAD "#",8 200 DOPEN#2, "CATALOG", DO, W OPEN 2,8,2,"0: CATALOG, S, W" 210 CMD2 CMD2 : LIST 220 DIRECTORY 230 PRINT#2 240 DCLOSE#2 300 REM \* 300 REM \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* 310 REM \* 310 REM \* 320 REM \* \* 320 REM \* \* 330 REM \* READ CATALOGUE READ CATALOGUE 330 REM \* 340 REM \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* 340 REM \*\*\*\*\*\*\*\*\*\*\*\*\* 400 OPEN 2,8,2,"0: CATALOG,S,R" 400 DOPEN#2,"CATALOG",D0 410 INPUT#2, A# 410 INPUT#2, A\$ 420 PRINT A# 420 PRINT AF 430 INPUT#2,A# 430 INPUT#2.A\* 440 IF ST=64 OF A = " THEN 470 440 IF ST=64 OR A\$="" THEN 470 450 PRINT AS 460 GOTO 430 460 GOTO 430 470 CLOSE2 470 DCLOSE#2

#### >COMMODORE

(continued from previous page)

go to the screen is redirected to the disc file with the CMD2 in line 220.

As the directory is read, it is no longer printed on the screen but is redirected to the disc file. Lines 230 and 240 do the necessary closing out routine when the directory is complete. Now the file exists as a series of individual sequential file entries, each separated by a Carriage Return. They can be read back again using the Input# command.

An example of how this could be done is also included in the program. Line 410 reads the directory heading, and then lines 430 to 460 read the rest of the directory and print it to the screen. Of course, there is no reason why line 450 should not be replaced with a routine to put the file information into an array or to extract any information required simply using the Mid\$ command.

Those who have worked with computers for more than a few weeks will not be surprised to learn that there are problems with the technique. The file Catalog will be shown as though it has not been closed. This is to be expected, as the file was open while the directory was being read.

The disc drive handles directories rather differently to normal files, and there are problems when it comes to do the Blocks Free total at the end of the directory. In fact it will not make much sense, so it should not be used to work out how much space is left. The final problem is that, for some reason, trying to read the directory of only one of the drives does not work. This again is probably a quirk of the way that the disc operating system generates the directory listing.

A version for Basic 2 users is given in listing 2. The main problem is that Basic 2 has no facility for listing the directory directly on to the screen. You have to execute a few commands directly from the keyboard; they are given at the start of the listing. The principle is exactly the same, but the directory must first be loaded into the computer, and then listed to the disc drive.

With this technique, the problems of having files open while reading the directory no longer exist, and the directory loading can be for one or both drives and can follow the usual conventions of a selective directory listing. For instance, to read only the program files from drive 1, replace the Load command with:

LOAD "\$1: \* = P",8

The number of blocks free should be correct.

So, where is the problem? The last line to be listed will actually be the "Ready," message that would normally have been printed on the screen. However, as long as you know it is there it should not cause any

The read-back operation is almost identical to the Basic 4 version, except that the file is opened in the Basic 2 way, as in line 400. There is no doubt that this is a case of "Why didn't I think of it before?"

```
Bombing Monster.
```

10 POKE 5184,0 30 GOSUB 5000

98 POKE 36879,24 99 PRINT"[CLEAR]"

100 POKE 56,26:POKE 52,26:CLR 105 AA=RND(-TI):M=4

107

A(1)=5:A(2)=4:A(3)=2:A(4)=7 POKE 36866,23 115 POKE 36878,10

120 POKE 36867,58 130 POKE 36864,11 140 POKE 36865,27

150 POKE 36869,253

160 FOR I=0 TO 7: POKE 5120+1.0: NEXT 170 FOR I=0 TO 7: READ A: POKE 5128+I,A

: NEXT 180 DATA 60,118,231,247,247,247,126,60 190 FOR I=0 TO 7:READ A:POKE 5136+1,A

210 FOR I=0 TO 7: READ A: POKE 5144+I,A

220 DATA 60,102,219,247,219,102,126,60 230 FOR I=0 TO 7:READ A:POKE 5152+I,A : NEXT

240 DATA 60,110,235,227,251,251,126,60 250 FOR I=0 TO 7:READ A:POKE 5160+I,A : NEXT

260 DATA 24,60,126,90,126,231,255,219 270 FOR I=0 TO 7:READ A:POKE 5168+I,A

280 DATA 127,62,62,62,62,62,28,8 290 FOR I=0 TO 7:POKE 5176+1,255:NEXT

490 FOR I=37888 TO 38554:POKE I,6:NEXT 495 FOR I=7168 TO 7834:POKE I,0:NEXT

500 FOR I=1 TO 7:READ A,B 510 FOR J=A TO B:POKE J+7168,7 : POKE J+37888, Ø: NEXT: NEXT

520 DATA 506,508,526,532,548,556,570, 580,592,604,614,628,636,666

530,904,604,614,628,636,666 530 POKE 7294,4 550 FOR I=509 TO 635 STEP 2 560 J=INT(RND(TI)\*4+1) 570 IF PEEK(7168+1)<>7 THEN POKE 3788 8+1,4(J):POKE 7168+1,J:S2=S2+J

600 A=INT(RND(TI)\*10)+11:B=0

610 POKE 7168+A\*23+B,5 :POKE 7167+A\*23+B,0 620 B=B+1:IF B=23 THEN POKE 7167+A\*23

B=B+1:IF B=23 THEN POKE 7167+A\*23 +B,0:GOTO 600 1F PEEK(197)<>64 AND C<>1 THEN C=1 :D=B:E=A:POKE 36877,128 :POKE 36876,250:POKE 36877,0 :POKE 36876,0 1F C<>1 THEN 770 FOR F=1 TO 2 D1=D:E1=E:D=D+.5:E=E+1 IE PEEK(7146PE-231D)>7 THEN COCKED

670 IF PEEK (7168+E\*23+D) =7 THEN GOSUB

B 1000:GOTO 750

2000:GOTO 750 680 IF PEEK(7168+E\*23+D)<>0 THEN GOSU

690 POKE 7168+E\*23+D,6 :POKE 7168+E1\*23+D1,0 750 NEXT F:GOTO 800 770 FOR F=1 TO 50:NEXT F 800 GOTO 610

1000 POKE 36877,200 1010 S=S+PEEK(7168+E\*23+D) 1020 POKE 7168+E\*23+D,0 :POKE 7168+E1\*23+D1,0 1030 C=0:E=0:D=0:F=2 1040 POKE 36877,0

1050 IF S=52 THEN GOTO 3000

1060 RETURN 2000 POKE 7168+E1\*23+D1,0 2010 FOR I=230 TO 200 STEP-1 :FOKE 36876,I:NEXT:POKE 36876,0 2020 M=M-1:POKE 7294,M

: IF M=0 THEN 3000 2030 C=0:D=0:E=0:F=2 2040 RETURN

3000 POKE 36864,12:POKE 36865,38 :POKE 36866,150:POKE 36867,174 :POKE 36869,240

3010 PRINT"[CLEAR,BLUE]"
3015 IF WE=1 THEN 3025
3020 PRINT"~THAT~WAS~YOUR~LAST~~~MIS

S!!!"
3025 PRINT"[DOWN]~YOUR~SCORE~WAS"S
3027 PRINT"~THAT~IS"INT(S/S2\*1000+.5)
/10"[LEFT]X~OF~MAX!"
3031 IF S>PEEK(5184)THEN PRINT"~WOW,
~YOU'VE~BEATEN~~~THE~HI~SCORE"
:POKE 5184,S:GOTO 3035
3032 PRINT"[DOWN]~HI~SCORE:"PEEK(5184)
3035 POKE 198,0:REM CLEAR INPUT BUFFER
3040 PRINT"[DOWN]~DO~YOU~WANT~ANOTHER"
3050 INPUT"~GO":A\*

3050 INPUT"~60"; A\$
3060 IF LEN(A\$)=0 DR LEFT\$(A\$,

1)="Y"THEN RUN 50 3070 PRINT"[DOWN]~OKAY,~CHICKEN!!" 3080 END

5000 POKE 36879,25 5010 PRINT"[CLEAR,BLUE] 5010 BOMBING MONSTER ---- [CYAN]

5020 PRINT"(BLACK, DOWN) YOU~RELEASE~THE~BOMBS~BY~HITTING

ANY\*KEY."

5030 PRINT"[RED, DOWN]THE\*TARGETS\*ARE\* WORTH~THE~AMOUNT~THAT~IS~ TED~ON~THEM." FRIN

5040 PRINT"(BLACK, DOWN)
IF~YOU~MISS~YOU~WILL~~LOSE~ONE~M ONSTER. '

S050 PRINT"(RED, DOWN)THE AMOUNT OF MO NSTERSLEFT, "IS THE NUMBER "IN T HE MIDDLE OF THE SCREEN." 5060 PRINT"(GREEN, DOWNZ, RIGHT4) LET'S START!"

5070 PRINT"ERVS, RIGHT4]HIT~ANY~KEY! [RVOFF]

5080 GET A\$: IF A\$=""THEN 5080 5090 RETURN

#### **Bombing Monster**

Games are often a useful way of learning programming techniques, especially when they include the complexities of highresolution graphics or user-defined characters. Thomas and Kim Gustafsson have written a fairly simple bombing game for the Vic-20, in which a craft flies across the screen and drops a bomb when a key is pressed. The object is to destroy as many of the round objects at the bottom of the screen as possible.

Each target object is actually a userdefined character containing a number which represents the score achieved when it is hit. Only four misses are allowed before the game stops and you are given the score.

The distinguishing feature of this game is that the bomb does not drop straight down.

Instead, it continues travelling from left to right with an element of intertia, which makes the task of targeting that much more difficult.

The program is in several distinct sections. Initial setting up, including the setting of the Vic control registers, is done in lines 98 to 150, and the character definitions are set up is lines 160 to 290. Each character is set up individually, with the first being a space, all 0s, and the last a solid block, 1s. Lines 490 to 580 set up the screen itself. The game proper continues from line 600 onwards, the instructions being held in a subroutine at line 5000.

The techniques used show how straightforward it can be to set up a simple sequence of user-defined characters to make a simple game look just that bit more exciting.

## Screen dump

ONE OF the first responses to my request last July for a text-editing program to complement Letter Writer came from Mr A Atkins of Coventry. Although not quite what I had in min, it is interesting in itself and demonstrates how to address the memory for the currently open screen. The program will work with either 40 or 80 character lines, and you can select the lines you wish to print.

Bytes 92 and 93 hold the address of the current screen's data area, calculated at line 60030. Line 60070 calculates the location of the first byte of the display buffer; the first byte of the screen data area contains an offset from which it can be worked out. The questions appear on the VF display of a model AD. If you have a model A delete line 60010 and remove all references to stream £3 for the prompts to be displayed on the video screen.

To use the program, open stream 0 with a suitable line width and number of lines. To print a letter, just type it in using the cursorcontrol keys to go to a new line. To print a portion of a program, or a display created by a program, load the program using Merge; the program must not use line numbers above 60000. Then run Screen Dump by typing Goto 60005.

```
REM "SCREEN DUMP" BY A.A.ATKINS
60005 REM "SCREEN DUMP" BY A.A.ATKINS
60010 CLOSE£3:DPEN£3,3
60020 CLOSE£3:DPEN£8,8,"1200"
60030 TV=PEEK(92)*256*FEEK(93): REM ADD
RESS OF CURRENT VIDEO DWN MEMORY
60040 ML=PEEK(TV+4): REM NO. DF DISPLAY
LINES HELD IN BUFFER
60050 CH=PEEK(TV+5): REM NO. OF DISPLAY
CHARACTERS PER LINE
60060 GL=PEEK(TV+6): REM TOTAL BYTES PE
R LINE
  60070 TV=TV+PEEK(TV)+5: REM DISPLAY BUF
 FER FIRST LOCATION
60080 PRINTES, "FIRST.LINE NO.?"
60090 INPUTES, FL
60090 INPUTES,FL
60100 FL=INT(FL)
60110 IFFL<0 OR FL>ML THEN PRINTES, "WRON
G ENTRY": GOTO 90
60120 PRINTES,"LAST LINE NO.?"
60130 INPUT £3,EN
60140 EN=INT(EN)
60150 IF EN<FL OR EN>ML THEN PRINTES, "WR
DNG ENTRY": GOTO 130
60170 FOR I=FL TO EN
60180 FDR J=0 TO CH-1
60190 PRINT £8,CHR$(PEEK(TV+GL*(I-1)+J));
60190 PRIN'
1)+J));
60200 NEXT J
60210 PRINT£8
60220 NEXT I
  40230 CLOSE£3:CLOSE£8:END
```

#### Card Index.

```
Card Index.

10 FORINITO255.CLOSENI NENTI OPENNO 0 DPENNO 0,1 OPENNO,6
20 OPTIONESSI DINAN 1800 DINP 30.50 CINTE 30.

100 PUTZZ.5.10 7"DO VOU NISH 10 LOAD INDEX CARDON FUTZ.-11 12 7"FPOM CASSETTE*
110 FUTZZ.5.10 7"DO VOU NISH 10 LOAD INDEX CARDON FUTZ.-11 12 7"FPOM CASSETTE*
110 FUTZZ.5.10 7"DO VOU NISH 10 LOAD INDEX CARDON FUTZ.-11 12 7"FPOM CASSETTE*
120 PUT31 IFPAILOTHEMASSUNITOS.COTOGOO
30 GETMA, 0 PUTZZ.6.10 1"PPESS PUTY ON THE TAPE PECORDER*
120 FUTZZ.-1.12 7"THEM AND NEY ON THE NEYBORNO*
120 PUTZZ.-1.12 7"THEM AND NEY ON THE NEYBORNO*
120 PUTZZ.-2.1.12 7"INDEX** POPPAILOTO INDEX.-19.12
120 OPENINASSI 1"INDEX** POPPAILOTO INDEX.-19.12
120 OPENINASSI 1"INDEX** POPPAILOTO INDEX.-19.12
121 PUTZZ.-2.1.11 12 "TAPESS** POPPAILOTO INDEX.-19.12
122 CETMA, 0.1FOO.CLORDON OF SENTING INDEX.-19.12
123 CETMA 0.1FOO.CLORDON OF SENTING INDEX.-19.13
124 GETMA, 0.1FOO.CLORDON OF SENTING INDEX.-19.13
125 DITTER THEN 1908
1240 FUTZZ.-2.13 ""PESS ESCOPE TO 7 INTIS THIS CARD CORRECT ""N N 7"
125 PUTZZ.-2.13 ""PESS ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 ""PESS ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 ""PESS ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.13 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.3 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.3 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.3 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.3 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.3 "PESSES ESCOPE TO 7 INTIS MARING ENTRIES"
1250 PUTZZ.-2.3 "PESSES ENTRIES"
1250 PUTZZ.-2.3 "PESSES ENTRIES"
1250 PUTZZ.-2.3 "PESSES ENTRIES"
1250 PUTZZ.-2.3 "PES
```

```
1540 PUT31,22,12,12;?"SAYING INDEX CARDS"
1590 CLOSE#99:OPERDUT#99,1; "INDEX" FORR-1T0100 ?#99,4%(A)
1560 MEXTH FORR-1T030-799,1%(A) FORB-1T03 ?#99,8%(A,B) NEXTB:MEXTA.CLOSE#99
                         1550 CLOSENS: OPEROUTES: . "TIDEX" FORRALTOIDO "#99, MSCA)
1560 NEXTA, FORRALTO30: 7899, TSCA) FORBELTOS 2899, PCA, B) NEXTE: NE
1570 RETURN
1580 RETURN
1580 RETURN
1580 PER PEINTS INDIVIOUAL CARD
1580 PUTHI, 22, 9, 6:781, " " PUTHI, 22, 8, 6:781, C | FC=OTHENRETURN
1580 PEH | FORRALTO30: NEPCR, 1 | Y=PCR, 2 | L=PCP, 3 |
1580 PEH | FORRALTO30: NEPCR, 1 | Y=PCR, 2 | L=PCP, 3 |
1580 PEH | NEXTE: RETURN
1580 PEH | NEXTE: RETURN
1790 REM DELM'
1790 PUTHI, 22, X, Y, 241, MIDEX PSCCO, P, L |
1690 PEH | NEXTE: RETURN
1790 PORD | NEXTE: RET
INTO CLEAR OPTIONBASELDIMAN(100)
1220 DIMP(30.5)-DIMTHS(30.5)-DIMTHS(30.5)
1230 DIMP(30.5)-DIMTHS(30.5)-COTO200
1210 PUTSL.22.10.11 "SHART TITLE IS REQUIRED" PUTS2.15.13'LLMPUT("")ES BEH""
1213 FORATHOLENCES, THARSCYNDERES, A, 1) > 1.85*HIDS(ES, A, 1)
1230 IFTYSCHIRT (12.7HERMSCHPES ASCHILLS(ES, A, 1) > 1.85*HIDS(ES, A, 1)
1230 IFTYSCHIRT (12.7HERMSCHPES ASCHILLS(ES, A, 1) > 1.85*HIDS(ES, A, 1)
1230 IFTYSCHIRT (12.7HERMSCHPES ASCHILLS(ES, A, 1) > 1.85*HIDS(ES, A, 1)
1230 IFTYSTR(AR(C), 25.5)-OTHERMSCHPES (50.00028280) GOSUB2800
1210 GOTO2100
```

#### Screen Dump program for listing of main program.

60000 FOR1=1T0255:CLOSE#I-MEXTI.OPEN#0,0."L170":L15T-59999-0PEN#8,8."2400" LFs=C H#04100-FORY=1T0170-FORK=1T088-PUT22,X,1,20-5ET0X,JDs=JDs-CHD940X-MEXTX-FORX=1T 080-788-HH04XJDS-X,1):MEXTX-7888-LFS-FORDF1T020-NEXTX-FORX=

#### Card index

This program by Stephen Hall of Horndean, Hampshire allows users with no programming experience to format their own index cards. You can search through them for any word or value, and print the results of the search on a Seikosha GP-250X printer, if available.

Amendments are easily made by pressing A when the card to be altered is shown on the screen. The cursor then appears and can be moved to the area to be altered by using the Right Cursor control. Any card shown can be printed by pressing P, and the 100 index cards can be saved on cassette by pressing S. Concise instructions are given on the screen.

#### Renumber

This useful routine to renumber the lines of your Basic programs has been sent in by Mr A R Armitstead of Blackpool. It will not alter your Gotos and Gosubs, so you will have to trace them yourself. Programs to be renumbered should not contain any lines numbered 60000 or greater.

To use the routine merge it into the program to be renumbered, set the starting line number and step size at lines 60140 and 60150, then type Goto 60000. The routine does not renumber itself, so it can be used again.

The Newbrain stores program lines in an unusual way, using three distinct areas of memory to hold all the information needed to execute a statement. The line-number

(continued on next page)

(continued from previous page)

table, LNT, contains an entry for each Basic statement, consisting of:

- The statement line number as two bytes, low then high.
- A pointer to the compressed Basic statements as two bytes; this is the second area, the source code area.
- A pointer to the compiled version as two bytes. If the statement has not been compiled, it contains 0. This is the object code area.

The LNT is pointed to by locations 1Y + 30and IY+31, where the address of IY is stored at locations 22 and 23.

Lines 60260 to 60360 contain a routine to display the first 18 entries of the linenumber table. They are not part of the renumber program and may be deleted if not required.

#### Renumber.

```
60000 REM Renumbers the line numbers ONL 60200 IF FNln(i)=FNln(i+6) THEN sa=TRUE
     not the goto's etc.
                                                                                       :REM catch multiple statement
Y- not the goto's etc.
60010 DEF FNIn(n)=PEEK(n)+256*PEEK(n+1)
60020 REM iy:=IY Z80 register.
60030 iy=FNIn(22)
60040 REM bs gives the base of the line-
                                                                         60220 PDKE i+1, INT(s/256)
60230 IF NOT(sa) THEN s=s+st : REM Only a
number table.
                                                                         dd st if different line number.
                                                                         60240 NEXT k
60250 END
60050 bs=FN1n(iy+30)
60060 REM find end of user program:-it ends when this renumber program is found at line no. 60000.
                                                                         60260 REM prints out some table entries
                                                                         to show structure.
60270 bs=FNIn(FNIn(22)+30)
60280 PRINT " line no.
60070 i=bs+6
60080 j=0
60090 IF FNln(i)=60000 THEN GOTO 60140
                                                                                                     line no. source code o
60100 j=j+1
60110 REM j holds number of lines.
60120 i=i+6
60130 GDTO 60090
60140 s=100 :REM s:=starting l
                                                                         60290 PRINT TAB(16): "pointer
                                                                         60295 FOR i=1 TO 40:PRINT CHR$(129)::NEX
                                                                         50.295 FOR 1=1 TO 405 PRINT CHR$(1:

T i: PRINT

50.300 FOR i=bs TO bs+18*6 STEP 6

60.310 FOR j=i TO i+5

60.320 PRINT PEEK(j)[4];

60.330 NEXT j
                           :REM s:=starting line no
                            :REM st:=stepsize
60160 SE-10 :REM sti=stepsize
60170 FOR k=1 TO j
60180 sa=FALSE :REM sa:=samelinenumber
60190 i=bs+6*k
                                                                         60330 NEXT j
60340 PRINT
60350 NEXT i
                                                                         40340 END
```

#### Brain Man. 1 REM 2 REM \*\* BY RORY STAFFORD REM 4 REM \*\* 7,1983 14 REM \*\* SET UP FOR GAME 15 FUT31,23,72,22,3,15: PRINT "DO YOU WA NT INSTRUCTIONS ?":CLOSE £10: DPEN £10. 16 GET £10.A\$: IF A\$="y" GOSUB Z000:GOTO IF ASC(A\$)=0 DR A\$<>"n" GOTO 16 18 GOSUB 2210 20 PUT 31: SC=0: SF=10: E(1)=1104: E(2)= 1496 50 E(3)=1112: E(4)=1490: FR=1:CH=98: RAN DOMIZE 49 REM \*\* START GAME 50 GOSUB 600 56 IF R<>2 THEN PUT 22,6,19: PRINT SC+SF 60 GOSUB 100 80 GOTO 56 99 REM \*\* PLAYER MOVEMENT GET 99 KEM \*\*\* PLAYER MUVEMENT GET 100 GET £10, M\$: IF ASC(M\$)=0 THEN 160 120 IF M\$="n" THEN D=1 130 IF M\$="m" THEN D=1 140 IF M\$="a" THEN D=-64 150 IF M\$="z" THEN D=64 159 REM \*\* PLAYER MOVEMENT CONTROL 160 FG=PP+D: IF PEEK(FG)=128 THEN D=0 170 IF PEEK(FG)=109 THEN SF=SF+10 180 IF PEEK(FG)=110 THEN SF=SF+10: CALL 190 IF PEEK(FG)=115 THEN 1000 195 IF CH=98 THEN CH=106: GOTO 200 196 CH=98 200 IF PEEK(PP+D)=243 GOSUB 760: GOTO 10 210 POKE PP.32: PP=FP+D: POKE PP.CH 220 IF PP=1295 THEN POKE PP.32: PP=1306: IF PEEK(PP)=109 THEN SF=SF+10: GOTO 23 0 225 IF PP=1307 THEN POKE PP,32: PP=1296: IF PEEK(PP)=109 THEN SF=SF+10 230 IF SF>=800 AND PP=1296 OR SF>=800 AN D PP=1306 THEN FR=FR+1: SC=SC+SF: SF=10 :GOSUB 600 :80508 500 239 REM \*\* MONSTER MOVEMENT 240 CALL 62399,M: IF M<5\*50 249 REM \*\* NOT ENERGIZED MK5\*50 THEN 369 249 Ken \*\* NOT EMERGIZED 250 PC=115: MM=DM 260 IF PP<PM-8 THEN DM=-64: GOTO 300 270 IF PP>PM-B THEN DM=64: GOTO 300 280 IF PP<PM THEN DM=1 300 IF PEEK(DM+PM)<>128 THEN DM=MM: GOTO 350 IF ABS(DM)=64 THEN DM=SGN(RND-.5): G 0T0 340 330 IF ABS(DM)=1 THEN DM=SGN(RND-.5)\*64 330 IF ABSTORY I THEN 330 17 ABSTORY 340 MM = DM: GOTO 300 349 REM \*\* MOVE MONSTER 350 IF PEEK(PM+DM)=CH THEN 1000 340 GDTD 580 349 REM \*\* ENERGIZED 370 PC=243: IF GG<>1 THEN MM=DM\*-1: GG=1 375 MM=DM 375 MM=DM 380 IF PP<PM-8 THEN DM=64: GOTO 420 390 IF PP>PM+8 THEN DM=-64: GOTO 420 400 IF PP<PM THEN DM=1 410 IF PP>PM THEN DM=-1 420 IF PEEK(DM+PM)<>128 THEN 450 430 IF PEEK(MM+PM)<>128 THEN DM=MM: GOTO

440 IF ABS(DM)=64 THEN DM=SGN(RND-.5): G DTD 446

```
445 IF ABS(DM)=1 THEN DM=SGN(RND-.5)*64
446 MM=DM: GOTO 420
449 REM ** MOVE MONSTER
450 IF PEEK (PM+DM) = CH GOSUB 750: GOTO 10
580 IF PM+DM=1295 THEN POKE PM, DW: GOTO 590
585 IF PM+DM=1307 THEN POKE PM.DW: PM=129
  590 POKE PM, DW: PM=PM+DM: DW=PEEK(PM): P
590 PURE PM,DW: PM=PM+DM: DW=FEEK(PM): P

DKE PM,PC

595 RETURN

597 REM ** DRAW MAZE ROUTINE

598 REM ** WHEN TYPING IN USE AN INVERSE

599 REM ** SPACE INSTEAD OF EACH S.

600 IF FR>1 THEN GDSUB 2300

403 IF FR=5 THEN 800
A05 PUT 31,22,1,5
610 PRINT TAB(14); "SSSSSSSSSSSSS"
620 PRINT TAB(14); "SMMMMMMMMMMMM"
630 PRINT TAB(14); "SMSSSMSSSSSS"
640 PRINT TAB(14); "SMSMMMMMMMMS"
650 PRINT TAB(14); "SMSMSMMMMMMSMS"
650 PRINT TAB(14); "SMSMSSMSSMSSMS"
640 PRINT TAB(14); "SmSmSmmmSmSmS"
670 PRINT TAB(14); "mmmmmSmmmmm"
700 D=0: PP=1621: PM=1301: DW=128: POKE
 PM,115: POKE PP,CH: MK=0
710 FOR T=0 TO 5-FR
720 POKE E(T),110
 730 NEXT T
735 PUT 22,1,19: PRINT "SCORE";SC+SF;TAB
(12);"FRAME";FR:"HI-SCORE";HS:PRINT "PR
ESS ANY KEY"
736 GET £10,L: IF L=0 THEN 736
740 PUT 22,1,20: PRINT "
  RETURN
 749 REM ** CATCH MONSTER
750 POKE PM, DW: H=PM+DM: IF DW=109 THEN
 SF=SF+10
 755 POKE H,170: BOTO 770
760 H=PP+D: POKE PP,32: IF PEEK(H)=109 T
 HEN SF=SF+10
HEN SPESS 110
745 POKE H, 170
776 FOR T=1 TO 75: NEXT T: POKE H, 32
775 SC=SC+100
786 PP=PP+D: PW=128: PM=1301: MK=MK+1: D
M=44: RETURN
799 REM ** WIN
800 FOR T=1 TD 200; NEXT T
810 PUT 31,22,1,14
820 PRINT "YOU HAVE CLEARED ALL THE FRAM
 830 PRINT "YOU SCORED ":SC
840 GOTO 1040
840 GOTO 1040
1000 POKE PM,32: FOR T=136 TO 141: POKE
PF,T: FOR TT=1 TO 70: NEXT TT: NEXT T:
POKE PP,32: FOR T=1 TO 200: NEXT T
1010 PUT 31,22,1,14
1020 PRINT "YOU HAVE BEEN KILLED,"
1030 PRINT "YOU SCORED ":SC+SF
1040 IF SC+SF/HS THEN PRINT: PRINT "YOU
GOT THE HIGH SCORE!!": HS=SC+SF
1050 PRINT: PRINT "PLAY AGAIN?": GET £10
U
 1055 GET £10,A$; IF ASC(A$)=0 THEN 1055
1060 IF A$="n" THEN 1070
1065 IF A$="y" THEN 20
1065 GOTO 1055
1070 PUT 31,22,1,14: PRINT" GOOD-
                                                                                     GOOD-
 BYE"
1080 CLOSE £10: END
```

#### **Brain-Man**

A version of the popular Pacman game is provided by Rory Stafford. The maze has been simplified, and only one monster is used, but the game is very fast.

The program uses character set 3. Line 15 sets it with the statement

#### PUT 31,23,72

The Call at line 180 resets the system clock to zero if a power pill is eaten, and line 240 reads the value of the clock so the monster runs away during the following five seconds. This line could be changed to make the game easier to play. Lines 610 to 695 print the maze. The character listed as S should be typed as an inverse space, ASCII 128, by pressing Graphics = .

```
1999 REM ** INSTRUCTIONS
2000 PUT 31
2000 PUT
2010 PRINT "
2020 PRINT "
                                            NEWBRAIN PAC-MAN"
BY RORY STAFFORD"
2030 PRINT
2040 PRINT "YOU MUST MOVE THROUGH THE MA
2050 PRINT "THEM 'm'S WHILE AVOIDING THE
  MAN-FATING"
2060 PRINT "MONSTER.HE IS REPRESENTED BY
AN 's' WHEN"
2070 PRINT "YOU EAT AN 'n' YOU HAVE THE
                     "MONSTER. HE IS REPRESENTED BY
POWER TO EAT"
2080 PRINT "THE MONSTER FOR A SHORT WHIL
 2100 PRINT "YOUR CHARACTER IS A FOUR-LEG
GED BEING"
 2110 PRINT "WHO YOU CONTROL BY THE FOLLO
2110 PRINT "WHO YOU G
WING KEYS,"
2120 PRINT: PRINT "N
2130 PRINT "M
2140 PRINT "Z
2150 PRINT "A
                                                      FOR LEFT.
                                        FOR RIGHT,
                                         FOR DOWN,
2160 PRINT
2170 PRINT "YOU HAVE A CHOICE OF TWO LEV
ELS OF PLAY."
2180 PRINT "2 BEING VERY HECTIC"
2190 PRINT "WHEN YOU HAVE EATEN ALL THE
DOUGHNUTS
 2200 PRINT "YOU MUST GET TO AN EXIT. YOU
THEN GET A"

2201 PRINT "BONUS FOR EVERY MONSTER YOU
CAUGHT."
CAUGHT."
2210 PRINT: PRINT "NOW CHOOSE YOUR LEVEL
1/2 "
2220 GET £10,R$: IF R$<> "1" AND R$<> "2
"BOTO 2220
2230 R = VAL(R$): RETURN
2299 REM ** CLEAR FRAME BONUS
2300 PUT 31,22,1,16: PRINT
": CB=1602
": CB=1602
2350 FOR T=CB TO CB+10+MK: POKE T,CH:FOR TT=1 TO 70: NEXT TT
2360 IF CH=98 THEN CH=106: GOTO 2380
2370 CH=98
2380 POKE T,32: NEXT T
2390 PUT 22,1.17: PRINT "BONUS":MK*100: SC=5E+MK*100
2400 FOR T=1 TO 300: NEXT T: RETURN
```

# trendtext

# Bringing word processing out of the Stone Age



# eet the fa

## Minstrel + TurboDOS

the marriage of reliability and versatility



#### **Minstrel**

The Minstrel is an exciting new British micro-computer and offers Winchesterbased systems at fantastically low prices. The range extends from single-floppy singleuser CP/M systems right up to a 68000-based model and includes an 8086-based range.

The Minstrel is compatible with the North Star Horizon and offers a superior alternative at a much better price.

There is a network of Minstrel dealers in the UK and Europe. Contact us for the name of your local dealer. Dealer enquiries invited.

#### **\$100 bus**

The amazing versatility of the Minstrel is due to the bus used: the \$100 bus. This bus system is not only future-proof—the future is created on the \$100 bus. Every major microcomputer development appears first on the \$100 bus. Now over 150 manufacturers make \$100 products and their combined range approaches 1000 boards.

**Hotel MicroSystems** 

69 Loudoun Road, London NW8 0DQ

national

telex


01 328 8737 international +441 328 8737



## One machine – eight computers

Yes! Inside the Minstrel microcomputer illustrated there are actually 8 Z80A single-board computers. One is dedicated to each user of the system resulting in astonishing performance. A ninth processor controls central disk storage and printers.

TurboDOS provides sophisticated spooling for multiple printers, supports 1000Mb disk drives and 128Mb files, and employs powerful disk buffering techniques.



## **TurboDOS®**

## CP/M COMPATIBLE MULTI-USER OPERATING SYSTEM

TurboDOS is a popular high-performance multi-processor operating system. Each user has their own slave processor board (illustrated above). TurboDOS systems have been shown to out-perform mini-computers in the DEC PDP11/34 class at a fraction of the hardware cost.

TurboDOS is compatible with CP/M, the industry standard operating system, which means you have access to a vast range of off-the-shelf software.

The next development to TurboDOS on the Minstrel allows you to connect systems together via a Local Area Network.

#### **ASTONISHING PRICES!**

Minstrel with two 400Kb floppy drives £1790. With 1 400Kb drive and 5Mb Winchester £2615.

A sample 2-user TurboDOS system including:

Minstrel

- 1 800Kb floppy
- 1 5Mb Winchester
- 2 slave processor cards
- 2 KDS7362 VDU's (illus)
- 1 Epson printer

ONLY

£5420

A sample 5-user TurboDOS system including:

Minstrel

- 1800Kb floppy
- 1 20Mb Winchester
- F along winteriester
- 5 slave processor cards
- 5 KDS7362 VDUs (illus) 1 Epson printer
- 1 OKI 84 printer

ONLY

£9850

#### BRAND NEW FROM THE USA FOR THE MICRO ON THE MOVE Computer Carrying Cases provide the protection that you need. Padded with high density foam to cushion your computer during transit. Finished in tough, steel grey Cordura nylon these cases are available for most micros including:-IBM P.C., Apple, Atari, Commodore, Sinclair and Osborne. Price for case specifically designed for Atari/Commodore Vic 20 or Vic 64 is £28-95 inc VAT & carriage. Contact us NOW for full information and details of this exciting new product. TRADE ENQUIRIES INVITED FLIP 'N' FILE DISK SAFES 10 Disk £4.99 FLIDNFILE/IS 15 Disk £6.99 25 Disk £26.99 FLIP 'N' FILE 50 Disk £35.40 15 £6.99 DISK Ideal for the home or office. Store up to 50 51/4" disks FLAT for EXTENDED LIFE. Imaginatively designed with its unique 'pop-up' feature. FLIP 'N' FILE 25 £26.99 PRINTER Min order Price ea. Microline 80/Anadex 8000, Sharp, Trend, £1.10 Commodore 4022 Prices/Box 10 Juki 6100/Brother HR1 150,000 characters 12 10 £1.25 50 100 (Pink Hub) Juki 6100/Brother HR1 580,000 characters SS SD 48TPI M11 16.10 15.20 14.20 12 £3.95 (Blue Hub) SS DD 48TPI M13 19.00 17.80 16.70 Centronics 150/Commodore 8023 £5.40 DS DD 48TPI Epson MX 80 M14 21.20 19.90 18.70 3 £4.99 Epson MX 100 3 £12.50 SS DD 96TPI M15 24.20 22.80 21.40 04862 Oki Microline 83A/84 3 £3.49 DS DD 96TPI M16 27.50 25.90 24.30 TEC F 10 3 £2.95 Qume for Sprint 3, 5, 7 multi strike £2.40 3 SS SD 26S F11 16.10 15.20 14.20 Qume multi strike for Sprint 9, 11 3 £3.95 Diablo multi strike for Diablo Hytype II 630 **DS DD 26S** 3 £2.95 27.50 25.90 24.30 BY PHONE Call us with your credit card number (Access or directly to you.

#### IT'S SO SIMPLE TO ORDER

Barclaycard) and your order will be despatched



Fill in the coupon and enclose a cheque or postal order for the total amount of your order which will be despatched immediately your payment has been processed.

NO HIDDEN

DISK DIRECT **FREEPOST WOKING, GU22 9BR** 

Description & Part Number	Price
	Description & Part Number

Our prices include V.A.T. and carriage.

Name:-

Address:-

Daytime telephone no .: -

## Hidden lines

#### **Short and Sharp**

For too long the Sharps seem to have existed in the shadow of other machines. First it was the Pets, Apples and Tandys; now it is the BBC and Sinclair machines. But perhaps the blame lies with us, the owners and users. Rather than pester the computer press with queries, articles, hints, tips and programs we have resigned ourselves to a second-rate existence in which we tell each other what wonderful micros the Sharps are, and how foolish the rest of the world is not to realise what it is missing. So now is your chance — let the contributions roll.

I have just one plea to make, and that is for brevity. Each Open File section will be at most two magazine pages long. It is very difficult to accept any contribution of more than three pages of double-spaced A4 typescript or 120 lines of listing. Material for Open File should be short and snappy. For tips and hints listings can be open and easy to follow, but for games and other programs where the result is more important than the ideas and techniques illustrated they should be as densely packed as possible.

## The null-input problem

It is perhaps best to employ input routines using the Get command, and best of all to do it in machine code. There is still a place for the humble Input, the trouble is that it is difficult to cope with a null input. If some careless and heavy-fingered user presses Return without entering anything else first, Basic kindly starts a new line with a question mark and waits for a fresh input, which makes an awful mess of a neatly formatted screen.

What is required is something the Input routine will pick up even if nothing but Return has been pressed. Moreover, if that something is unusual and distinctive, then the rest of the program can check for its existence and take whatever remedial action may be necessary.

How is this to be done? The first idea that comes to mind is to Print a special character immediately after the input prompt, then cursor left, and then to use Input "" to suppress the question mark and leave the cursor sitting on the character. For example:

PRINT "PROMPT:-\*(cursor-left)"; :INPUT""; A\$

:INPUT''';A\$ but unfortunately this does not work; the Input routine is not fooled.

IN MOST MICROS, including the MZ-80 series, each line is stored in memory in a four-part format. It begins wih a link identifying the next line's start, and is followed by the line number, the content of the line itself and the end-of-line marker, which is 0Dhex for the Sharps.

For the Sharp PC-1500 hand-held computer the format is slightly different. Each line starts with the line number, which occupies two bytes, followed by a single-bye relative link giving the length of the line's content, including the end-of-line marker. Then there is the line content and the end-of-line marker itself.

During editing the relative link tells the editor how many of the next few bytes belong to the current line, and should be prepared for display. During operation it tells the interpreter where to jump to find the next line when executing a Goto or Gosub if the current line has the wrong label or line number.

What is of interest about this is that the editor and interpreter work in rather different ways when actually reading a line. The interpreter scans and executes each line up to the end-of-line marker, Gotos, and so on excepted, and then automatically carries on, assuming the next byte is the start of the next line.

The editor, however, displays the line up to the end-of-line marker, beyond which the cursor cannot be moved, and uses the link to find the start of the subsequent line. One or more lines can be hidden from the editor, and thus from anyone Listing the program, even though it will run quite happily. This can be arranged by the simple expedient of Poking into memory a value for the previous line's link that points not to the line's own end-of-line marker but to that of the line to be hidden.

The listing shows a simple look-atmemory program before it has been nobbled in this way. Assuming no other program is in memory, line 10 starts at locations 16581/2 with the high/low byte of the line number, and 16583 holds 31, the number of bytes up to and including the end-of-line marker, which is at 16614. Line 15 begins at 16615, and 16617 holds 15, the number of bytes up to its end-ofline marker at 16632. The total number of bytes from the line 10 link at 16583 up to the line 15 end-of-line marker at 16632 is 49. If 49 is Poked into 15583, line 15 apparently disappears. If some unscruplous person deletes line 10, then line 15 actually dissappears and the program does not run properly any more.

"Look-at-memory" program.

PEEK ML
30: PRINT P;" ";M
L;" ";CHR\$ P;
" ";:CURSOR 0
40: NEXT A
50: PRINT "THE END
":END

The next idea involves Printing a new line of cursor-rights over the input prompt, ending up on the character:

PRINT "PROMPT:-\*":PRINT"(cursor-up; nine cursor-rights)";: INPUT "";A\$

which does work, but is rather laborious in a general input routine designed to handle any input anywhere on the screen. And maybe the user will not want confusing characters at the start of each input field.

But these two objections can be dealt with. First, the X,Y co-ordinates of the position on the screen of the beginning of the input field can be found by Peeking 4465 and 4466 just before the Input statement. The top line and the left-most column are zero. These co-ordinates enable the special character to be Printed—or, preferabley, Poked—into that position. Rather oddly the character with

the display code 240, which appears to be a space, is not a space at all so far as the input routine is concerned. Instead, it is ASCII character 197 — the left-most line character with the display code 113. So, if it is Poked into place at the start of the input field, and not overwritten by any key press, it is picked up as the input. The form is:

PRINT "PROMPT:- ";:POKE 53248 + PEEK(4465) + 40 \* PEEK(4466), 240:INPUT "";A\$

where 53248 is the start of the screen memory. This provides both a user-invisible first line of defence against the careless key presser and the means, via a check for the input having the ASCII Code 197, to initiate remedial action. Do not forget to Poke 10167,1 to remove the Peek protect.

## **Graph plotter**

```
1 'THIS IS JÜNGRAF/OD1 VA STARTED
17.12.81 A5 A MOBILE BRAPH, I.E. TO
SHOW GRAPH DF UNLIMITED NUMBERS OF
DATA
4
DATA1, 2, 3, 4, 5, 6, 9, 12, 15, 19, 23, 20, 19, 2
0, 21, 22, 23, 26, 28, 30, 35, 36, 37, 37, 37, 36, 3
5, 34, 32, 30, 28, 27, 26, 25, 24, 23, 21, 19, 17, 1
5, 14, 14, 15, 16, 17, 19, 21, 24, 27, 31, 35, 40, 4
4
5
DATA43, 42, 42, 42, 42, 41, 41, 41, 41, 40, 40, 39, 39, 38, 36, 37, 36, 35, 37, 36, 35, 35, 37, 40, 41, 42, 44, 43, 42, 40, 41, 39, 40, 41
6
DATA41, 42, 41, 43, 42, 41, 40, 59, 39, 38, 37, 37, 37, 36, 35, 37, 36, 35, 37, 36, 35, 37, 30, 31, 32, 33, 32, 32, 31, 31, 30, 29, 29, 28, 27, 26, 28, 25, 24, 23, 22, 22, 22, 22, 22, 22, 22, 23, 24, 24, 26, 25, 26, 24
7
DATA24, 23, 22, 21, 19, 18, 17, 16, 15, 14, 13, 12, 11, 11, 10, 10, 10, 9, 9, 9, 9, 8, 8, 8, 8, 8, 7, 7, 7, 7, 7, 7, 7, 7, 6, 6, 6, 6, 6, 6, 6, 6, 6, 5, 5, 5, 5, 5, 5, 5, 5, 5, 6, 7, 3, 11, 11, 12, 13, 14, 12, 13, 11, 12, 11, 11, 12, 13, 14, 12, 13, 11, 12, 11, 11, 12, 13, 14, 15, 16, 16, 17, 17, 17, 17, 17, 17, 17, 18, 19, 19, 20, 20, 20, 20, 20, 20, 21, 21, 21, 21, 21, 21, 21, 22, 23, 23, 23, 0
```

```
10, "30"::PRINT@915, "4G"::PRINT@920, "50"
::PRINT@925, "60"::PRINT@930, "70"::PRINT@935, "80"::
210
PRINT@940, "90"::PRINT@944, "100";:PRINT@949, "110"::PRINT@954, "120";:
230 ' ************ LINES 50 TD 52
PRINT THE HURIZONTAL AXIS

250 PRINT@961, 63*+65*+65*+63*;
270 4EAD D(X):IF D(X)=0 THEN 290 ELSE
D(X)=D(X)+3:X=X+1:60TD 270'
d(X)-d(X)+3 - this is to get the 'dot'
into the correct obsition on the graph
290 X=0:Z=0
310 IF X=128 THEN Xi=X1+1:GDTD 370
330 SET(X, (51-D(Z)))
350 X=X+1:Z=Z+1: IF D(Z)=0 THEN 510
ELSE 510
370 I**INKEY*:IF I**" THEN 370:
390 X=0
430 RESET (X, 51-D(Z-128)):IF D(Z)=0
THEN 530 ELSE SET(X, 51-D(E)):Z=Z+1
470 X=X+1:IF X):Z7 THEN 490 ELSE 430
490 X1=X+1:GOTD 370
530 Z=Z-1:FDR A=X-1 TO
127:RESET(A, 51-D(Z-128)):Z=Z+1:NEXT
550 FDR X=1 TO 4:FDR Y=1 TD 100
570 PRINT@31, "End":
590 NEXT Y
510 PRINT@31, "STRING*(3, 32)::NEXT X
530 PRINT@31, "End":
550 GDTO 650
60023 LLOSE*CLS:PRINT@470, "S D B D
Y E ":SAVE"JONGRAF/OO1:1":END
```

AN ALMOST unlimited number of points can be plotted as a simple line graph using this program. The data can be filed on either tape or disc or in Data program lines, and the number of items of data can be almost unlimited. When the program is run it first draws the X and Y axes with appropriate markers followed by the first 128 items of data. When you press the space bar, the next 128 items of data are drawn and the previous line is erased.

10 CLS:CLEAR 500:DIND(500)

Successive sections of the graph will thus be drawn until all the items of data are exhausted. The end of the data in the program is indicated by a zero.

Lines 4 to 8 contain a specimen set of data and have no other significance. Your own data is entered here or elsewhere if you are using Data program lines. The data is actually read in line 270 as a variable D(X). If necessary you could insert a file opening and reading routine.

#### **Code Breaker**

29 1 29 1

Keith Blount of Northampton has sent in a program which he calls Code Breaker. It is a logical puzzle very much after the style of the well known Mastermind game. Mr Blount tells us very little about the rules as instructions are included in the program. Part of the puzzle is to decide how the rules work: don't be put off, just use your head to work it out.

```
1 '************..CDDE BREAKER BY MEITH
BLODNT 15/08/83
2 '*****..INITIALIZE
3
CLS:CLEARIOG:RANDOM:DEFSTRA-F:DETINTG-Z
:V=207
4 '
5 '**************.....SET UP SCREEN
6
7
PRINTSTRIAGE(64,143);:PRINTTAB(45)"CODE
BREAKER":PRINTTAB(61"ROUND
"::5DRX=OTDS:PRINTCHRE(143)"
"::NEXT:PRINTTAB(42)"Select 4
digits":PRINTTAB(42)CHRE(34)CHRE(53)"
"CHRE(94)CHRE(34)"Moves cursor
8 PRINTTAB(42)CHRE(34)"EMTER"CHRE(36)"
for result":PRINTTAB(42)"* = Correct
digit":PRINTTAB(42)"* = Correct
digit":PRINTTAB(42)"* = Correct
costion":PRINTTAB(42)"* = Correct
costion":PRINTTAB(42)"* = Correct
digit":PRINTTAB(45)"* = Wrond digit
9
PRINTSTRINGS(54,143):PRINTSTRINGS(64,18
8):Y=155::FORX=1TGS:PRINTGY, X::Y=Y+64:
NEXT:FORY=CTO42:SET(0,Y):SET(127,Y):1FY
(56:SET(80,Y))
10 '
```

NEXT:FORX=OTD3:F(x)=RIGHT\*(SYR\*((RND(10

```
15 '****...SET VARS. FOR MAIN ROUTINE
16 '.
17 FORX=OTOS:E(X)=F(X):D(X)="
":U(X)=V:V=V+2:NEXT:Z=0:V=V+4
18 '

19 '****...SCAV KEYS AND FLASH-DURSOR
20 '
21 A=INKEY*:IFA="":Y=Y+1:IFY(STHENDISLSEPRINGE(Z),D(Z);
22 IFA="":A=INKEY*:Y=Y+1:IFY(32THENZQSLSEPRINT@U(Z),DHR*(140);
23 '

24 '***...SET PROMPT MESSAGE AND
TEST FOR "ENTER"
25 '
26 Y=0:FORX=OTOS:Y=Y+(D(X)="
"):NEXT:IFY=O:PRINT@842,"Press
"DHR*(54)"EVTER"CHR*(54)" to have this
```

cecoded";:IFA=CHR\$(13)60SUB44:60T035

28 ' .... TEST FOR AND ACTION INPUT

```
ITA=""THEX2)ELSEIFASD(A)=BANDZ=(7:505UB
44:Z=2+1ELSEIFASD(A)=BANDZ)=ITHEXGOSUBA
4:Z=2-1ELSEIFA("0"0"A) "9"THEN2!ELSED(Z)
-A:PRINTRU(Z), A::IFZ=(2THEN2=Z+1)
31 GDTD21
32 :

33 '****...DECODE AND TEST FD? SUCESS
GR SAILURE
34 '
":D(X)=" ":E(X)=""
35
F="":FDRX=OTO3:IFD(X)=E(X)THENP=F+**
":D(X)=" ":E(X)=""
36
NEXTX:FORY=OTO3:FDRX=OTO3:IFD(Y)=E(X)THENP=F+**
":D(X)=" ":E(X)=""
37 NEXTX:NEXTY:PRINTRU, LEFT*(F+"...
".8):Y=Y=Y=D:INTREA2, GTRING*(40,32);
"TET+1:IFMID*(F*,7,1)="*"THEN4:ELSEIFT*
38 '
39 '****...DISPLAY SUCESS OR FAILURE
- WAIT TO RESTRAT GAME
40 '
41 PRINTREA34, "*** YOU WIN WELL DONE
*** * OTESS ANY MEY to start again
***,
42 A=INKEY*:IFA=""THEN42ELSE:
43 PRINTREA34, "The code was "F(0)"
"F(1)" "F(2)" "F(3)" ** (Press any
key to restart)";:GDTO42
44 PRINTRU(Z),D(Z)::RETURN
```

#### Microline 82A and 83A

High quality and performance as well as an attractive price are key features of these printers. Built on a moulded aluminium plate and driven by 2 motors.

These printers can work almost without limitation, as the printhead's design allows for over 200 million characters to be printed. The short line logic seeking printing speed is rated at 120 cps. The carriage width allows for the printing of 80 characteres (model 82A) and 136 characters (model 83A).

Character sets for several languages and graphics printing are slandard features of these printers as well as the processing of various paper types.

The interfaces provided allow for parallel or serial data transfer – butfered or unbutfered – from most popular desktop computers and widely-used PCs.



MICROLINE - more than 150. 000 printers in Europe in use.

OKI ELECTRIC EUROPE GmbH Emanuel-Leutze-Str. 8 · D-4000 Düsseldorf 11 Telefon 02 11/59 20 31 · Telex 8 587 218

PC

U.K. X-Data Ltd. F-705/751 Deat Avenue Trading Estate. Stough Berkshire SLI 4SH Tel: 0044-753-72331 Tlx: 051-847728

#### COUPON

Please send me/us more information to:

MICROLINE 82 A

MICROLINE 83 A

☐ The whole MICROLINE program

Street

City

Phone

### Ultra-fast BeeBASE-



## A machine code database in EPROM (for the BBC Micro) for £45.94\*



GCC (Cambridge) Limited 66 High Street, Sawston, Cambridge CB2 4BG Telephone: Cambridge (0223) 835330

- Up to 25 user-defined fields
- Up to 250 characters in each field
- More than 16K of RAM available for storage (unlimited capacity when used with disk or tape).
   Extremely fast SEARCH, EDIT, and SORT facilities.
- SEARCH commands include:
   FIND and EXCLUDE can be used on up to ten
   consecutive searches. Enables data to be extracted
   which meets ALL of the given FIND and EXCLUDE
   commands. Provides extremely selective data
   extraction.
- Extracted data can be SORTed on any field.
- EDIT enables records to be deleted or amended (shortened or lengthened).
- An ASCII file of extracted and sorted data can output to disk or tape for storage or further editing by a word processing package (such as Wordwise).
- Includes demonstration cassette which also contains a selective printing program.

Order today - Access and Visa welcomed.

\*(Price includes VAT - p&p £1)

Trade and local authority enquiries welcome.

Price correct at time of going to press.





Circle No. 203



rather indicates from the start who is likely character and the victims as <, which symbolism in denoting the good guy by a > later in the game. There is a curious some of its other aspects become apparent and firing controls on different joysticks; humour not least in placing the movement Switzerland. He displays his sense of submitted by Mr D Turnbull of Vaud in over a scrolled mountain terrain has been game with dodging targets approaching A SMALL Joystick-controlled aiming

by typing: On line 8 a literal / is coded. It is entered to get the better of the scrap.

8 DS\$ = "Ctrl-x

last character. A simpler alternative is to Esc-I, copy to the end of line and add the pressing Return. To get the final quote, at which point the line is terminated by

first option to work at all. than is reasonable about what causes the instead. I have been puzzling for far longer 8 D22 = CHB2(65)

format, the addresses being held as Pi, Du standard Poke pitch, Poke duration, Call

and No. The sound routine in lines 4 and 5 is a

ATAG 28

RETURN
HTGB 1: VTGB X: PRINT " "

TF PDL (1) < 20 THEN X = X -OX = X = 19284) = 190 THEN " TNIRG :XO BATV :1 BATH "<" TNIRG :1 BATH :X BATV X = X CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1) (CEN( 0'Z \* (X - 1) + 1) + 1) (CEN( 0'Z \* (X - 1) + 1 + ((1 - X) \* Z'0 )NHOS BO I (-19284) = 146 1HEN BEEK ( - 19284) = 129 THEN RETURN LHEN 86
15 N# < > "1" AND N# < > " 1 EOB 10ASLICKS .. 1: BE1 EASH HIT A KEY"; GET A\$

PRINT: PRINT "
PRINT PRINT PRINT "
PRINT 102 100 EASE HIT A KEY";; GET AS 98 PRINT: PRINT "SCORE AD IRECT PRINT: PRINT "SCORE A DIRECT ON OPE OF THE SCHECK, SO PRINT: PRINT "SCORE A DIRECT PRINT: PRINT "SCORE A DIRECT ON ONE OF THE SHIPS."

92 PRINT: PRINT "CHANCE IS TO SPRINT: PRINT "COSTS YOU SO PRINT: PRINT "SCORE A DIRECT ON THE SCHECK, THE SCHIPS, PRINT: PRINT "SCORE A DIRECT ON OF THE SCHECK, THE SCHIPS, PRINT: PRINT "SCORE A DIRECT ON THE SCHIPS, PRINT "SCORE A DIRECT ON THE SCHIPS, PRINT: PRINT "SCORE A DIRECT ON THE SCHIPS, PRINT "SCORE A DIRECT "SCORE A PRINT: PRINT: YOU ARE THE PRINT: PRINT: PRINT: PRECOUALSSANCE CRAFT : PRINT: "MECONALSSANCE PRINT: P 

(aSpd ixau uo panuiiuos)

## 

ON	
POKE PI, 240: POKE DU, 255: CALL	
MO: FOR 7 = 1 10 100: MEX1 :	
FORE DU, 255: POKE PI, 255: CALL	82
NO DOKE B1,240: POKE DU,255: CALL POKE P1,255: CALL POKE P1,255: CALL NO: FOR DU,255: CALL NO: FOR DU,255: CALL NO: FOR DU,255: CALL NO: FOR DU,255: F	
I = 1 10 S; CALL NO; FOR J =	
POKE DU, 255: POKE PI, 240; FOR	28
I TO 100: NEXT 1, I	
I = 1 TO Z; CALL NO: FOR 3 =	
BOKE BI'STR: BOKE DN'S22: EOB	
NO: FOR J = 1 TO 100: NEXT:	
POKE PI, 204: POKE DU, 255: CALL	18
1 TO 100: NEXT J, I	
POKE P1, 240; POKE DU, 255; FOR 1 TO 100; NEXT J, 1 POKE P1, 2504; POKE DU, 255; CALL NO; FOR J = 1 TO 100; NEXT ;	
POKE P1,240: POKE DU,255: FOR	OB
RESTORE : 6010 2	61
And the sent set and the set at	
FI, I: POKE DU, 40: CALL NO: NEXT	-
FOR I = 250 TO 1 STEP - 5: POKE	BZ
JS., SAW II	
" INING = (1 + (0000) + (1)	
MIGHT HOVE BEEN "( INI ( BND)	
PRINT: PRINT " YOUR SCORE  MIGHT HAVE BEEN "( INT ( RND  IT WAS "SC  FOR I = 250 TO 1 STEP - 5; POKE	26
MILL BE SENT TO YOUR FAILT." FOR I = 250 TO 1 SIEP - 2: POKE FAMILY."	
THE THE DIE THE STEEL OF THE MEXT	94
- 1771UH4	72
WILL BE SENT TO YOUR	
PRINT : PRINT " CONSOLATIONS	SZ
CHART MANAGE A THICK . THICK	32
PI, I: POKE DU, 20: CALL NO: NEXT	
FOR I = 250 TO I STEP - 5: POKE	74
3,00	
n EXPERIENCED	
EGRET THE SLIGHT ACCIDENT YO	
PRINT : PRINT : PRINT " WE R	12
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
666 6 6" CALL NO: CALL NO: NEXT	
FOR I = 250 TO 1 STEP - 5: POKE	27
99 9 999 9 9 9 9 9 9888 8888 9	
ම ම ම ව ව ව ව සම්බන මිනිමට ව	
0000 0000 0	
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
ତ ତ ତ ତ ତ ଓ ବ୍ରେମ୍ବର ବ୍ରେମ୍ବର	
0 6 66669 6666	11
	17
905 6 6 6 6 666 905	
9999 9 9 9 9	
9999 9 9 9	
9 9 9 99999 9	
6 66666 6	
6 66666 6	07
6 66666 6	02 69
6 66666 6	02 69 89
RETURN HOME: GOSUB BO PRINT " GOSUB BO G GOOGG G G	02 69 89 29
50 = 20 - 1 КЕТИКИ 600 6 6 6 6 60000 60 6	02 69 89 29
50 = 20 - 1 КЕТИКИ 600 6 6 6 6 60000 60 6	L9
50 = 20 - 1 КЕТИКИ 600 6 6 6 6 60000 60 6	L9
€ 66666 6 66666 6 66666 6 6 66666 6 6 6666	49 99
€ 66666 6 66666 6 66666 6 6 66666 6 6 6666	L9
FOR J = I TO SO - I:NX(J) = N  X(J + I):NY(J) = NY(J + I):O  SC = SC + IOO  SC =	∠9 99 59
TUIR9 : (1) YN BATH : (1) XN GATV " " " " " " " " " " " " " " " " " " "	49 99
: NEXT: THEN WY(I): FRINT  WERN WY(I): HTAB WY(I): PRINT  WEN WAR WAN WAN  FOR J = I TO SO - I:WX(J) = WY  FOR J = I TO SO - I:WX(J) = WY  FOR J = I TO SO - I:WX(J) = WY  FOR J = I TO SO - I:WX WAN  FOR J = I TO SO - I:WX WAN  FOR J = I WAN  FOR	∠9 99 59
(1) * 45: FORE DU,5: CALL NO.  'NENT 'NEXT  FOR J = 1 TO SO - 1:NX(J) = N (X + 1):OY(J) = N (X + 1):OY(J) = DY(X + 1):OY	29 99 59 69
E GEGEGE  (1) * 43: PORKE DU, 5: CALL ND  (1) * 43: PORKE DU, 5: PRINT  (1) * 43: PORKE DU, 5: PRINT  (1) * 43: PORKE DU, 6: PORKE ND  (1) * 43: PORKE DU, 6: PORKE ND  (1) * 43: PORKE DU, 6: PORKE ND  (1) * 43: PORKE PU, 6: PORKE ND  (1) * 43: PORKE PU, 6: POR	∠9 99 59
FOR J = 1 TO 2S: POKE P1, RND  (1) * 43: POKE DU, 3: CALL NO  (1) * 43: POKE DU, 3: CALL NO  (1) * 10 * 10 * 10 * 10 * 10 * 10 * 10 *	29 99 59 69
FOR J = 1 TO 2S: POKE P1, RND  (1) * 43: POKE DU, 3: CALL NO  (1) * 43: POKE DU, 3: CALL NO  (1) * 10 * 10 * 10 * 10 * 10 * 10 * 10 *	29 99 59 69
FOR J = 1 TO 2S: POKE P1, RND  (1) * 43: POKE DU, 3: CALL NO  (1) * 43: POKE DU, 3: CALL NO  (1) * 10 * 10 * 10 * 10 * 10 * 10 * 10 *	29 99 59 69
74AB X: HTAB Z: PRINT HID* ( 244,1,NY(1) - 2): VTAB X: HTAB Z: PRINT HID* (50.4,1,NY(1) - (2) (2) (3) (4) (4) (4) (4) (5) (5) (1) (6) (1) (6) (1) (7) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	29 99 59 49 29
FEILURN  VIRB X: HTRB Z: PRINT MID* (  Z: PRINT MID* (S1*, I,VY(I) - Z): VTRB X: HTRB  X: SO = SC + 100  X: (J + 1): WEXT J  X	29 99 59 69
MIDE (61*,1,38)  MIDE (61*,1,38)  VIAB X: HTAB Z: PRINT MIDE ( Z)  SH\$,1,NY(1) - Z): VTAB X: HTAB Z: PRINT MIDE (50.,1,NY(1) - Z): VTAB X: HTAB  (1) * 43: POKE PU, 3: CALL NO (1) * 43: POKE PU, 3: POKE PU, 3: CALL NO (1) * 43: POKE PU, 3: POKE PU, 3: CALL NO (1) * 43: POKE PU, 3: P	29 99 59 49 29
## 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	29 59 59 59 59 29 29
## WITHER 2: PRINT MID# (  ###,1,789: VTRB X: HTRB 2: PRINT  ## MID# (5.2*,1,38)  ## MID# (5.3*,1,38)  ## MID# (6.3*,1,38)  ## MID# (6.	29 99 59 49 29 29 79
VIENT X. HTAB Z: PRINT MID\$ ( WEXT  BH\$1,58): VARB X: HTAB Z: PRINT  MID\$ (624,1,58)  MID\$ (624,1,58)  RELURN  VARB X: HTAB Z: PRINT MID\$ ( X: PRINT MID\$ (524,1,0V(1)) - X: PRINT MID\$ (524,1,0V(1)) - X(1) = 1 TO 25: POKE PI, RND  (1) * 45: POKE PI, ST  (1) * 45: POKE PI, ST  (1) * 45: POKE PI, ST  (1) * 47: POKE PI, ST	29 59 59 59 59 29 29
THEN 62  WEXT  WEXT  WITH THER 2: PRINT HIDE (314,1,38)  HIDE (314,1,38)  HIDE (314,1,38)  ATHER X: HIDE S: PRINT HIDE (314,1,38)  Z: PRINT HIDE (314,1,0Y(1) - 2): VTRE X: HTRE Y: HT	29 99 59 65
POR 1 = 1 TO SO: IF NX(I) = X  HEXT  WEXT  WEXT  WEXT  WIRE (53*,1,58)  WIDE (53*,1,58)  WI	29 99 59 49 29 29 719 09 65
THEN 62  WEXT  WEXT  WITH THER 2: PRINT HIDE (314,1,38)  HIDE (314,1,38)  HIDE (314,1,38)  ATHER X: HIDE S: PRINT HIDE (314,1,38)  Z: PRINT HIDE (314,1,0Y(1) - 2): VTRE X: HTRE Y: HT	29 99 59 65
POR 1 = 1 TO SO: IF NX(I) = X  HEXT  WEXT  WEXT  WEXT  WIRE (53*,1,58)  WIDE (53*,1,58)  WI	29 59 59 59 59 29 29 29 29 45
SC = SC - 10  IF SO = 0 THEN RETURN  FOR I = 1 ID SO: IF NX(I) = X  NEXT  NEXT  NEXT  NEXT  NIB NX: HTAB Z: PRINT HID\$ ( SH*,1,38): VTAB X: HTAB Z: PRINT  NIB X: HTAB Z: PRINT HID\$ ( SH*,1,38): VTAB X: HTAB	29 99 59 59 59 29 79 19 09 65 85 25 95
SC = SC - 10  IF SO = 0 THEN RETURN  FOR I = 1 ID SO: IF NX(I) = X  NEXT  NEXT  NEXT  NEXT  NIB NX: HTAB Z: PRINT HID\$ ( SH*,1,38): VTAB X: HTAB Z: PRINT  NIB X: HTAB Z: PRINT HID\$ ( SH*,1,38): VTAB X: HTAB	29 99 59 59 59 29 79 19 09 65 85 25 95
SC = SC - 10  IF SO = 0 THEN RETURN  FOR I = 1 ID SO: IF NX(I) = X  NEXT  NEXT  NEXT  NEXT  NIB NX: HTAB Z: PRINT HID\$ ( SH*,1,38): VTAB X: HTAB Z: PRINT  NIB X: HTAB Z: PRINT HID\$ ( SH*,1,38): VTAB X: HTAB	29 99 59 59 59 29 79 19 09 65 85 25 95
IF SO = 0 THEN RETURN  FOR I = 1 ID SO: IF NX(I) = X  HEN 62  SH*,1,38): VIBB X: HTAB Z: PRINT HID\$ ( SH*,1,38): VIBB X: HTAB Z: PRINT HID\$ ( SH*,1,38): VIBB X: HTAB	29 99 59 59 59 29 79 19 09 65 85 25 95
FOR I = 1 TO 100 STEP S: PORE  PI, I: POKE DU, 5: CALL NO: NEXT  SC = SC - 10  THEN 62  THEN 62  THEN 62  TOR 1 = 1 TO 50: PRINT HID\$ (  X(J) = 10 X(J + 1): NY(J) = NY(J + 1): OY(J) = NY(J + 1): OY(J + 1)	29 99 59 49 29 29 19 09 65 85 25 95
FOR I = 1 TO 100 STEP S: PORE  PI, I: POKE DU, 5: CALL NO: NEXT  SC = SC - 10  THEN 62  THEN 62  THEN 62  TOR 1 = 1 TO 50: PRINT HID\$ (  X(J) = 10 X(J + 1): NY(J) = NY(J + 1): OY(J) = NY(J + 1): OY(J + 1)	29 99 59 49 29 29 19 09 65 85 25 95
FOR I = 1 TO 100 STEP S: PORE  PI, I: POKE DU, 5: CALL NO: NEXT  SC = SC - 10  THEN 62  THEN 62  THEN 62  TOR 1 = 1 TO 50: PRINT HID\$ (  X(J) = 10 X(J + 1): NY(J) = NY(J + 1): OY(J) = NY(J + 1): OY(J + 1)	29 99 59 49 29 29 19 09 65 85 25 95
FOR I = 1 TO 100 STEP S: PORE  PI, I: POKE DU, 5: CALL NO: NEXT  SC = SC - 10  THEN 62  THEN 62  THEN 62  TOR 1 = 1 TO 50: PRINT HID\$ (  X(J) = 10 X(J + 1): NY(J) = NY(J + 1): OY(J) = NY(J + 1): OY(J + 1)	29 99 59 49 29 29 19 09 65 85 25 95
FOR I = 1 TO 100 STEP S: PORE  PI, I: POKE DU, 5: CALL NO: NEXT  SC = SC - 10  THEN 62  THEN 62  THEN 62  TOR 1 = 1 TO 50: PRINT HID\$ (  X(J) = 10 X(J + 1): NY(J) = NY(J + 1): OY(J) = NY(J + 1): OY(J + 1)	29 99 59 49 29 29 19 09 65 85 25 95
\$ 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	29 99 59 59 59 59 79 19 09 65 85 25 75
SC = SC - SO  X(T + 1):NY(T) = NY(T + 1):O  X(T + 1):NY(T) = NY(T + 1):O  X(T + 1):NY(T) = OX(T + 1):OY(T) = OY(T + 1):OY(T) = OY(T + 1):OY(T) = OY(T + 1):NY(T) = OY(T + 1):N	29 99 59 49 29 29 19 09 65 85 25 95
IF NX(1) = X THEN 69  SC = SC - SO  SC = SC - SO  X(T) = 0X(T + 1):0V(T) = DY(  X(T) = 0X(T + 1):0V(T) = DY(  X(T) = 0X(T + 1):0V(T) = DY(  FOR I = 1 TO SO - 1:0X(1) = DY(  FOR I = 1 TO SO: FRIUT HID\$  FOR I = 1 TO SO: FRIUT HID\$  (1) * 43: POKE DU, 3: CALL NO: NEXT  Y(J) = 0X(J + 1):0Y(J) = DY(  Y(J) = 0	29 99 59 69 79 79 79 79 79 79 79 79 79 79 79 79 79
" " " " " " " " " " " " " " " " " " "	29 99 59 69 79 79 79 79 79 79 79 79 79 79 79 79 79
FETURN  VIEW DAY (1) = X THEN 69  SC = SC - SO  FOR T = 1 TO SO - 1.1 MTAB OY (1) = DY (1 + 1).0	29 99 59 69 79 79 79 79 79 79 79 79 79 79 79 79 79
(1) * 1 + 4) * (40) = 35	29 99 59 49 29 29 19 09 65 85 25 95 55 15 06
SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN 69  SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN CAN (1	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60
SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN 69  SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN CAN (1	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60
SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN 69  SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN CAN (1	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60
SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN 69  SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN CAN (1	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60
SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN 69  SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN CAN (1	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60
SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN 69  SC = SC + 100  SC = SC + 10  THEN CAN (1) = NTHEN CAN (1	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60
GC > 1000) - (GC > 1000) - (CC	29 99 59 49 29 29 19 29 29 29 29 25 25 25 15 06 60

ияптэя ма

```
= WID* (D*,2) + LEFT* (D*
                                                                                                                                                                                                                                                                                                                                                                                                                             = $0 bb
                                                                      HID# (C#'S) + FEE1# (C#
                                                                 42 B$ = MID$ (B$,2) + LEFT$ (A$
41 A$ = "\" THEN GOSUB 114
42 A$ = "\" THEN GOSUB 114
43 A$ = "\" THEN GOSUB 114
44 A$ = "\" THEN GOSUB 114
45 A$ = "\" THEN GOSUB 114
46 A$ = "\" THEN GOSUB 114
47 A$ = "\" THEN GOSUB 114
48 A$ = "\" THEN GOSUB 114
49 A$ = "\" THEN GOSUB 114
40 A$ = "\" THEN
                                                           ": VTAB NX(I); HTAB NY(I)
INVERSE : PRINT "<": NORMAL
VIAB 18: PRINT A#; B#; C#; D#
IF 50 > 0 THEN FOR I = 1 TO
SO: VTAB OX(I): HTAB OY(I): PRINT
                                                                   O THEN NX(1) = 0X(1); COTO 3

1) + 17 * SCEN( NA(1) - 1;

1) + 17 * SCEN( NA(1) - 1;

1) + 17 * SCEN( NA(1) - 1;

1) + 17 * SCEN( NA(1) - 1;
                                                                                                                                                                                                                                                                                     22 1E 2CBN( NA(1)

* 2 - 1)

24 NX(1) = NX(1) +
                                                                      NEXT = 1 TO SO (1) + INT ( RND (1) NEXT
                                                                 26 VTAB Z3: PRINT " SHOOT-OUT

27 V = 12:0X = 12

28 THEN GOSUN(1) = NV(1)

29 THE SO C & AND RND (1) * 10 > 0

29 THE SO C & HEN GOSUB 49

29 THEN GOSUB 49

29 THEN GOSUB 49

29 THEN GOSUB 49

20 FOR 1 = 1 TO SO:0X(1) = NX(1)

21 FOR 1 = 1 TO SO:0X(1) = NX(1)

22 THEN GOSUB 49

23 THEN GOSUB 49

24 THEN GOSUB 49

25 THEN GOSUB 49

26 THEN GOSUB 49

27 THEN GOSUB 49

28 THEN GOSUB 49

29 THEN GOSUB 49

20 THEN GOSUB 49

20
                25 VTAB 3: PRINT SHS: VTAB 22: PRINT
                                                                                                                                     VTAB 1: PRINT "
SCORE:00000"
                                                                                                                                                                                                                                                                       HOWE : 2H# = "--
                                                                                                                                                                                                                                                                                                                                                                                                                                              81
                                                     21 IF PEEK ( - 16384) < 128 THEN
20 J = J * 2.95: POKE P1,J: POKE
18
                                                     19 VEAN 1: 1F 7 = 52 THEN 2

14: REEAD 9: NEXT

14: REEAD 9: NEXT

16 PEAN 1: 1F 7 = 200 THEN FOR

17 PEAN 1: 1F 7 = 52 THEN FOR

18 PEAN 1: 1F 7 = 52 THEN FOR

19 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN FOR

10 VEAN 1: 1F 7 = 52 THEN
                                                                   15 PRINT: HTAB 10: PRINT "DAVID TURNBULL - 1983
16 PRINT: HTAB 15: PRINT "PRESS A KEY"
17 VTAB 18: PRINT A$; B$; C$; D$
18 ZE = ZE + 1; IF ZE = SZ THEW Z
                                                                                    999 " TMIN3 : LI BATH : TMIN9 %!

99999 9 9 9 9 9
                                                                                                                                                                                                                                          9999
                                                                                                                                                                                                                                                                                                                               9999
                                                                   | + DS$ + " | + DS$ + " | + D$ + 
                                                                            + $SQ + "/
" + $SQ + "/
                                                                                                                                                                                                                                                                                                                                                                                  " = $A 9
                                                                                                                                                                                                                                                                               V PRINT - 16368,0
                                 FOR I = 768 TO 781: READ J: POKE

1,01 EXX I:NO = 768:PI = 77

100 = 769

DATA 160,255,160,202,208,

255,175,48,192,156,208,245,9
                                                                                                                                                                                                                                                   2 27# = "
S TEXT : SHEED= 255
T GOSUB 86
```

#### (continued from previous page) 116 IF PDL (1) > 235 THEN X = X +1 117 HTMB 1: VTAB 0X: PRINT " " 118 IF SCRN( 0,2 \* (X - 1)) + 1 6 \* SCRN( 0,2 \* (X - 1) + 1 ) < > 160 AND SCRN( 0,2 \* (X - 1)) + 16 \* SCRN( 0,2 \* (X - 1) + 1) < > 190 THEN 6 VTAB X: HTAB 1: PRINT ">" 120 OX = X 121 IF PEEK ( - 16287) > 127 THEN 121 GOSUB 55 RETURN REM 124 REM \* HO \*\*\* \*\*\* 125 REM HODT 126 127 128

#### Low-resolution screen formatter

Basic programs frequently carry screenloads of instructions about with them as embedded code, using up memory while the program is resident and requiring effort to code up in the first place. A screen formatter from John Cayley of Durham lets you prepare and amend binary files containing the text in a format suitable for display when brought into memory through a corresponding assembler module. The assembler is prepared through a small Basic program which Pokes the routine into memory and BSaves it. Text is saved in a condensed rather than display format, which saves some disc space.

When running the formatting program, Encode.Obj must be on disc. When running the user program, Decode.Obj must be in memory; it is put there by entering:

PRINT CHR\$ (4); "BLOAD DECODE.OBJ"

When you want to load the screen itself, put its name into a string variable and Gosub to a routine with the following

PUT = PEEK (110) + 1 POKE 8, 0: POKE 9, PUT PUT = PUT \* 256 PRINT CHR\$ (4); "BLOAD" SCREEN\$ ",A" PUT **CALL 768** 

Basic loader.



#### Screen formatter.

REM

129 REM REM

```
100 REM ** LO-RES SCREEN FORMAT
TER **
110 REM ** AND BINARY SAVER
                                  ** BY JOHN CAYLEY, 1983
                 HOME :A1 = 1:Z = 0:V = A1:H =
A1:D$ = CHR$ (13) + CHR$ (
                HTAR 3: PRINT "SCREEN FORMAT
 150
                  TER & BINARY SAVER": HTAB 3:
                HTAB 20: VTAB 4: PRINT "BY J
DHN CAYLEY, 1983"
PRINT : PRINT " THIS PROGRA
M WILL HELP YDU SET UP D
ISPLAY SCREENS AND SAVE THEM
IN AN"
PRINT "ECONOMICAL BINARY FOR
M. THE SCREENS ARE ACCESSIBL
E TO YOUR BASIC PROGRAMS BUT
 160
                PRINT "DON'T USE UP VALUABLE
PROGRAM SPACE."
PRINT : PRINT " PRESSING 'E
SC' ALLOWS THE FOLLOWING
COMMANDS:"
200
                COMMANDS:"
PRINT: PRINT TAB(5)"I,J,K
M - MOVE THE CURSOR"
PRINT TAB(7)"V,F,N - INVER
SE, FLASH, NORMAL"
PRINT TAB(9)"C,D - CLEAR S
CREEN OR LINE"
PRINT TAB(1)"
220
                CREEN OR LINE"
PRINT TAB( 11)"/ - FINISH &
SAVE"
PRINT " SPACE BAR - RETURN
TO TYPING"
240
                TO TYPING"
VTAB 23: HTAB 1: INPUT "DO Y
OU WANT TO LOAD A PREVIOUSLY
CREATEDSCREEN? "; A$: GOSUB
260
                710
HOME : IF Y THEN GOSUB 740
GDSUB 800
                GOSUB 800
GET A$:A = ASC (A$)
IF A = B THEN GOSUB 370
IF A = 13 THEN GOSUB 410
IF A = 27 THEN GOSUB 450
IF A < 32 THEN GOSUB 450
PRINT A$;
H = H + A1: IF H > 40 THEN H =
A1:V = V + A1: IF V > 20 THEN
H = A1:V = 20: HTAB H: VTAB
V
310
              GOTO 290

REM ** BACKSPACE **
PRINT A*;
H = H - Al: IF H < Al THEN H =
40:V = V - Al: IF V < Al THEN
H = Al:V = Al
HTAB H: VTAB V: RETURN
REM ** RETURNS **
PRINT A*;
H = Al:V = V + Al: IF V > 20 THEN
V = 20
HTAB H: VTAB V: RETURN
370
                V = 20

HTAB H: VTAB V: RETURN

REM ** ESC MODE **

GOSUB 860

GET A*:A = ASC (A*)

IF A = 32 THEN GOSUB 800: RETURN
 440
490 IF A = 73 THEN V = V - A1: IF V < A1 THEN V = A1 

500 IF A = 74 THEN H = H - A1: IF H < A1 THEN H = A1 

510 IF A = 75 THEN H = H + A1: IF
```

```
H > 40 THEN H = 40

IF A = 77 THEN V = V + A1: IF

V > 20 THEN V = 20

IF A = 67 THEN HOME :V = A1

:H = A1: GOTO 460

IF A = 68 THEN HTAB A1: PRINT


SPC(40)
520
530
540
                     SPC ( 40)
                  IF A = 78 THEN NORMAL :F = Z:I = Z: GOSUB 880
IF A = 86 THEN INVERSE :1 = A1: GOSUB 890
550
560
570
                                         70 THEN FLASH :F = A
                   1: GOSUB 900
IF A = 47 THEN POP : GOTO 6
                 OO VTAB V: HTAB H: GOTO 470 REM ** SAVE SCREEN ** HTAB A1: VTAB 23: INPUT "DO YOU WANT TO SAVE THIS SCREEN
 590
                  7 ";A$: GOSUB 910
GOSUB 710: IF NOT Y THEN 68
 620
                 HTAB A1: VTAB 23: INPUT "UND
ER WHAT NAME? ";5$: GOSUB 91
630
                O HTAB A1: VTAB 23: INPUT "DRI VE NUMBER? ";DR$: GOSUB 910 HTAB A1: VTAB 22: PRINT D$"B LOAD ENCODE.OBJ,DI"
POKE 10,76: POKE 11,7: POKE 12,3:L = USR (Z)
HTAB A1: VTAB 22: PRINT D$"B SAVE "S$",A$4000,L"L",D"DR$ HTAB A1: VTAB 25: INPUT "DO YOU WISH TO CONTINUE? ";A$ GOSUB 710: IF Y THEN GOTO 1 40
650
670
 680
690
700 END
710 REM ** YES/NO **
720 IF LEFT* (A*,AI) = "Y" THEN
Y = A1: RETURN
730 Y = Z: RETURN
740 REM ** LOAD SCREEN **
750 PRINT D**BLOAD DECDDE.OBJ"
760 PRINT "WHAT IS THE NAME OF T
HE SCREEN?": PRINT : INPUT "
> ";S*
770 PRINT : INPUT "DRIVE NUMBER?
";DR*
780 PUI = PEEK (110) + A1: POKE
 700
                 FND
                 PUT = PEEK (110) + A1: POKE
8,Z: POKE 9,PUT:PUT = PUT *
256
780 PUT =
               B, Z: POKE 9, PUT:PUT = PUT *
256
PRINT D$"BLOAD "S$", D"DR$", A
"PUT: CALL 768: RETURN
REM ** TYPING MODE **
NORMAL : HTAB 14: VTAB 23: PRINT
"TYPING MODE";
HTAB H: VTAB V
IF F THEN FLASH
IF I THEN INVERSE
RETURN
REM ** ENTER ESC MODE **
NORMAL : HTAB 14: VTAB 23: PRINT
" ESC MODE ";: GOTO 820
VTAB 23: HTAB 21: PRINT "
";: VTAB 23: HTAB 35: PRINT
" ";: VTAB V: HTAB H: RETURN
800
820
840
850
 860
870
                 VTAB 23: HTAB 2: PRINT "INVE
RSE";: VTAB V: HTAB H: RETURN
890
                 VTAB 23: HTAB 35: PRINT "FLA
SH";: VTAB V: HTAB H: RETURN
900
910 REM ** CLEAR LOWER LINES **
```

920 HTAB A1: VTAB 23: PRINT SPC( 79): RETURN

100	REM ** PROGRAM TO CREATE AN D SAVE OBJECT FILES FOR SCRE
	EN MAKER **
110 1	)\$ = CHR\$ (4): HOME
	GOSUB 1000
	PRINT D\$"BSAVE ENCODE. OBJ, A\$
	300,L188"
140	PRINT "SCREEN ENCODER CREATE
	PRINT "SCREEN ENCODER CREATE D AS ";: INVERSE : PRINT "EN
	CODE.OBJ": NORMAL
150	GOSUB 2000 PRINT D\$"BSAVE DECODE.OBJ,A\$
160	PRINT DS"BSAVE DECODE.OBJ, AS
	300,L112"
170	PRINT : PRINT "SCREEN DECODE R (AS USED IN PROGRAMS) S AVED AS ";: INVERSE : PRINT
	R (AS USED IN PROGRAMS) S
	AVED AS ";: INVERSE : PRINT
180	"DECODE.OBJ": NORMAL
180	END
1000	REM ** MACHINE CODE FOR SC
	REEN COMPRESSOR **
1010	DATA 169,0,133,6,133,8,141,185,3,141,185,3,141,186,3,141,187,3,1 69,4,133,7,169,64,133,9,160, 0,162,0,177,6,201,160,208,74, 32,145,3,165,7,201,8,208 DATA 5,169,160,76,85,3,177,6,201,160,73,169,153,32,165,3,17 7,6,76,167,3,169,153,32,162,32,32,240,29,177,6,201,160,2 08,23,32,145,3,165,7,201,80 DATA 208,238,138,32,122,3,173,187,3,172,186,3,32,242,2 26,96,138,32,122,3,162,0,76,27,3,32,122,3,32,145,3,165,7,201,8,208,164,76,85,3,145,8
	,185,3,141,186,3,141,187,3,1
	69, 4, 133, 7, 169, 64, 133, 9, 160,
	0,162,0,177,6,201,160,208,74
1000	,32,145,3,165,7,201,8,208
1020	DATA 5,169,160,76,85,3,177
	,6,201,160,240,8,32,165,3,17
	7,0,70,107,3,107,133,32,122,
	00 27 72 145 7 145 7 201 0
1030	DATA 200 270 170 72 122 7
1030	173 197 3 172 196 3 32 242 2
	24 94 179 72 122 7 142 0 74
	77 7 77 100 7 7 70 145 7 145 7
	201 8 208 164 76 85 3 140
1040	DATA 185,3,172,186,3,145,8
	,200,208,5,230,9,238,187,3,1
	40, 186, 3, 172, 185, 3, 96, 200, 19
	2,248,208,5,230,7,76,159,3,1
	40,186,3,172,185,3,96,200,19 2,248,208,5,230,7,76,159,3,1 92,120,208,5,152,24,105,8,16
	8
1050	DATA 96,136,192,255,208,5, 198,7,76,179,3,192,127,208,5 ,152,24,233,8,168,96,0,0,0,0
	198, 7, 76, 179, 3, 192, 127, 208, 5
	,152,24,233,B,16B,96,0,0,0,0
1060	FOR X = 0 TO 188: READ CD: POK 768 + X,CD: NEXT
	RETURN
1070	RETURN
2000	
2000	D COMPRESSED SCREEN INTO LOW
	D COMPRESSED SCREEN INTO LOW
2000	D COMPRESSED SCREEN INTO LOW
	D COMPRESSED SCREEN INTO LOW
	D COMPRESSED SCREEN INTO LOW
	D COMPRESSED SCREEN INTO LOW
2010	D COMPRESSED SCREEN INTO LOW
	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3 ,141,111,3,169,4,133,7,162,0 ,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,332,164,332,104,320,255,2
2010	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3 ,141,111,3,169,4,133,7,162,0 ,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,332,164,332,104,320,255,2
2010	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3 ,141,111,3,169,4,133,7,162,0 ,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,332,164,332,104,320,255,2
2010	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3 ,141,111,3,169,4,133,7,162,0 ,160,0,177,8,201,153,208,24, 32,104,3,177,8,32,104,3,170, 169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,
2010	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,153,208,24,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,3,32,64,3,32,104,3,201,255,208,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20,192,248,208,11,330,7,165,7
2010 2020	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,3,32,64,3,32,104,3,201,255,208,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20,0,192,248,208,11,230,7,165,7,201
2010	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,3,32,64,3,32,104,3,201,255,208,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20,0,192,248,208,11,230,7,165,7,201
2010 2020	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,3,32,64,3,32,104,3,201,255,208,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20 0,192,248,208,11,230,7,165,7,201 DATA 8,208,7,169,255,96,19 2,120,208,5,152,24,105,8,168
2010 2020	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,3,32,64,3,32,104,3,201,255,208,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20 0,192,248,208,11,230,7,165,7,201 DATA 8,208,7,169,255,96,19 2,120,208,5,152,24,105,8,168
2010 2020	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,153,208,24,32,104,3,177,8,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,3,32,64,3,32,104,3,201,255,208,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20 0,192,248,208,11,230,7,165,7,201 DATA 8,208,7,169,255,96,19 2,120,208,5,152,24,105,8,168
2010 2020 2030	D COMPRESSED SCREEN INTO LOW RES AREA ** DATA 169,0,133,6,141,110,3,141,111,3,169,4,133,7,162,0,160,0,177,8,201,155,208,24,32,104,3,170,169,160,32,64,3,201,255,240 DATA 16,202,208,244,76,18,32,644,3,32,104,3,201,255,268,216,169,160,141,247,7,96,140,111,3,172,110,3,145,6,20 0,192,248,208,11,230,7,165,7,201 DATA 8,208,7,169,255,96,19 2,120,208,5,152,24,105,8,168



data-base and related programming as simple as



Forget about the expense of hiring a professional programmer or the restrictions of 'off-the-shelf' programs. Become your own program designer producing microsoftware to suit your specific requirements. Codewriter enables you to do this, you type commands in your own everyday language, just as you would write them on paper . . . it's as simple as ABC!

When you've completed your design, Codewriter will write the program code and store it on your own disk whilst you sit back and watch. At anytime, you can of course modify the programs you've designed.

Your programs may include data bases printed reports, calculations and comparisons between fields of data, development of menus, forms, letters, memos, cheques, invoices, statements, mailing labels...the possibilities for design are endless. Codewriter operates with most popular micros and will be demonstrated fully at your local dealer.

For details on Codewriter, complete and return the coupon to; DYNATECH MICROSOFTWARE LTD.



Rue du Commerce, Bouet, St. Peter Port, Guernsey, Channel Islands.

Telephone 0481 26081 Telex 4191130

name\_\_\_\_\_address \_\_\_\_\_

tel.\_\_\_\_\_

• Circle No. 177

## C/WP COMPUTERS



#### ALPS DISK DRIVE FOR APPLE II\*

Slimline half height disk drive for the Apple II. Use with Apple disk controller card.

Box of disks £13. Disk storage boxes (35) £14 (80) £19

\*Apple is a registered trade mark of Apple Computers .



#### PHOENIX 12" PLASTIC MONITOR

24 MHz monitor for the best possible resolution for 80 columns. 80 column card for Apple II Plus £109



#### **EPSON FX 80 PRINTER**

160 cps, user definable fonts and graphics.

Parallel interface card **£72.** 16k buffer **£79.** 32k buffer **£109.**Ribbons **£4** 

C/WP Computers
Willow House Willow Place
London SW1P LJH
Telephone Ol-828 9000

Please send me details of/I enclor Barclaycard (No.)	
for £	
☐ Alps disk drive ☐ Phoenix m	_
☐ Epson FX80 ☐ Other	
Name	
Address	
Telepho	ne
*Delete where applicable	Delivery charge £3.00

A COMMODORE LISTING for a disc file restore on page 163 of the September issue inspired H M Hoffman to devise a way of restoring deleted Atari disc files. Mr Hoffman says if a file is deleted from DOS 2 or Basic, the first byte in the directory entry is set to \$80 or 128 decimal. Whenever the directory is searched, any entry associated with this flag value is ignored. However, after booting DOS, it is possible to issue a command from Basic so that files will no longer be checked for a deleted status. The command is

#### POKE 3926,234:POKE 3927,234

Listing the disc directory will then reveal the deleted files so that they can be loaded and run. Undeleted files should be loaded and then saved with a different file name so that they can be read normally under DOS.

## Disc saver

Obviously, if you write to a disc after deleting a file, the deleted file may be overwritten and thus be unrecoverable. The command Poke 3926,48: Poke 3927,27 restores DOS to normal.

#### **Painter**

At last here's an Atari game. Painter, written by Chris Simon of Clwyd, North Wales, requires 16K and a joystick. Use the joystick to move the painter to cover all the lines, while avoiding the chaser. Pressing the Fire button creates a gap the chaser cannot jump.

Three complete mazes are included, but you can easily add your own. For an interesting variation, add the line

#### 190 GOTO 100

so that whenever the painter stops moving the chaser will start, and vice versa. It speeds the game up, and is not as easy at it sounds. Another enhancement would be to add a routine to fill boxes with colour when they are completed.

Even if you do not type in the whole program it is worth experimenting with the sound subroutine, which is done with Pokes instead of sound statements.

```
10 60SUB 9000
20 60SUB MAZE#1000:IF SCORE THEN 80
 25 RCM Titles
30 FOR A=I TO 3:POSITION 0.0:? TITLE$(1,39):FOR
1*I TO 100:SOUND 0,100,10,8:NEXT 1:SOUND 0,0,0,0
  : POKE 77.0
  40 POSITION 0.0:? BL$:FOR I=1 TO 100:NEXT I:NEXT
 A 50 FOR 1=39 TO LEN(TITLE$):POSITION 0,0:? TITLE$ (1-38,1):SOUND 0,0,5,15:FOR A=1 TO 15 60 IF STRIG(0)=0 THEN POP :POP :SOTO 80 70 NEXT A:SOUND 0,0,0,0:NEXT 1:SOTO 30 80 GOSUB MAZE$1000:FOR A=0 TO 9:FOR I=100-A*5 TO 60-A*5 STEP -4:SOUND 0,1,10,8:NEXT 1:NEXT A:SOU
  90 GOSUB 400: POKE 77,0: RB=0: ST=RB
  79 REM Main 100p
100 S=S+1:IF S=50 THEN POKE 53766,1
  110 IF S=80 THEN S=0:PDKE 53766,49
 114 REM Move Painter

115 IF STRIG(0)=0 THEN PP=PP$RB:RB=1

120 IF ST(STICK(0)) THEN A=ST(STICK(0)):IF PEEK(
120 IF ST(STICK(0)) THEN A=ST(STICK(0)):IF PEEK(P+A) THEN ST=A
125 IF ST=O THEN 200
130 A=P+ST:IF PEEK(A)=O OR PEEK(A)=128 OR A)MAX
OR AKMIN THEN 200
140 POKE P,PP:IF PP<128 THEN SCORE=SCORE+1:POKE
P,PP+128:POSITION 9,0:7 SCORE:COUNT=COUNT+1:IF C
OUNT=DOME THEN 600
150 P=A:PP=PEEK(P):IF PP=CH THEN 500
 160 POKE P.PA
199 REM Move Chaser
200 IF CH=3 THEN CH=2:60T0 220
 210 CH=3
 220 A=PC:IF A>127 THEN A=A-128
230 IF A=0 THEN IN=-IN:GOTO 290
240 IF A<B THEN B=(ABS(IN)=1)+2t(ABS(IN)=40):IN=
240 IF ACB THEN B=(ABS(IN)=1)+2%(ABS(IN)=40):IN= A(A-3,B):GOTO 290
250 IF ACIO OR A):IS THEN 290
260 ON A-9 GOTO BOO,850,900,950
260 BC-1:N:IF PEEK(B)=PA THEN POKE C,PC:GOTO 500
300 POKE C,PC:PC=PEEK(B):C=B:POKE C,CH:GOTO 100
379 REM Sound subroutine
400 SOUND 0,0,0,0*POKE 53768,24:POKE 53761,168:P
OKE 53763,168:POKE 53765,168:POKE 53767,168
410 POKE 53760,240:POKE 53764,252:POKE 53762,28:POKE 53766,49:S=0:RETURN
 POKE 53766, 49: S=0: RETURN
 499 REM Crash
500 FOR I=0 TO 3: SOUND 1,0,0,0:NEXT I
 510 POKE P-1,71:POKE P,14:POKE P+1,70
520 FOR I=14 TO 0 STEP -0,1:SOUND 0,100,8,1:POKE
712,1*18:NEXT 1:SOUND 0,0,0:POKE 712,0
530 LIVES-LIVES-1:IF LIVES THEN BO
 540 LIVES=3: MAZE=1: FRAME=1: IF HIGH>SCORE THEN 58
550 HIGH-SCORE: POSITION 0,0:2 BL$
560 POSITION 12,0:? "A NEW HIGH SCORE": FOR I=255
10 0 STEP -2.5: SOUND 0,1,8,10
563 TF I/20=INT(1/20) THEN POSITION 0,0:? BL$:60
10 570
 567 IF 1/10=INT(I/10) THEN POSITION 12,0:? "A NE W HIGH SCORE"
 W HIGH SCORE"
570 NEXT I:SQUND 0,0,0,0
580 POSITION 0,0:? BL*:SCORE=0:GOTO 20
599 REM Frame complete
400 FOR I=0 TO 3:SQUND 1,0,0,0:NEXT I
610 FOR A=1 TO 10:FOR I=100 TO 60 STEP -5:SQUND
0,1,10,8:POKE 711,1:NEXT I:NEXT A:POKE 711,134:S
 BUND 0,0,0,0
 620 MAZE=MAZE+ (MAZE(3):FRAME=FRAME+1:SCORE=SCORE
  799 REM Routines for choosing new
 ser direction when there
                                                                                                    is a choi
           of two
ST(0)=IN:ST(1)=-40:IF IN=40 THEN ST(0)=1:ST(
```

```
810 IN=ST(INT(RND(0)*2)):50TO 290
850 ST(0)=IN:ST(1)=40:IF IN=-40 THEN ST(0)=1:ST(
  860 IN=ST(INT(RND(0)*2)):60T0 290
900 ST(0)=IN:ST(1)=1:IF IN=-1 THEN ST(0)=40:ST(1
  910 IN=ST(INT(RND(0) #2)):GOTD 290
950 ST(0)=IN:ST(I)=-1:IF IN=I THEN ST(0)=40:ST(1)=-40
    960 IN=ST(INT(RND(0)#2)):GOTD 290
  999 REM Maze #1
1000 POKE 559,0:? CHR$(125):POKE 82,6:POSITION 1
  ,0:? "Score: Frame: 1
N 9,0:? SCORE
1010 POSITION 34,0:? HIGH:?:?
                                                                                                                  Frame: 1 High: ":POSITIO
    1020 ? "
                                                                                                  $1111177"
  1030 ? " {
1040 ? " {
1050 ? "$)))))) -
1060 ? "{
1070 ? "{
1080 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ? "{
1090 ?
                                                                                                                                                        . ) ) ) ) ) ) ) ) ) ) "
  1090 7 " {
1100 7 " {
1110 7 ",}}}}

1120 7 " {
1130 7 " {
1140 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 " {
1150 7 
                                                                                                    ,,,,,,,,,,,,,
  8/11/11/11/11
     1210 DONE=144:P=RAM+620:C=RAM+247:PP=9:PC=9:COUN
T=0:POKE P.PA:POKE C.CH:IN=1:IF RND(0)>0.5 THEN
     IN=-IN
      1220 POSITION 1,1:FOR I=1 TO LIVES:? " " ";:NEXT
    I:REM ! in inverse video
1230 POKE 559,34:RETURN
1999 REM Maze #2
    2000 POKE 559,0:7 CHR$(125):POKE 82,8:POSITION ,0:7 "Score: Frame: 2 High " 2001
                                                                                                                 Frame : 2 High : ":POSITIO
  N 9.0:7 SCORE
  2010 POSITION 34,0:? HIGH
2020 ? " $)))));;"
2030 ? " ( ("
2040 ? "
2050 ? "
2060 ? "
2070 ? "
2080 ? "
2090 ? "
                                                                                    ( ("
%))% $>)?"
                                                                                                                                         ,)))))%"
2090 ? "())))-
2190 ? "())))-
2110 ? "( (
2120 ? "())))-
2130 ? " (
2140 ? " ,
                                                                                                                                        ,,,,,,,,
  2150 ? "
                                                                2170 ? " (
2180 ? " (
2190 ? "$))~
                                                                                                                                                            ,))%"
  2200 ? "( (
2210 ? "( &)+))
  2220 ? "(
    2250 DONE=160: P=RAM+539: C=RAM+56: PP=9: PC=9: COUNT
      =0: IN=1: POKE P, PA: POKE C, CH: IF RND(0) >0.5 THEN 1
  2260 POSITION 1.1:FOR I=1 TO LIVES:? "! "::NEXT
  I:REM ! in inverse video
2270 POKE 559,34:RETURN
2999 REM Maze #3
  3000 PDKE 559,0:? CHR$(125):POKE B2,6:POSITION 1
```

```
0:? "Score :
                                           Frame : 3 High : ":POSITIO
 3010 POSITION 23,0:? FRAME:POSITION 34,0:? HIGH
 3020 ? "
3030 ? "
3040 ? "
                        $11111111111 $1111111111111
3140 7 =
 3150 ? " ( ( ( "
3160 ? "$))))$();));**;))));**;
3170 ? "( ( ( ( "
 31/0 ? "( ( ( ( ( ( 3190 ? "( ) ,)+))))))))))))))))))))))))))))
 3230 ? "( ( ( ( "
3240 ? "&)))))))))))))))))))));
3250 DONE=256:P=RAM+617:C=RAM+50:PP=9:PC=9:COUNT
  =0: IN=1: POKE P, PA: POKE C, CH: IF RND(0) >0.5 THEN I
 3260 POSITION 1,1:FOR 1=1 TO LIVES:? "! ";:NEXT I:REM ! in inverse video
 I:REM ! in inverse video
3270 POKE 559,34:RETURN
8999 REM Initialise
9000 DIM ST(15),TITLE$(160),BL$(39),A(4,2):POKE
 106,PEEK(106)-5:GRAPHICS 0:PUKE 752,1
9010 CHBASE=(PEEK(106)+1)*256:POSITION 2,0:? "P1
ease wait a moment....":IF PEEK(16)<128 THEN 9
  9015 POKE 16, PEEK (16) - 128: POKE 53774, PEEK (16): RE
 M Disable BREAK
  9020 POKE 708, 184: POKE 709, 12: POKE 710, 36: POKE 7
 11,134
9030 DL=PEEK(560)+256*PEEK(561):FOR I=DL+6 TO DL
9030 DL=PEEK(560)+256*PEEK(561):FOR I=DL+6 TO DL
+28:PDKE I,4:NEXT I
9040 FOR I=0 TO 7:PDKE CHBASE+I,0:NEXT I:FOR I=1
12 TO 1023:PDKE CHBASE+I,PEEK(57344+I):NEXT I
9050 PDKE 756,CHBASE/256:FOR I=CHBASE+8 TO CHBAS
E+I11:READ A:PDKE I,A:NEXT I
9060 DATA 0,130,20,20,255,20,20,130
9070 DATA 20,20,166,166,154,154,20,20
9080 DATA 40,40,89,89,101,101,40,40
9090 DATA 0,00,63,63,63,60,60,60
9100 DATA 0,00,63,63,63,60,00,0
9110 DATA 60,60,60,63,63,63,00,0
9120 DATA 60,60,60,60,60,60,60,60
9130 DATA 60,60,60,60,60,60,60,60
9140 DATA 60,60,60,60,60,60,60,60,90
9150 DATA 60,60,60,60,60,60,60,60,90
9150 DATA 60,60,60,60,60,60,60,60,60
9170 DATA 60,60,60,255,255,0,0,0
9150 DATA 60,60,60,525,255,0,0,0
9150 DATA 60,60,60,60,50,60,60
9170 DATA 60,60,60,60,60,60,60
 9170 DATA 60,60,60,63,63,60,60,60
9180 DATA 60,60,60,252,252,60,60,60
9200 RAM=DL+32:MIN=RAM+40:MAX=RAM+960:PA=129:CH=
 3: SCORE=0: HIGH=SCORE: LIVES=3: MAZE=1: FRAME=1
 9210 BL$="
":REM 39 spaces
 9220 TITLE5=
                                                              PAINTER
         ......Program by Chris Simon.....
 9230 TITLE*(LEN(TITLE$) (1)="Press trigger to beg
  in.....":TITLE$(LEN(TITLE$)+1)=BL$
9240 FOR I=5 TO 15:READ A:ST(1)=A:NEXT I
 9250 DATA 0,0,1,0,0,0,-1,0,40,-40,0
9260 FOR I=1 TO 4:FOR A=1 TO 2:READ B:A(I,A)=B:N
EXT A:NEXT 1:RETUR
9270 DATA 40,1,40,-1,-40,1,-40,-1
```

Use your BBC Model B as an image analyser with :-MicroSight I



Available on BBC, Apple, Commodore, Research Machine, Sirius, etc, Includes Camera cables, interface, software and documentation.

£495.00 + VAT

MicroScale.




Image processing software to calculate area and perimeter of objects within a specified window also to dimension features. Disk and printer dumps of binary and grey scale data.

£295.00 + VAT

MicroEye Vision Interface.



256 x 256 pixel resolution with 255 grey levels per pixel comes complete with software and documentation. Can be used for video tape digitising Satallite picture analysis etc. Available for BBC, Apple, Commodore, Research Machine, Sirius etc.

£295.00 + VAT

Digithurst Ltd.

Leaden Hill, Orwell, Royston. Herts SG8 5QH

Tel: (0223) 208926

Circle No. 179



#### QUALITY 51/4" FLOPPY DISKS

Take our choice of three top quality brands - BASF, Wabash or Xidex. C/WP has tested most available disks and offers these as the best value for money, combining reliability, with low prices.


Single-sided, single-density (100k)

Single-sided, double-density (200k)

Double-sided, double-density (400k)

Double-sided, quad-density (800k)

Includes VAT per box of 10.



#### FLOPPY DISKS STORAGE BOXES

A neat box with transparent lockable cover to hold up to 35 disks. With the top off the disks are presented as in a card index. A larger version will hold up to 80 disks.

Small size **£14** Large size **£19** inc VAT

#### LISTING PAPER

2000 sheets fanfold listing paper 9 inch or 14 inch. £12 inc

#### SELF ADHESIVE LABELS


1, 2 or 3 across. Per thousand. 25 inc VAT

C/WP Computers Willow House Willow Place London SW1P1JH Telephone 01-828 9000

Please send me details of/ Barclaycard (No.)	onologi onoquo, nootob,
for £	and am ordering*
☐ Floppy Disks (size)	☐ Listing Paper/Labels
☐ Storage Boxes (size)_	Ribbons
Name	
Address	
*Delete where applicable	Delivery charge £3.00

Circle No. 180

## 1984 On Course For Record Computer Sales



There can be few – if any – comparable exhibitions capable of generating such intense public interest as The Computer Fair series.

As expected, the 1983 Computer Fair, held at Earls Court, has consolidated its position as the major showcase for home and small business computers, to the extent that it became necessary for the original exhibition area to be doubled to a record 2,300 square metres. And all the signs are emerging to support our belief that 1984 will see further growth in an exhibition which provides an unrivalled opportunity for promoting personal computer systems of all kinds.

Sponsored by 'Practical Computing' and 'Your Computer' and organised by Reed Exhibitions, the 1984 London Computer Fair will again be backed by a massive publicity campaign using radio, television and press media. Advance stand reservations are understandably already well up on 1983. If you want to ensure that you do not miss out on a preferential site, you really must fill in the coupon below NOW, and return to the

Exhibitions Manager, The Computer Fair, Reed Exhibitions, Surrey House, Throwley Way, Sutton, Surrey. SM1 4QQ



I am interested in exhibiting at The Computer Fair, Earls Court, London. June 14-17 1984. Please send full information to

Telephone No. \_

Name	
Position in Company	
Company	
Address	

A PAIR of programs from Bill Leigh of Varese, Italy make up a useful programdevelopment utility for 16K and 48K Spectrums. Scrubber itself consists of two lines only; the Rem statement in the second line reserves space for the machine-code program of which the hex listing is found in the consecutive Data statements of the second program, Makescrub.

Makescrub is more or less a hex loader written to construct Scrubber. The Rems in lines with numbers ending in 9 are essentially cosmetic and may be omitted. Makescrub loads hex-coded bytes in the Data statements of lines 109 to 170. It also contains some elementary partial trapping of keying errors in lines 500 to 550. It executes Scrubber after hex loading, thereby simply generating Scrubber itself. If the two lines that compose the Scrubber are allocated consecutive line numbers anywhere in a Basic program, then when the program control reaches these lines all previous lines of the program (but nothing in the variables area) are eliminated, while the variable area remains intact.

Scrubber can be used to save space by eliminating part of a program once it has done its work - setting up a screen, for example, the space saved can be used for data input to, or generated by, the rest of the program.

It can also be used when you have a large dummy main program that has been used to set up and test a subroutine. These all have to be eliminated before the subroutine is available for use. Scrubber can also be used to Scrub hex loaders, of course.

The programs also demonstrate how, by Peeking the system variable NxtLin, you can get away from the restrictions inherent in the normal practice of putting machine code into Rem statements at the top of the program listing. Apart from the inflexibility of the normal approach, a listing of such a program cannot conveniently include header lines such as I have given Makescrub.

I find myself making good use of Scrubber, merging it into longer programs, moving it about by changing the line numbers, and then Scrubbing unwanted program lines.

## Scrubber

#### Scrubber.

- 1 LET scrub=15+256\*(PEEK 23638)+PEEK 23637
- RANDOMIZE USR (scrub): REM <>123456789012345678901234567890123 45678901234567890123456

```
19 REM **************
49 REM ***** MAKESCRUB *****
59 REM **********
```

69 REM

100 RESTORE : GO SUB 1000

109 REM save registers

110 DATA "F5,C5,D5,E5"

119 REM change line nos 120 DATA "2A,45,5C,CD,6E,19,06,00,70,EB,70,23,04,70,04,EB,23,70"

129 REM relocate lines

130 DATA "2A,55,5C,E5,1B,CD,DD,19,ED,5B,53,5C,D5,ED,B0"

139 REM transfer control

140 DATA "E1,D5,06,78,48,06,00,A7,09,E9"

149 REM reclaim space

150 DATA "D1,E1,CD,E5,19"

159 REM restore registers

160 DATA "E1,D1,C1,F1"

169 REM return

170 DATA. "C9"

179 REM correct line length

180 POKE scrub-13,69

189 REM save start address

190 LET scrub0=scrub

200 FOR x=1 TO 2 STEP 0

210 READ m\$

220 FOR y=1 TO (1+LEN m\$)/3

230 LET z=3\*y-2: GO SUB 500

240 LET n=m\*16

250 LET z=z+1: GO SUB 500

260 LET n=n+m

270 POKE scrub, n

280 LET scrub=scrub+1

290 NEXT y

300 IF m\$="C9" THEN LET x=3

310 NEXT X

320 RUN 1000

499 REM hex digit conversion

500 IF "0"<=m\$(z) AND m\$(z)<="9" THEN LET m=VAL m\$(z): RETURN
510 IF "A"<=m\$(z) AND m\$(z)<="F" THEN LET m=CODE m\$(z)-55: RETURN

520 PRINT "Error in statement:": PRINT 530 PRINT TAB 5; "DATA """; m\$; """": PRINT : PRINT

540 POKE scrub0-13,63: POKE scrub0,201 550 LIST 109: STOP

1000 LET scrub=15+256\*(PEEK 23638)+PEEK 23637

1001 RANDOMIZE USR (scrub): REM <>123456789012345678901234567890123

45678901234567890

1002 RETURN

#### Vocabulary.

10 REM LANGUAGE TUTOR

by M.Coombes (8/83)

```
20 POKE 23658,8: LET hs=0: LET n$="""

0 BORDER 7: PAPER 7: CLS : IN 6: POKE USR "a",255: FOR (=1 T)

0 6: POKE USR "a"+f,129: NEXT f: POKE USR "a"+f,255

40 PRINT AT 2,9; INK 0; PAPER 5; "LANGUAGE TUTOR"

45 LET 9$="""

50 INK 1: PRINT AT 0,8;9$(1 TO 16);AT 4,0;9$: FOR f=5 TO 19: PRINT AT f,0;"": NEX T f: PRINT AT 20,0;9$: LET g=7:
```

(continued on next page)

#### Vocabulary

If you need help memorising foreignlanguage vocabularies Michael Coombes has come up with just the program for you. It is suitable for both 16K and 48K Spectrums.

When the program is run, an introduction page is first displayed, followed by a menu. Your first task is to enter the vocabulary, and you can then select the Test option. The program will ask for 10 translations, either English to foreign or vice versa. The program then tells you your score and returns you to the menu. There is also a Save option so that the program can be stored and retrieved for a later test.

(ogpd snoward mort banninos)

". Sand the standard of the st ØSTS 0716 0216 0216 OTT6 PRINT AT 14.2; INK Ø;e\$:

INPUT (ax) "(ax) TURUE

INPUT (ax) "(ax) TURUE

Social (ax) THEI

Social (ax) THEI

AND SOCIAL (ax) AND SOCIAL

AND SOCIAL (ax) AND SOCIAL

AND SOCIAL (ax) AND SOCIAL

AND SOCIAL (bx) AND SOCIAL

AND SOCIAL AND SOCIAL AND SOCIAL

(bx) AND SOCIAL AND LET 64(1)= 9016 9006 0206 LINE EFFUT BT 14,2, ...
9085 PRINT BT 14,2, ...
9060 IF LEW e\$:10 9050
8060 IF LEW e\$:15 LET 8\$(1)
9070 LET m(1)=LEW e\$: LET 8\$(1) = (1) # E TEL 6020 GO TO 57 SUB 2000: SAVE "LANGUAGE BUZ 49 01 NEXT gate 1; INK 1;"The st is ";hs;HT score was read score was read SOID REEP DOOL SOUR FOR (=1 TO 30: BEEP .01.)

1. FOR 9=1 TO 20: BEEP

1. FOR 9=1 TO 20: BEEP

1. FOR 1 TO 20: BEEP

1. FOR 1 TO 20: BEEP

1. FOR 1 TO 20: BEEP

2. FOR 2 TO 20: BEEP

3. FOR 2 TO 20: BEEP

4. FOR 2 TO 20: BEEP

4. FOR 2 TO 20: BEEP

1. FOR 2 TO 2 NEXT 'TO' d OLOT X1 TO PRINT BY S, S, TUK 1; "YOUR F 1006 TO 3000 1006 TO 3000 1006 CET AS S, "YOU HAVE 1006 CRINT AT 11; "WELL 1006 CRINT AT 12; "YELL 1006 CRINT AT 12; "YELL 1006 CRINT AT 12; "YELL 1006 CRINT AT 12; "YOU HAVE 1006 CRINT AT 12; "YOUR T 1006 CRINT AT 14, TO 11; "HIGH S 1006 CRINT AT 15, TO 11; "HIGH S 1006 CRINT AT 15, "YOUR T 1007 CRINT AT 15, "YOUR T 100 (FF.) COBE .. · iot 1030 PRINT AT 6.2; INK 1; PAPER: 56.1; START 12 THE END OF THE TEST": 61.76 FOR 1=1 TO 4 STEP .1. SEEP .01, 20: NEEP .01, 20: NEEP .1. TEST .1. TES

016 341 21 000 CT 00 026 000 BUS 00 050 LET h= ((RND\*(w-1)+1)) LET z\*=8\*(h)(1 TO m(h)) PRINT AT 11,2; INK 1; "Uhat PRINT AT 12,2; "word for "; ØT6 "sr oa :t Thoise oa :p;" to j \* TX3W : LEGA: D 3000 J 164T"; Ø89 E) (4) \$q=\$W LET NBHT 64<6 W 章=5章(P)(J EE - ゴーナロ BEEP (BND # TOO): IL 9 (E . Wheludahov ns of A sesta".(S.e TA TNIRA OF of a sesta".(S.ti TA:".ebiow not C sesta".(S.ti TA:".test the of C sestate the color of C sestate the color of the color of the color of the cestate th 165 TET P=24: FOR f=1 TO 3: INK 5) "PLEASE : T - 5 = 5 LET TH THIAG

# FREE WITH ORDERS OF MINIMUM 10 BOXES

ANY DISK TYPE EITHER

1. 3 PLASTIC LIBRARY CASES TO HOLD 10 DISKS EACH

OR 2. Prestigious

LAMBS NAVY RUM CLASSIC GLAMOUR CALENDAR

WITH SUPERB COLOUR PHOTOS BY DAVID BAILEY


STRICTLY
LIMITED
SUPPLY OF
CALENDARS
SO ORDER
EARLY IF
THIS IS YOUR
CHOICE

## DISKOTEK

FOR VERBATIM DATALIFE

5¼" DISKETTES

SUPPLIED IN BOXES OF 10



DISKOTEK
P.O. BOX 18
WORSLEY
MANCHESTER
M28 5HA
TELEPHONE:
(061) 799-1427

EVENING INCLUDING WEEKEND ANSWERPHONE

HAVE YOU A
HIGH QUALITY
CALENDAR
IN YOUR OFFICE?
IF NOT ACT ON
OUR FREE
OFFER
OUICKLY

WE SELL ONLY DATALIFE BECAUSE OF THEIR HIGH QUALITY AND RELIABILITY

- 5-YEAR WARRANTY
- LIFE UP TO 5 TIMES LONGER THAN OTHER DISKETTES
- ALL INTERNATIONAL STANDARDS MET OR EXCEEDED
- ALL TRACKS CERTIFIED 100% ERROR FREE

PRICES BELOW EXCLUDE VAT BUT INCLUDE FIRST CLASS POST (FOR SPEED) AND PACKING

All disks are suitable for both single density and double density use	Price per box of 10	No. of Boxes	Cost
MD 525 single sided 48tpi/40 track MD 550 double sided 48tpi/40 track	19.80 25.80		
MD 577 single sided 96tpi/80 track	25.80		
MD 557 double sided 96tpi/80 track	33.80		
	Total Excludi	ing VAT	
Name		5% VAT	
Address	Total	Payable	
Address	Strictly	cash wit	h orders to:
Post Code		DISKO	TEK
I enclose cheque/P.O. Payable to Diskotek for the sum of £ For orders of 10 boxes minimum of any disk type tick one of the boxes below for preference:  ☐ Please send me free of charge 3 plastic library case's		PO. BO WORS MANO M28 5	SLEY CHESTER
or Please send me free of charge Lambs Navy Rum 1984 (	Calendar		



Whether its your first computer or whether you're already an enthusiast, LVL COMPUTERTOWN offers you the quality of service you expect from experts. If you invest money, you go to a bank or a broker - a specialist who can guide and advise you on the best return for your capital. At LVL COMPUTERTOWN we're specialists too. We're there to help guide you through the micro maze, keep you up to date on innovations, help you get the best value for money, whether your computer is for you, your children or your business. Your computer can change your life - make sure you change it for the better:


Come and talk to the experts and move into micros with LVL

REFLECTION OF SUPERIORITY (WHICH EVER WAY YOU LOOK AT IT).

£39.95

The Bell & Howell/LVL Computer Compatible Data Recorder.

- O Automatic Level Control
- O Automatic Tape Stop
- O Tape Counter
- O Remote Motor Control.



### **MONITORS**



SABA 14" COLOUR MONITOR/

£274.45

MICROVITEC 14" Colour Monitor £247.25

#### DECCACOLOUR

14" Colour Monitor £247.25



12" Green Screen £102.35

### PRINTERS



#### **EPSON**

FX-80

An astonishing 160 characters per second, proportional spacing, quick forms tear-off, superscripts, subscripts, dot addressable graphics and down loadable character set.



\* IT'S A PORTABLE COMPUTER TERMINAL! IT'S A LETTER OUALITY COMPUTER PRINTER IT'S A FULL FEATURE ELECTRONIC TYPEWRITER

Philosophers Quest .....

Countdown to Doom .....

Castle of Riddles ...... £9.95

Sphinx Adventure ..... £9.95

**ADVENTURES** 

## SOFTWAR

£734.85

DESIGNED FOR THE BBC MICROCOMPUTER

GENERAL
Desk Diary £9.95
Creative Graphics £9.95
Graphs & Charts £9.95
Tool Box £21.00
Record Keeper £13.80
Magic Garden £9.95
Magic Garden £9.95
EDUCATIONAL
Business Games £9.95
Tree of Knowledge £9.95
Peeko Computer £9.95
Algebraic Manipulation £9.95
Word Sequencing £11.90
Missing Signs £11.90
Number Balance £11.90
Word Hunt £11.90
Density Circuit £11.90
Chemical Analysis £13.80
Chemical Structures £13.80
Jars £11.90
Vu-Type £16.10

## **BOOKS**

#### GENERAL

Programing for the BBC . £8.95 Advanced User Guide . £12.95

#### ACORN

ACOId1	
Creative Graphics £'.	7.50
Graphs and Charts £	7.50
Forth Book £	7.50
Lisp Book£	7.50
View Guide £	2.50
Into View £:	2.50
BCPL User Manual £1!	5.00

BBC

The Computer Book	£6.75
The Book of Listings	£3.75
30hr. Basic	£5.95
Beyond Basic	£7.25
The Friendly Computer.	£4.50
Sound & Graphics	



The items featured represent a very small selection from our vast product range.

Further information of both product and services available can be obtained by telephoning or visiting your nearest LVL Computertown Dealer.

#### CHESHIRE

C-TECH SOFTWARE 184, Market St.

#### HYDE

Cheshire 061 366 8223 COMPUTER CITY 78, Victoria Rd

#### WIDNES Cheshire

051 420 3333 OAKLEAF COMPUTERS

100, Boughton

#### CUMBRIA

56/58 Lowther St. CARLISLE Cumbria 0228 27710

#### ESSEX

1, Northmall

GRAYS, ESSEX

0375 79834 BROADWAY MUSIC AND VISION Woodford Green

ESSEX

#### GREATER MANCHESTER

8. Exchange St. MANCHESTER

#### WORC'S

SPURTREE COMPUTING LTD. Council Buildings,

TENBURY WELLS,

Worcestershire 0584 811353/811304

#### MERSEYSIDE WARWICKSHIRE

46. Pensby Rd. HESWALL The Wirral Merseyside 051 342 7514

#### NOTTS

Trent Boulevard WEST BRIDGEORD

0602 819713

S P ELECTRONICS 48. Linby Rd.

HUCKNALL

Notts. 0602 640377

LEASALINK VIEWDATA Ltd 230, Derby Rd

STAPLEFORD

0602 399484

#### OXFORD

ABSOLUTE SOUND AND VIDEO (Oxford) Ltd. 19, Old High St. Headington OXFORD

AVON
K&KCOMPUTERS 32. Alfred Street. WESTON

SUPERMARE Avon 0934 419324

COLSTON COMPUTER

CENTRE LTD. The Colston Centre, BRISTOL

#### ISLE OF WIGHT EXCELL

BEMBRIDGE Isle of Wight 098 387 2578

9. Bank St

RUGBY

Smethwick

WARLEY

WEST MIDLANDS

RICHARD MORRIS

523. Bearswood Rd

021 429 1161 JBC MICRO SERVICES

WILTSHIRE

Central Trading Estate.

WILTSHIRE MICRO

200 Earlsdon Ave.

COVENTRY

0203 73813

CENTRE

Signal Way,

Old Town, SWINDON

0793 612299

**BUCKS**'

SUSSEX

C.I.E. MICROS

78, Brighton Rd.

WORTHING

West Sussex 0903 213900

HI-VU ELECTRONICS

38, Church St. Wolverton

MILTON KEYNES

Unit 6.

#### YOUR LOCAL



#### DEALER

#### HEREFORD

KEMPSONS HEREFORD

KENT MICE

MAIDSTONE

GRAVESEND COMPUTERS

39, The Terrace, GRAVESEND

#### **NORTHANTS'**

A ELECTRICAL

IRLINGBORO N'Hants

#### LEICESTER

63. Blaby Rd WIGSTON

0533 785033

#### LINCOLNSHIRE

121. Dudley Rd GRANTHAM

#### LONDON

CANNONBURY RADIO 185 Upper St

ISLINGTON NI 01 226 9392 PAUL ELECTRICAL 250/2, Grand Drive,

Raynes Park **LONDON SW20** WOODS RADIO

257, Lavender Hill.

LONDON 01 228 1768

#### SALOP

53 Mardol

SHREWSBURY Shropshire

SUFFOLK SJEMERY & CO. 10. Market Place

BUNGAY. Suffolk

IRELAND EVERYMAN COMPUTER SERVICES

#### BALLYMONEY

N. Ireland 026 56 62658 NEWBURN

ELECTRONICS BALLYCARRY

Co.-Antrim, 09603 78330

#### STAFFS W BAGNALL

18. Salter STAFFORD KIRKLANDS STOKE ON TRENT 0782 415787

COMPUTERAMA STAFFORD

#### SURREY

HASLEMERE COMPS 25. lunction Place. HASLEMERE

Surrey 0428 \$3850 P & H ELECTRONICS 5. The Parade, Reading Road

Surrey. 0252 - 877 222

\* Spectrum Members

LANCASHIRE

#### ACCRINGTON

Lancs. 0254 36521 Home & Business Computers Ltd.

54. Yorkshire Street. OLDHAM

061 633 1608 Home & Business Computers (RCH) Ltd. 73, Yorkshire Street,

ROCHDALE

#### WALES

18. Mansel St. SWANSEA

91, Whitchurch Rd. Cyncoed

CARDIFF Wales 0222 621813

THE COMPUTER SHOP 41. The Hayes CARDIFF,

Wales. 0222 26666

#### SCOTLAND

COMMSCOT 30 Gordon St GLASGOW 041 226 4878

#### NORTH LAND

NEWTONS SEAHOUSES 0665,720307

• Circle No. 251



The 8064 packs all the power you will ever need. Sleek and trim, yet fully expandable with eight slot expansion unit.

The newly designed compact keyboard is a piece of art in itself. The OM8064 features ultrasensitive key and single key programming commands, you will get much more including a powerful 64K dynamic RAM up to 14K of ROM, 24 line x 40 character text display with high resolution graphics a 6502 and Z80 microprocessor.

12 month on site maintenance

CP/M Wordstar Super Calc II and Friday

CP/M Wordstar Calstar and Infostar CP/M Basic Trainer BBC Personal, Data Base & Planner Calc Complete systems plus maintenance on the software package £1600 plus VAT.

Dealer Enquiries welcome

TASHKL COMPUTER SYSTEMS LTD 24 LOGAN ROAD, WEMBLEY, MIDDLESEX HA9 8PX TEL No. 01-904 4467. TELEX No. 296708

CP/M is a registered trade mark of Digital Research Inc.

#### THE PRICE OF THE COMPLETE SYSTEM COMPRISING OF:

- **OM8064 MICROCOMPUTER WITH**
- \* STANDARD 64K RAM
- ★ 8 SLOT EXPANSION UNIT & COVER
- \* STANDARD 2K ROM FOR CP/M®
- \* MAXIMUM 14K ROM FOR BASIC
- \* STANDARD 6502 CPU

CABLE

- \* STANDARD Z-80 CARD \* STANDARD CENTRONIC I/F CARD & I/F
- ★ STANDARD 80 COLUMN CARD \* STANDARD FLOPPY DISK DRIVE
- CONTROLLER
- ★ TWO 51/ain SSSD SLIMLINE DISK DRIVES & I/F CABLES EACH 163 KBYTE ★ 12in GREEN MONITOR & CABLE
- \* JOYSTICK ADAPTOR CABLE
- \* TV ADAPTOR
- \* TAPE RECORDER CARLES

# Assembler for the IBM PC

Paul Myerscough looks at the guides available for those preparing to delve below the surface of the PC's operating software.

AT THE HEART of the IBM PC is an Intel 8088 microprocessor. It is this chip that provides the instruction set and hence lays the ground rules for assembler programming. The 8086/88 family of processors has been available for five years now, and several books have been published that describe their programming and hardware features. Two new books are specific to the IBM PC and more are on the way, no doubt inspired by the news that the PC started outselling Apple in the U.S. last summer.

The iAPX-88 Book is produced by Intel, the company that designed the 8088. Not surprisingly, it provides an excellent and readable description of the chip architecture and instruction set. This book has been available for some time and is presented as a publication designed to sell the 8088 as well as inform potential users. The initials iAPX stand for Intel Advanced Processor System, and the iAPX-88 is a real or hypothetical computer based on the Intel 8088 CPU.

In their introduction the authors outline the architecture of the 8088 and describe what makes it superior to eight-bit microprocessors. This clear and concise discussion is comprehensible to anyone with a little basic knowledge on the subject. For those without it there is a supplement towards the back entitled "What is a Microcomputer?".

#### Intel assembler

For the programmer, the chapter "Architecture and Instructions" describes the concepts of segmented memory, the register structure, addressing modes, and the 8088 instructions grouped by function. A further 24 pages are devoted to assembly-language programming. Although the information is applicable to all 8088 assemblers, specific reference is made to ASM-86 which is Intel's own assembler. The text in this section is largely reproduced from *The 8086 Primer* by Stephen Morse, published by Hayden Book Co.

A short program is given by way of introduction to many of the concepts and terms employed in 8088 programming. The style is at once authoritative and concise, and the authors define their terms carefully



and analytically as they are introduced. An assembler statement is built from different kinds of tokens, a token being an identifier, a reserved word, a constant, an operator, and so on.

Each category of token is discussed before the authors deal with statements, which they divide into instructions and directives. Instructions have their equivalent 8088 function; directives control the way the assembler generates the 8088 program from the instructions.

The directives described correspond with a subset of the psuedo-ops available with the IBM Macro Assembler and allow the definition of symbols, data storage, segments and procedures. The discussion that follows is clear but very condensed, covering general and 8088-specific programming techniques in a few pages with four short example programs to provide an idea of how real routines might look.

Some 110 pages, over one-third of the book, are devoted to an alphabetic table of instructions with one or two pages per instruction. Here you will find a description, details of the operation in pseudo-code format, the flags affected, the binary encoding, the required operands, clock times, instruction length and a coding example. This information is complete but lacks the illuminating explanations provided by Rector and Alexy in their book.

Osborne/McGraw-Hill books seem to be becoming the standard texts for assembler

programming on microcomputers. The 8086 Book by Russell Rector and George Alexy was published in 1980 and is on the shelves once more after being unavailable for some months. Whereas Intel's book provides a readable and concise introduction to the 8088 microprocessor and 8088 programming, this one is much more of a reference work. The scope here is slightly more comprehensive.

#### Stock text

It is always a little strange when such specialised books should take the time to answer the question "What is programming?" One suspects that this publisher's word-processing software automatically pulls in the standard paragraphs on these subjects, which are admittedly concise and well presented. After this short general introduction two programming problems are presented and the reader is walked through the design process.

By page 20 the 8086 is introduced; from a programming point of view the 8086 and 8088 are identical, the only noticeable difference being run times. The description begins with the registers and the flags, and reference is made to the equivalent 8080 implementation. A discussion of the 8086 address modes follows. About 150 pages are used to describe the instruction set.

The concepts surrounding Intel's Multibus system are introduced, and some (continued on next page)

#### Book reviews

(continued from previous page)

notes are provided on multi-processor configurations. The book ends with a set of appendices. They give a table summarising all the 8086 instruction in alphabetic mnemonic sequence and in object code numeric sequence; electrical and timing data sheets for the 8086/88 and related series of clock and bus controller; and notes on the differences between the 8086 and the 8088. These hardware differences effect some of the pin signals and the bus timing for the data/address cycles.

The two remaining books, as their titles indicate, are IBM PC oriented and give themselves a wider brief. They refer not only to the 8088 and its programming, but also to the PC-DOS operating system, the ROM BIOS and some of the additional hardware that is found in the PC. Both refer specifically to the IBM Macro Assembler, though it cannot function very differently from any other assembler for the 8088 CPU.

#### New breed

Scanlon's IBM PC Assembler Language is one of the new breed. A floppy disc prepared for use in conjuction with the book contains the example programs referred to in the text. It cannot be denied that this is a good idea. However, in this instance the publisher seems to be motivated by dollars: the programs cannot be described as useful outside of the context of this already expensive book, yet you have to pay an extra \$34 for the diskette. By adding its real cost of two or three dollars on to the book and packaging them together successful sales would be assured.

The approach taken by Scanlon is that of a cataloguer. He brings together fairly comprehensively relevant information from all the IBM PC manuals, lists it, tabulates it, describes it, and provides some useful if unexciting example programs, By contrast, David Willen and Jeffrey Krantz in their 8088 Assembly Language Programming: the IBM PC provide a clearer and more readable discussion of much the same subject matter, with original programming examples and excellent diagrams. They also manage to cover more topics more thoroughly in fewer pages. While Willen and Krantz have a style that is easy and authoritative, Scanlon's is more uneven and in places awkwardly verbose.

Both books launch into binary arithmetic and numbering systems and in a few pages seek to embrace bytes, nybbles, twoscomplement form, and some discussion of the 8088 architecture. Such a short and general introduction is difficult to organise in a few pages and Scanlon is less successful here.

Under the label of "8088 Architecture" Willen and Krantz provide a well organised summary of the internal functions of the CPU and its instruction set by functional group, again with good explanatory diagrams. Then they quickly add all that is

necessary to create a simple program: describing how it sits in memory, how it relates to DOS, and the BIOS. Some specifics about the IBM Macro Assembler are supplied, particularly the essential pseudo-op instructions to the assembler for reserving storage and defining procedures and segments. They take about 60 pages to describe this material.

Scanlon requires 120 pages to cover less ground — he does not even mention DOS and BIOS. Some of the more esoteric pseudo-ops provided by the IBM Macro Assembler are rather difficult to understand from the manual and here Scanlon's detailed explanation provides a welcome insight. However, even he is stumped when it comes to Record and Struc.

After these introductory chapters the two books diverge on to different paths. Scanlon takes a couple of chapters to cover higher-precision mathematics and data structure operations. Though the material he provides is useful for orienting the inexperienced programmer, it can be found in virtually any text on the subject. He approaches the keyboard, video display, cassette and the like from the point of view of a program looking outwards. The interrupts are catalogued and described, and a few simple programming examples are given.

Willen and Krantz follow their introduction to the CPU and the Macro Assembler with a thorough and interesting breakdown of the IBM PC hardware and its control. Starting with the system board they provide descriptions of the 8259 interrupt controller, the 8253 timer, and the 8255 programmable peripheral interface, which are all configured in the PC as I/O devices. They go on to discuss the other devices that are not on the system board. The chapter referring to the display and printer adaptors describes their operation at length and provides programs for both monochrome and colour/graphics use.

A typical application where Basic programming is often just not fast or versatile enough is that involving communications. For this reason, although it is an optional extra, the RS-232-C serial communication adaptor is of particular interest to the assembler programmer. The authors provide a good chapter on this device, describing asynchronous protocol, hos a Uart functions, and how it interfaces through an RS-232 interface to a

modem. Programming of the Intel 8250 used by the IBM PC for controlling asychronous communication is described, and a simple terminal-emulation program is provided as an example.

Unlike Scanlon, Willen and Krantz do not shy away from disc I/O. Their chapter on the subject starts at basics with the anatomy of a diskette and takes you through file access using DOS to access at the track/sector level using BIOS routines.

The books discussed so far fall into one or more of the categories 8088 reference work, assembler programming text and IBM PC assembler-level guide. *Programming the 8086/8088* by James W Coffron falls between all three stools. He covers the 8086/88 in sufficient depth to provide a good introduction but the book is not comprehensive enough to be considered as a reference work.

On assembler programming Coffron discusses some important topics but others are omitted, and his program examples could be more frequent and more illuminating. A 20-page chapter on the IBM PC is dropped in almost as an afterthought and deals with only a few of the machine's features.

#### Numbers

Following the mould of the two PC-oriented books, Coffron starts by introducing number representation, binary arithmetic and associated processor-flag usage, and follows up with a summary review of the CPU archiecture and a detailed discussion of the 8086/88 address modes and their encoding.

Next comes a substantial chapter of 105 pages cataloguing the 8088 instruction-set mnemonics. Unlike Rector and Alexy, Coffron does not choose to expand on the information provided by Intel and leaves out some of the details available.

Programming techniques are introduced with some very basic arithmetic and a discussion of subroutines. This is followed by a useful review of external and internal CPU interrupts and a chapter on I/O ports and instructions In and Out. His program examples here are short and curious — to generate a delay, and to scan a four-by-four keyboard. Although the 8255 PIO and the 8253 timer chips are mentioned he does not convey their functions and uses as clearly as Willen and Krantz do.

The iAPX 88 Book, by the Intel Corporation. Published by Reston Publishing Company, Inc., 315 pages, £11

The 8086 Book by Russell Rector and George Alexy. Published by Osborne/McGraw-Hill, 595 pages, £13.95

IBM PC Assembly Language — A Guide for Programmers by Leo J Scanlon. Published by R J Brady/Prentice-Hall Publishing. 311 pages, £16.95

8088 Assembler Language Programming: The IBM PC by David C Willen and Jeffrey I Krantz. Published by Howard W Sams & Co. Inc., 235 pages, £13.55

Programming the 8086/8088, by James W Coffron. Published by Sybex Inc., 309 pages, \$14.95

#### \* BETTER VALUE MAIL ORDER SUPPLIES FOR YOUR MICRO\*

#### TDK DISKS



High grade flexible disks from one of the world's most famous suppliers, 51/4" and 8" disks, in boxes of 10.

#### 5.25" DISKETTES

M1D-S	S/S, D/D, 48 TPI	£24.30
M2D-S	D/S, D/D, 48 TPI	€34.80
M2DX-S	D/S, D/D, 96 TPI	£45.50

48 TPI suitable for 35 or 40 track operation. 96 TPI suitable for 77 or 80 track operation.

#### 8" DISKETTES

F1- S128	S/S, S/D	€27.60
F1-H32	S/S, S/D	£27.60
F2D-S1024	D/S, D/D	£40.10

#### DATALIFE DISKS



From Verbalim, the world's leading diskette manufacturer. Full 5 year warranty. All minidisks are certified for double density recording, and are fitted with hub ring reinforcement as standard.

#### Prices per box of 10 disks.

3.23 DIGN	LIILO	
MD525	S/S, D/D, 48 TPI	£18.25
MD550	D/S, D/D, 48 TPI	£27.15
MD577	S/S, D/D, 96 TPI	£25.55
MD557	D/S, D/D, 96 TPI	£34.20

48 TPI suitable for 35 or 40 track operation. 96 TPI suitable for 77 or 80 track operation. 10 and 16 hard sectored versions available at same prices.

#### ALL DIOVETTED

e DISKET	ILO	
FD34-9000	5/5,5/0	€26.10
FD34-8000	S/S, D/D	£26,60
DD34-4001	D/S, D/D	£30.95
32 hard sector prices.	red versions ava	ifable at same

#### **XIDEX DISKS**



The new premier quality standard, against which all other manufacturers will have to be judged. All products certified for double density recording. Now with a lifetime warranty. Unreservedly recommended. Prices per box of 10 disks.

#### E OF" DICKETTER

0.20		
5012-1000	S/S, D/D, 48 TPI	£19.55
5022-1000	D/S, D/D, 48 TPI	£27.55
5012-2000	S/S, D/D, 96 TPI	£27.75
5022-2000	D/S, D/D, 96 TPI	€35.80

48 TPI suitable for 35 or 40 track operation.
96 TPI suitable for 77 or 80 track operation.
10 and 16 hard sectored versions available at same prices.

#### O" DICKETTEE

8012-1000	S/S, D/D	€26.40
8022-1000	D/S, D/D	£31.90
32 hard secto	red versions ava	ilable at same
prices		

#### TDK CASSETTES



You know the name and the quality's the same. 15-minute computer grade cassettes for optimum performance in all standard microcomputer cassette drives. In boxes of 10.

TDK PC15

€5.90

#### DISK DRIVE **HEAD CLEANING** KITS



Helps to protect your valuable data, and minimise expensive downtime and repair costs. Consists of a flexible jacket, which receives a pre-saturated cleaning disk. Each disk is sealed within a foil sachet to ensure that it contains the right quantity of cleaning fluid when used. After use the disk is disposed of, and the jacket is kept for future use.

Suitable for single or dual head drives. Please specify 8" or 5.25" disks.

(contains lacket and two cleaning disks)

REPLACEMENT CLEANING KITS £14.80 (pack of 10)

#### DISKETTE STORAGE BOXES



Protect your diskettes and valuable data from external contamination. Lockable, portable and secure. Two part box made from anti-static ABS plastic. Price includes dividers and index labels. Capacity 80 disks.

€32.00 A5 Storage box (for 8" disks) A6 Storage box (for 5.25" disks) £22.00

### PRINTER

CTI - CP80



Friction and tractor feed as standard 80 c.p.s. Bi-directional logic seeking. 13 x 9 dot matrix giving true descenders. Sub and superscripts. Italic printing and auto underlining. Condensed, emphasised, expanded and double strike printing (can be mixed in a line). ine). Parallel interface litted as standard. 12 month warranty.

Print sample available on request.

£ FREE

£249.00 CO\_SO PRINTER Optional RS-232 Interface €40.00 Special ViC20/VIC 64 Interface £46.00

#### PRINTER STAND



Suitable for use with dot matrix printers. Lifts printer sufficiently to enable continuous stationery to self-stack. Painted steel unit. Dimensions: 39cm wide x 28cm deep x 10cm high

Comes as package which also contains:—

200 sheets continuous stationery. 1 x 9½" binder. 1 x highlighter pen, choice of rubber feet/sticky pads.

PRINTER STAND £19.95

#### COMPUTER **FURNITURE**



Suitable for use with all leading personal computers. Features a top shelf for monitor/ printer, lower shelf for books, paper and general storage; large desk top surface at keyboard height, attractive teak finish, and castors for mobility.

U.K. Manufacture. Comes in flat pack for self assembly – full instructions provided.

A further range of more sophisticated units is available – please ask for details.

THE ORGANISER

\$55.00

Product Price

**Sub Total** 

Delivery/Insurance V.A.T. TOTAL VALUE OF CHEQUE PAYABLE TO DISKPOST

Company Orders

If you are unable to raise cheques without an invoice, please post or telephone your order to us. We will then forward a pro-forma invoice, for your accounts department to pay against.

To: DISKPOST, FREEPOST, WEST MOLESEY, SURREY, All prices inclusive of delivery and insurance on British KT8 0GF. Tel: 01-941 4066

YOUR NAME .... ADDRESS .....

Tel. No.:.... Please charge to my Visa/Mastercharge/American Express/Diners Club account.

My card number is ..







#### Credit Card Orders

VISA

We welcome Visa, (Barclaycard), Mastercharge, (Access), Diners Club and American Express. There is no credit card surcharge. Either write your card number on your order, or telephone your order to our sales office.

#### \* NEW 1984 PRICES

DISKPOST\* is the mail order division of the BFI Electronics Group Europe's largest independent diskette supplier.

West Molesey Surrey KT8 0QF. Tel: 01-941-4066

#### **EUROPEAN DISTRIBUTOR**

#### SATURN SUSTEMS Have changed their name to

The name may have changed but the product is still the best available!



SATURN RAM for Apple II, II+, IIe Perfect for Apple and their compatibles,

and their compatibles, In 1981, we introduced our famous Saturn multi-bank RAM card to boost the Apple's memory by 32K. Now, we also offer 64K and 128K versions for even greater power. Blg on benefits.

Blg on benefits.

Each Saturn RAM board performs all the functions of a language card, More important, its extra banks of RAM give you loads of memory space for BASIC, VisiCalc, Multiplan and much more. You can even use your RAM boards like a speedy disk drive. Save time accessing data, and save wear and tear on your floppy drives! Saturn boards are a super aid for advanced word processing, data base management, spreadsheet, and accounting applications. They're ideal with PASCAL, CP/M and BASIC too.

32K £129 128K £299

32K £129 128K £299

HELLO FAN!

surge suppression and neon lit

front facing switch will help

to keep your Apple cool and

avoid possible data errors by

smoothing current flow and

keeping the Apple's power

supply and circuitry at a

lower temperature. The fan

is a high-quality unit at

£39,95 + VAT (Dealer and

Distributor enquiries welcome.)

WORDHANDLER

NOW ONLY £39,95 + VAT SUPERB VALUE

Sea Dragon

d Base II Andromeda Conquest Apple Mechanic

Bank Street Wrifer Murder by the Dozen Kids + the Apple (no VAT)

Professional Easywriter

Apple Cooling Fan Koala Pad Touch Tablet

Magicalo

Zaxxon

Speed Reader II

Rondezvous

Kraft Joystick

Jumpman

Sargon II

Zork II Zork III

Zork I

APPLE BLOSSOM!

Apple Joystick

Master type BASF S/S S/D

Apple Controller

Olympic Decathlon Dollars & Sense

Castle Wolfenstein Chess

Perfect Writer
DB Master
DB Master Vers. 4.0

Pre School IQ Builder

Shamus

Golf

the service of the service of the service of the service of

Frogger

Stickbear Bop

Type Attack

Wizerdry Snooper Troops 1 Snooper Troops 2

22.95

99 00

375.00 14.95 19.95

44.95

23,95 13,95

26.95

45.95

26.95 22.95

26,95 26,95

26.95

39,95 99,00 37.95

119 95

The P & P fan is here! This neat fan with power



NEPTUNE

NEPTUNE
The two most popular expansion features, on a single card.
Titan's exclusive Neptune Extended 80-Column Card gives you increased video display and up to 192K of extra memory by using just the auxiliary slot of your Apple Ile. And you can select from three versions - 64K, 128K or a full 192K of RAM. Dramatic increases in speed and productivity.
Software included with Neptune lets you use the additional memory as a super-fast RAM disk-a big plus with many programs.
You also get Titan's special VIC-EXPAND/80 software to expand VisiCalc up to 220K of workspace memory and to provide many moreVisiCalcenhancements.
PASCAL and CP/M PSEUDO.
DISK patches and a DOS relocation program are included with each Neptune card.

64K £179 + VAT each

64K £179 + VAT each

additional 64K (up to max 192K) - £109 + VAT

Now you can write Applesoft Programs bigger than 64K!

EMBER is written for Titan RAM Boards or Neptune extended 80 col. card, You can use as much memory as you can possibly plug into your Apple! Ember automatically puts variables and strings in expansion RAM leaving full lower 48K for program text. All bank switching is done for you. Each array can use up to 64K of RAM, Ember runs slower than Applesoft—but you can always use an Accelerator!





Imagine running VisiCalc, DB Master, Applesoft, Apple Fortran Pascal without long delays, th the Titan Accelerator II, our Apple II or II Plus runs With Your these programs a true 3½ times faster. This faster computer res-ponse time means less waiting for you and an increase in your

for you and an increase in your productivity.

This Titan exclusive has its own fast 6502 processor, 64K of high-speed memory, and built-in fast language card. It is transparent to your software and is hardware comparible with most standard compatible with most standard peripherals. And you can turn it off from the keyboard to run your Apple at regular speed.

£299 + VAT

## £34.95 + VAT

at a price you'll find hard to

as Apple's own 80 column ex tended memory card and is covered by Pete & Pam's own 12 months warranty. A



#### GLANMIRE 64K EXTENDED 80 COLUMN CARDS FOR THE APPLE He

believe - just £89 + VATI
This card works in the same way



AN INCOMPARABLE GRAPHIC PLOTTER AT ONLY £495+VAT Works on all micros with a suitable parallel interface for all your Graph Processing, Chart Proces-sing, Engineering Graphics and Overhead Transparencies. SUPERIOR VALUE

36,00

36.00 22.00 25.95 17.90 19.95 44.95 19.95 45.95 79.00 54.95 39.95

のようのでする

179.00

23.95 24.95 14.95 26.95 22.95

25,95 34,95 22,95

22.95

#### THE APPLE PROFESSIONAL HOME COMPUTER



#### YOU GET: An Apple He

Disk Drive with Controller TV Modulator (Colour and Sound) Exclusive Apple Bag Plus MONEY OFF VOUCHERS

FOR

£25 off Apple He Monitor (£149 + VATI £25 off 1 of the Apple discovery

games or Apple Logo

or Applewriter He or Quickfile He

46% off Micronet 800 Service a saving of £79,95 which includes:

- Modem
- Communications Card
- British Telecom Jack Plug Installation
- Postage/Packing/Insurance days FREE training at an Apple Training Centre Value £100 Various Vouchers for money off Pete & Pam distributed software.

£999 including VAT

Get into Personal computing in a big way l

ONE MORE WAY TO GET THE BEST OUT OF YOUR APPLE.

#### Fast Dos

SPEED UP DISK ACCESS ON DOS 3,3 BY UP TO 20 TIMES! (Depending on the program)

£19.95 + VAT

#### MAGICALC"

Apple 11 (minimum 48K) and the new IIe are supported, as well as expanded memory cards up to a total memory of 512K (four 128K cards). There are 254 rows and 63 columns of work space on the spreadsheet. The program works in 40 or 80 columns (most of the 80-column cards are supported). A 70-column format is provided using Hi-Res graphics. Both uppercase and lowercase entry/display are allowed. The program can be used with multiple drives including hard disks.

Q. What advanced spreadsheet features does MAGICALC have? A.1. Columns may be different widths to fit your data and formats



2. Columns may be made invisible to hide data or to operate as a third-window on the data (bring first and last quarter figures together, for example, while leaving the title and other windows unchanged).

3. Individual cells may be made

invisible to hide sensitive data.
4. Cells may be protected to prevent inadvertent erasure,

5. Cells may be protected to allow only numbers or labels to aid in the setup of templates.

6. A "tab" to the next unprotected cell is provided for fast data entry into templates.

On-screen indication of Global Computation Order is provided, as well as Manual or Automatic Computations mode

£99 + VAT

A



#### SNAPSHOT TWO

An accidentally erased disk can cost you weeks of time waiting an expensive replacement. Making backup copies of all your important programs is an essential element of sensible computer use: SNAPSHOT TWO is the powerful, fast and easyto-use hardware/software system that gives you the power to copy your valuable software. Just boot your disk, and pres-the trigger, SNAPSHOT TWO TWO removes copy protection, and copies most programs in 30 even seconds. programs baffle other copiers. Backups are ordinary DOS 3.3 disks that will immediately boot and run on any 64K Apple land, often, any 64K Apple land, often, on any 48K Apple) without SNAPSHOT TWO Present,

£99.00 +VAT

#### **EUROPEAN DISTRIBUTOR**

## Grappler +



The Original Apple graphic printer interface. Since its intro printer interface. Since its inter-duction three years ago, the Grappler has been initiated b many, but never matched. Now with Dual Hi-Res Graphics to side by side reproductions an Mixed Mode screen dumping the Grappler+ remains the most intelligent interface available. Ove two dozen commands give Appl users full control over any graphic or text on the Apple screen text dump...

## BU CARDONIC



economical buffering. The Buffe easily adds memory t current Apple interface printer board your current Apple interfaces system, freeing your compute for additional input. Easily up gradable from 16K, the Buffe board can store up to 20 page of text, It fits neatly inside you Apple, "docking" onto you existing printer interface. N printer interface. Nones or cables, no power supplies... jui £109 + VAT

Grappler + THE REAL PROPERTY.

The most sophisticated buffere Apple printer interface available The New Buffered Grappler combines the industry leading features of the Grappler + with time saving economies of th Bufferboard, £179 + VAT With this much interface power you'll never need anything else Over 90,000 Apple computers at using Orange Micro product Innovation and excellence have made us the No. 1 manufacture of intelligent printer interface The top selling Grappler + habecome an industry standard industry standard recommended by more softwar houses and Apple dealers, Recer innovations include the Grapple for IDS colour printers an the new Orange interface, wit text screen dumps and formatting

#### RENTAL

Want to rent an Apple?

Or an IBM PC. . ,a QX10 . . a Printer or anything else yo can think of? Call either o our offices for a quote from one machine to fifty from one day to a thousand HAT IS JACKreport? CKreport is a Report Generator signed for use with the incre-ble JACK-Of-All-Trades. CKreport uses information om your JACK files to create stomized reports.

HOSHOULD BUY JACKreport? ople who are considering JACK ralready using JACK) for rsonal filing. If you need to iculate the total value of your ventory, or count the number labels in your mailing lists, or mmarize data from your JACK es, JACKreport lets you turn is information into clear and eful reports.

JACK REPORT £75 + VAT

FINGER PRINT R EPSON MX PRINTERS £39,95 + VAT



#### SPECIAL OFFER BASF DISKS

Disks for the price of 91 ngle Sided Single Density itable for Apple.

10 for £16.11 100 for £148.50 + VAT

ouble Sided Double Density itable for IBM PC 10 for £24,75 + VAT

100 for £225.00 + VAT puble Sided 96 tpi suitable

r Sirius/Victor 10 for £30 60 + VAT

100 for £279,00 + VAT

whole range of other disks allable — ring for details.

"Disk Boxes £1.95 + VAT 5%" Head Cleaning Kits £15.95 + VAT

P& P DUST	C	יס	VE	R	S	
note III						. 6.95
nole & 2 Disks		1				. 8.95
pole & 12" Mon	to	F.	i			. 8.95
ople 2 DK&12"	M	or	iit	OT		, 9.95
ople 2 DK&9"M	or	lit	or		4	, 8,95
ople II					÷	. 3.45
rius Keyboard,				4		. 5.95
rius Proc & Mon			. ,	14		10.95
3C Computer . et 4023/8023/80		. ,			4	, 6.95
rt 4023/8023/80	196	õ.	. ,		,	. 9.45
et 4040/8050 Di	sk					. 6.95
t 9060 Hard Dis	k					. 6.95
X10 and Monito						
X10 Keyboard.					į.	. 4.95
oson MX80/70.	Ĺ			i.	i	. 5.95
per Tiger 445/6	Ö				Ĺ	.7.45
X100					Ċ	9.95
ume 5 W/Tracto	r					1.95
ism Printer 560						
nadex 9000 Seri	es				Ċ	6.95
pple Dot and NE	C				1	6.45
et 4022P Printer					•	5.95
et 8023P Printer	1		1		Ċ	7.45
et 8300P Printer	,	•			*	9.45
X 80						
lentype Printer	٠	*		٠,	•	5.95
licroline 80		*			•	5.95
licroline 82		*		٠.	•	6.50
licroline 93	1	•				6.75
licroline 83 licroline 84	^			٠.		9.95
: Monitor		•			+	5 95
on 12" Manitor	+	٠				7.45
ec 12" Monitor itachi 12" Mon	+	4.	-			7.45
ecca RGB Moni	10		4			9.95
3M PC MOn and	D	200				0.05
SM PC MON and	0	<b>a</b> 5			•	4.05

## OFALL TRADES



What is the incredible JACK of

JACK is an integrated applications software package for Apple II computers. "Integrated" means that JACK can do Word Processing, Data Base Storage and Retrieval, and Calc Analysis all at the same time. Because it is integrated JACK lets you do all these things with just one simple set of commands.

Who should buy JACK?

JACK is perfect for the first-time computer buyer who works time computer buyer mon works with information, be it words, numbers, or lists with words and numbers in them. You can learn JACK just once and do three times as much with your computer as with any single-function software. And JACK costs far less than buying three different programs! Experienced computer-users who need to integrate their applications should also consider JACK. If you've ever wished you could integrate a document and a calc model without scissors and glue, or 'printing to disk', JACK is for you

What kinds of work can I do with JACK?

with JACK?
If your work consists of words, lists, or numbers, JACK can probably handle it. If you work with words and numbers at the same time, or lists with numbers, or even lists with words, JACK will make that work easier than any other software you can buy. Things you can't do with most software are easy with JACK: write a memo with calculations and do those calculations at the write a memo with calculations at the same time; or create form letters from a mailing list with a single command, or make a list of 'what-if' options and select the best one by simply telling the computer what you want.

What else makes JACK special? Convenience. Most people use computers to prepare documents, to handle informatiom, and to answer "what-if"-type questions. Without JACK, it takes a separate Without JACK, it takes a separate program to do each task. But most people don't work that way. We work on tasks that involve words, numbers, and record-keeping all together. And those tasks don't conveniently sort themselves into "word processing tasks", "calc tasks", and "data base tasks". By allowing you to work on one task in all three ways, at the same time, three ways, at the same time, JACK offers greater convenience than single - function software packages. JACK is THE software that lets your personal computer work the way YOU do, instead of the other way around.

the other way around.
How long will it take me to get
going with JACK?
Experienced computer-users have
picked up JACK in as little as
half an hour. First-timers may
take a day or two, JACK comes
witha step-by-step tutorial of
seven lessons, so you can go at

#### **BECOME A PETE & PAM**



#### THE APPLE-IBM CONNECTION

This might sound like heresy. but we're sure that some of you are going to want to transfer any kind of file to and from the IBM-PC. The ability to upgrade files from the 8 bit Apple to the 16 bit IBM-PC must be of use to someone?

Can also be used to send electronic mail messages in mixed Apple / IBM-PC network. Comes with a disk for the Apple and a disk for the IBM-PC. £139 + VAT



#### GREEN MONITORS

12" diagonal & 90º deflection video band width 30 Hz-20 MHz. An excellent high quality video display monitor.

£135 + VAT

#### SPECIAL OFFER **OKI MICROLINE PRINTERS**

\* Dual mode printing Mode 1 - 9 x 9 matrix, 160 cps bi-directional logic seeking Mode 2 - dual pass, near-letter-

quality (NLQ) printing Pin-addressable graphics 72 x 72 dot resolution

Superscript, subscript and underline

Proportional spacing in NLQ mode

Downline loadable character

No routine maintenance

The Microline 92 (360 x 328 x 130mm) Parallel £399 Serial £419 The Microline 93 (512 x 328 x 130mm) Serial £629

Meet 1-2-3 — the remarkable new software package that puts more raw power at your fingertips than anything yet created for the IBM PC. 1-2-3 actually combines information management, spreadsheet, and graphing in one program that can perform all three functions interchangeably and instantly at the touch of a key. That's Power.

To explain: since 1-2-3's information management, spreadsheet and graphing functions reside in memory simultaneously, you can go from retrieval to spread sheet calculation to graphing instantly, just by pressing a few keys. So now you can experiment and recalculate and look at data in an endless variety of ways. As fast as your mind can think up new possibilities. There's no lag between you and the computer. And that's a new kind of power power that's greater than the sum of its programs.

£375.00 + VAT

#### MULTIMATE Complete Function Key Orientation

MultiMater is the fastest, easiest to use and most powerful word processor available on microcomputers today. MultiMater offers a complete function key driven system for efficient document creation and modification. Most functions are performed while in the document (rather than from menus or utilities) with a minimum number of keystrokes.

#### Cursor Positioning Functions

MultiMate<sup>56</sup> has the most complete set of cursor positioning capabilities available today

#### **Editing Functions**

The standard functions such as Insert, Delete, and Move, as well as the more complex functions, are self-prompting and are performed with a minimum number of keystrokes

#### Formatting Functions

Full control over tab settings, line spacing and line length are provided by MultiMaterMs format line feature. An unlimited number of format lines may be included in your document format line modification results in automatic text readjustment from the modified format line to the next format line or the end of the cover. the page

#### Printing Functions

Printing Functions
MultiMater's complete printer control
capabilities allow full utilization of the
features available on your printer
MultiMater's Header and Footer facility
is unsurpassed in flexibility and ease of
use Alternate Headers and Footers are
supported as well as the ability to change
Header or Footer text as often as needed
within a document.

Printer Control Codes provide special printing functions unique to your prin

printing functions, unique to your printer Document printing is performed in a "background" mode so that while a document is being printed, you may create or revise another document Foreground printing is also provided. The Printer Queue Control allows you to control the documents to be printed by deleting a document from the queue placing a document in bild or releasing it from hold, moving a document to the tup of the queue, and restarting a document currently printing.

#### Advanced Functions

Molithate<sup>108</sup> Library function allows you to store an unlimited number of boilerplate phrases, paragraphs, or forms (up to one page each) or a diskette. These Library entries may be recalled for insertion into your document whenever specified.

Merge, Repagnate, Column Manipulation and the other advanced functions are also available and equally easy to use

With the Column Manpulation function, you may Move, Copy, Delete, or Insert columns of text or numerical data in a page of your document with a few keystrokes

Column Calculation functions provide you with the following math capabilities. Vertical and Horizontal Addition to sum columns or lines of numerical data, Subtraction, which is accomplished by Subtraction, which is accomposited by designating a number as negative, and theroby is equivalent to adding a negative number. Combined, these columnoriented functions yield you considerable flexibility and versatility when creating or editing documents with numerical data.

#### Mylar Key Labels

See through, color-coded, adhesive labels are provided for quick and easy identification of the function keys Both a Help screen and a Function Loxation Chart are provided for use when you are working on an unmarked keyboard.

PC

£339,00 + VAT

#### COPY II PC

Allows you to make back-up copies of your valuable software. £39,95 + VAT

SEE US AT THE WHICH COMPUTER SHOW ON STAND 2301

#### MULTI-TASKING PC DOS



#### AND MAKE ONE IBM PC **WORTH NINE**

TASCMASTER SOFTWARE does that by converting PC-DOS to CONCURRENT PC-DOS thus enabling you to create up to 9 tasks and run up to 9 programs simultaneously. TASCMASTER simultaneously. TASCMASTER DOES THE WORK OF NINE. While you are working with a task white you are working with a task on the screen other tasks are working for you. To give you every board you may need for your IBM PC we include with TASCMASTER SOFTWARE a powerful MULTIFUNCTION board FREE!!

Take you choice of: ADDRAM FLITE FEATURES of ADDRAM PLUS FEATURES with RAMDISK and RAMSPOOL SOFTWARE TOO.

£345.00 + VAT

Now you can print all the columns of your spreadsheet, all at one time, all on one continuous page. Sideways, the ingeniously simple software program, causes your hard copy to print out -you guessed it - sideways. So your spreadsheet columns need never fall off the edge of your printer paper again.

PC

£49.49 + VAT

#### INFOTORY

#### Stock Control System

Infotory and its special data management feature. ANY-REPORT, Provide you with a Stock Control System that is:

Easy to understand and use.

\* Comprehensive enough to solve your inventory management problems.

Flexible enough to offer alternatives that satisfy the needs of your particular business. State of the art - fully utilising

the power and potential of your

computer.
Capable of handling 5000 to 65,000 stock items depending upon your floppy or hard disc drive configuration.

£350 + VAT PC





Mail Order & Distribution.
New Hall Hey Road.
Rossendale, Lancs, B84 6JG Norwegian Agent:
(0706) 212321 & 227011 Address Okernveien 145
Telex: 635740 Petpam G
Telephone 47 2 64 55 77
Telephone 47 2 64 55 77 London Office Open Saturdays

Prices do not include VAT please add 15% to your remittance Postage and Packing FREE



Opening Hours 8 - 6 Mon. to Fri 9.30 - 5 Sat.

Circle No. 186

PC -

12.45

13.95

your own pace INCREDIBLE JACK

#### DEALER

We're looking to expand our fast growing dealer network. Call now for details



Sapphire Systems Ltd., 1/3 Park Avenue, Illord. Essex. Tel 01-554 0582, CPM & CPM86 are reg. Irademarks of Digital Research Inc., MS-DOS is a reg. trade mark of Microsoft, PC-DOS is a reg. trade mark of Microsoft, PC-DOS

grated to CALCMASTER both your experience and data are not

• Circle No. 187

E1681003S . ON TAV

SOC-SW

REG NO 1467831

PC-DOS 🗆

Floppy disk size: 5 ¼ "□ 8 "□ Single density □ Double density □ Single sided □ Double sided □ Single density □ Single sided □ Double sided □ Single sided □ Double sided □ Single sided □

Please allow 28 days for delivery

Operating system CP/M

## COMPILERS

If you have any experience of writing Compilers or Interpreters and are familiar with 6502, 6809 or Z80 Assembler then we would like to hear from you.

We provide machines for the duration of the work and offer cash, royalties or a combination of the two.

If you are interested, please send relevant details to:-



COMPILERS OASIS SOFTWARE 9A ALEXANDRA PARADE WESTON-SUPER-MARE AVON.

TRANSFORMS THE COMMODORE 64

INTO A FULL-FEATURED AND
PROFESSIONAL DATABASE
SYSTEM! WITH UP TO 1000
CHARACTERS PER RECORD ON UP
10 4 SCREENS... AND UP TO
128 ITEMS PER RECORD ON UP
TO 4 SCREENS... AND UP TO
128 ITEMS PER RECORD ON UP
TO 4 SCREENS... AND UP TO
128 ITEMS PER RECORD ON UP
TO 4 SCREENS... AND UP TO
128 ITEMS PER RECORD ON UP
TO 4 SCREENS... AND UP TO
128 ITEMS PER RECORD OF
TO 128 ITEMS PER RECORD ON
TO 128 ITEMS PER RECORD
TO 128 ITEMS PER RECORD ON
TO 128 ITEMS PER RECORD ON
TO 128 ITEMS PER RECORD ON
TO 128 ITEMS PER RECORD
TO 100 ITEMS
TO 1

OUR PRICE ONLY 199.25 £88!

VIZAWRITE 64

NOW AVAILABLE ON CARIRIDGE,
VIZAWRITE 64 IS A HIGHPERFORMANCE, LOW-COST WORD
PROCESSOR, WITH ON-SCREEN

MEMORY FEATURES... AND SUPPORTS VIRTUALLY ANY PRINTER WITH A CO-PREHENSIVE
AND EASY-TO-FOLLOW USER MANUAL, VIZAWRITE OFFERS THE ULTIMATE IN PERSONAL
COMPUTER WORD PROCESSING! ALSO AVAILABLE ON DISK YOUR PRICE
OFFICE DAYS 5681).

OR COMEINED WITH VIZASPELL YOUR PRICE 1988 5851).

OUR PRICE ONLY E89.95 £75!

MASTER 64 IS A TOTALLY NEW CONCEPT... A COMPLETE PROGRAM DEVELOPMENT PACKAGE, THAT'S AVAILABLE NOW FOR THE CBM 64.

MASTER HAS 85 NEW COMMANDS... AND BASIC IV TOO! PILLS PROGRAMMER'S TODUKINAL MACHINE CODE MONITOR, BUSINESS BASIC, KEYED DISK ACCESS, SCREEN MANAGEMENT, USER-DEFINABLE INPUT ZONES, REPORT GENERATOR, 22-PLACE ARTIMETIC, DATE CONTROL, STRING FUNCTIONS, DISK DATA COMPRESSION, SCREEN PHOTTING, SCREEN DUMP, AND MORE... IN FACT EVERYTHING YOU NEED TO PROGRAM YOUR 64 TO TOP PROFESSIONAL STANDARDS! (SCREEN MANAGEMENT, TOOLNIT, HI-RES GRAPHICS AND DOS SUPPORT ARE AVAILABLE SPRARATELY ON CARTRIDGE - £49,50), MASTER IS ALSO AVAILABLE FOR CBM 700 (1339,25) AND CBM 4032/8032/8096 (139).55 [2251]:

SPECIAL OFFER PRICE \$143.75 £115!

THESE ARE JUST SOME OF OUR FINE SOFTWARE PRODUCTS FOR COMMODORE COMMUTERS... PLEASE TELEPHONE OR WRITE FOR FREE DATA SHGETS! PRICES SHOWN INCLUDE 15% VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. OPERER BY POST/TELEPHONE/PRESTEL. USING CHEODE, ACCESS, BARCLAY CARD OR OFFICIAL ORDER. TELEPHONE 01-546-7256 FOR SAME-DAY DESPATCH! POST FREE EXCEPT ON CREDIT/OVERSEAS ORDERS. (REF A25)

LAKESIDE HOUSE, KINGSTON HILL, SURREY KTZ 70T TEL 01-546-7256

• Circle No. 188

Circle No. 189

# uninterruptible power



The COMPLETE solution to your POWER SUPPLY problems with the POWER BANK ... "BLACK OUTS" will not affect the operation of your computer system.

Micro Systems Networks

Hard Disks **Printers** 

Transmission etc.

- Output derived constantly from self contained sealed for life batteries.
- Sine wave shaped output voltage and frequency closely regulated.
- Genuine "NO-BREAK" unit with continuous output rating of 500-250 & 120VA.
- \* Much more than a "spike and surge" suppressor.
- For superior to a voltage stabilizer.
- Overload and short circuit (output) indication and protection.
- Bench or rack mounting (500VA).
- Battery level monitored mains on mains off indication.

Manufactured by: POWER TESTING (SALES) LTD 65a Shenfield Road, Brentwood, Essex CM15 8HA. Tel: 0277 233188 Telex: D24224MON Ref. 586



### LOWEST PRICES — FAST DELIVERY \*\*\*

PRICE PROMISE

We will Better any lower delivered price advertised in the current issue of PC

5.25" DISKS — BOXES OF 10

Prices per Box (E)

10.44" 5.5" 10.49

Prices per Box (E)

10.45" 5.5" 10.45" 5.5" 10.49

Prices per Box (E)

10.45" 5.5" 10.49

P

34 Cannonbury Avenue, Pinner, Middx HA5 1TS Telephone orders any time - we do the rest - 01-868 9548



Pinner Wordpro



• Circle No. 192



Circle No. 191



**CDP Consultants Limited** 

CONSULTANTS IN COMPUTER SYSTEMS

#### THE FUTURE IS YOURS WITH THE **FX20 AT ONLY** £1875.00



FX20 - 16 Bit/8Bit Formulation, 128K - Imbyte ram, Integral LAN, choice of 4 OPERATING SYSTEMS and SPELLBINDER, the total wordprocessing software supplied FRFF

#### SOFTWARE APPLICATIONS AVAILABLE

- Product Pricing/Enquiry
- Video Library
- Printers Estimating/Job Control
- Accounts (Integrated)
- Estate Agents
- Special (Bespoke) Software written
   Circle No. 261

#### ZORBA THE SERIOUS PERSONS PORTABLE

- Software writers/Developers/Engineers
- College and University Dept.
- Business Executives who want to work at home

This is the computer for you. It has

- . 8 Bit, 800KDisc, 5 R/W Formats and coms for up and down loading to Minis and Mainframes.
- FREE Software is CBASIC, WORDSTAR/MAILMERGE AND CALCSTAR £159.00 ORDER BEFORE END 1983 and we will give you 20 DYSAN

DISCS FREE

Phone 0992-445700

AND PLACE YOUR ORDERS NOW • Circle No. 262

VATNo. 215 551877 Directors. C.A. Pearce D. K. Pearce | Registered Office: Price Bailey & Partners. Aylmer H

#### **EPROM PROGRAMMERS**

NEW

BBC

PET

VIC APPLE **ACORN** 

MODEL A 2716, 2516, 2532, 2732, 2732A, 2764, 2564, 25128, 27128 £110.00 £ 53.50 MODEL 8 2716, 2516, 2532
MODEL C 2716, 2516, 2732
PET VIC, ACORN MODEL A.B. or C. ALL PROGRAM
READ/PROGRAMME/VERIFY/COPY
BBC,Apple Model A only,
Full Software Tape supplied for your Computer
PET OWNERS:- Free Programme for making your own Character Sets. £ 53.50 £ 53.50

ALL PROGRAMMERS CAN

PET SUPERBOARD 40 or 80 COLUMN

£ 52.50

Select up to 8 ROM/Eprom, RAM/ROMS from any available ROM Socket.

No Wires, Switches or Soldering Required.

Will except any combination of 2K or 4K ROM/EPROMS, RAM/ROMS.

Select up to 8 of your own Character Sets

APPLE VIA BOARDS • The Via Board contains 1 or 2 6522 Via's Single £27.90

Beach 6522 Via's contains: 2::8 bit Programmable I/O Ports. 1 × 8 bit Shift Register

Oouble £36.60

Four Handshaking Lines CA1 CB1, CA2, CB2. Two Programmable Timers.
 Full 5622 Data Sheets supplied

£10.50

ACORN MONITOR CHIP (2K)

10 Commands to simplify Machine Code Programming

Full Screen Editor. Repeat Key. Auto Entry Flashing Cursor. Tape Verify.

Slow Scroll. Memory Fill, and many more.

PET IEEE PRINTER BUFFER Available soon

IEEE-Centronics — RS232 ◆ Free Your Pet from Printing Pries Your Pet from Printing
The Printer Buffer receives all your Printer Data in seconds (5 sheets) Then outputs your Data while you type your next letter.

1 4 K printer Buffer.
Full IEEE to IEEE or IEEE to Centronics output.

EEEE to RS-232 optional extra. S.A.E. for details

CONNECTORS
PET IEEE User Port
£5.65
VIC User Port
VIC Games Port
£5.65

Acorn Expansion Port £7.00

PET Cassette Port Orders over 100 £1.00 2716 EPROM (2K) £4.00 2532 EPROM (4K) £6.50 2764 EPROM (8K) £8.00 6116 P.3 (2K) Static RAM £4.50 6522 VIA'S £6.50 6522 VIA'S

C10 Cassettes (10 £5.00 £40.00 Eprom Eraser

Eprom Eraser Timer £10.00 ALL THESE PRICES INCLUDE VAT AND P&P

Please Add 15% VAT Plus £2.50 P&P to your orders. OFFICIAL ORDERS

CID COMPUTER INTERFACE DESIGNS 4 ALBERT RD. MARGATE. KENT. (0843) 294648

• Circle No. 194

## >NEXT MONTH

#### >WORD PROCESSING

Almost everyone can benefit from word processing, and almost every micro now offers a word processor. so in the March issue Special Section we offer a guide to the field. We will be examining a range of packages, from the easiest to use, like the Bank Street Writer, to the famous WordStar.

#### >COMPETITION

The Research Machines 480Z system is on the test bench for next month, along with its disc drives and a bundle of software including WordStar. An outfit worth £1,000 will be offered as a prize in an accompanying competition that anyone can enter.

#### >REVIEWS

One of the world's leading micro companies, named after a fruit, will be launching a user-friendly computer, named after a raincoat . . . but we aren't allowed to mention it. Full details in the next issue. We will also be looking at battery-powered portable computers, including hands-on experience with the new Sharp PC-5000. Software under investigation includes Oz, Expert-Ease and Atari games.

Features for March include a visit to Xerox's Parc where Smalltalk and Lisa-like environments originated. Commodore 64 owners should order their copy now: Boris Allan will be helping out with colourgraphics routines for this machine. Mike Lewis presents the second of his columns for programmers; plus there will be all the regulars, including News, Chip-Chat, and pages and pages of free software in Open File.

Make sure you don't miss the March issue of



On sale at W H Smith and all leading newsagents after February 18.

# WHY LOOK FOR ANYTHING ELSE WHEN YOU COULD AFFORD YOUR OWN IBM PERSONAL COMPUTER



Look.

It's easy to get to know. Even the brochures are written in plain English.

It is undemanding in terms of space. It will sit comfortably on a desk top or, if you're pushed, a filing cabinet.

And in its attitude to book-keeping, estimates, and information, it is very accommodating.

Call us today and we'll show you the IBM Personal Computer. Tel: 01-675 5325/6/7

For further information please write:

IBM Sales Interam Computer Systems Ltd Freepost, London SW11 4BR Tel: 01-622 9373 Telex: 925859

## INTEDAM

COMPUTER STORE

48 BALHAM HIGH ROAD, LONDON SW12 9AQ TELEX:925859



Circle No. 196

#### Subscribe Now!

Make sure of your copy every month. Practical Computing is mailed direct to subscribers in a strong polythene wrapper, ensuring that it arrives unfolded and in good condition.

#### Free information!

Make Practical Computing work for you! Use the reader enquiry service to obtain information about hardware and software products before you buy them.

#### Place a regular order!

Even if you don't want to subscribe you can still ensure a regular supply of copies. Fill in the order form and pass it to your newsagent to reserve your own personal copy of Practical Computing.

Please send me Practical Computing each month for 12 months:

## Practical Computing SUBSCRIPTION ORDER FORM

☐ I enclose cheque/PO to the value of	Job Title (if any)
£13.00 (UK) £19 (Overseas). Cheques should be made payable to Business Press International Ltd.	Type of Business (if any)
OR .	Type or Southood (it stiff)
Please debit my credit card account:	***************************************
Enter number	
	Do you own a computer?
Tick relevant box: Access Barclaycard/Visa Diners Club American Express	Yes No No
Access Barclaycard/Visa Diners Club American Express	140
	Do you have access to a computer?
SignedDate	Yes No No
Name	If so please state type
	is so prease state type
Address	www
	Registered in England 151537 Registered Office: Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.
Number of 1 2 3 4 5	6 7 8 g
Employees (if any) Please tick box 1-24 25-49 50-99 100-249 250-49	
FEBRUARY 1984 PCO 8462	
(This card is valid for 6 months only)	nation 1 Commeting
To obtain free information	ractical Computing
shout items advertised in this issue	ER ENQUIRY SERVICE
circle the appropriate enquiry	
numbers listed below:	-IL FIRSOILLI SEILVICE
numbers listed below:	
101 102 103 104 105 106 107 108 109 110 111 112 1	13 114 115 116 117 118 119 120 121 122 123 124
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 10	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 16 173 174 175 176 177 178 179 180 181 182 183 184 18	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 1; 149 150 151 152 153 154 155 166 157 158 159 160 1; 173 174 175 176 177 178 179 180 181 182 183 184 1; 197 198 199 200 201 202 203 204 205 206 207 208 2; 221 222 223 224 225 226 227 228 229 230 231 232 23	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 1: 149 150 151 152 153 154 155 156 157 158 159 160 1: 173 174 175 176 177 178 179 180 181 182 183 184 1: 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 2: 245 246 247 248 249 250 251 252 253 254 255 256 25	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 57 258 259 260 261 262 263 264 265 266 267 268
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 16 173 174 175 176 177 178 179 180 181 182 183 184 18 197 198 199 200 201 202 203 204 205 206 207 208 206 221 222 223 224 225 226 227 228 229 230 231 232 23 245 246 247 248 249 250 251 252 253 254 255 256 28 269 270 271 272 273 274 275 276 277 278 279 280 20 293 294 295 296 297 298 299 300 301 302 303 304 30	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 14 173 174 175 176 177 178 179 180 181 182 183 184 13 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 23 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 250 251 252 253 254 255 256 22 253 294 295 296 297 298 299 300 301 302 303 304 33 317 318 319 320 321 322 323 324 325 326 327 328 33	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 657 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 05 306 307 308 309 310 311 312 313 314 315 316 29 330 331 332 333 334 335 336 337 338 339 340
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 1; 149 150 151 152 153 154 155 156 157 158 159 160 1; 173 174 175 176 177 178 179 180 181 182 183 184 1; 197 198 199 200 201 202 203 204 205 206 207 208 2; 221 222 223 224 225 226 227 228 229 230 231 232 2; 245 246 247 248 249 250 251 252 253 254 255 256 2; 269 270 271 272 273 274 275 276 277 278 279 280 2; 293 294 295 296 297 298 299 300 301 302 303 304 3; 317 318 319 320 321 322 323 324 325 326 327 328 3; 341 342 343 344 345 346 347 348 349 350 351 352 36	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 67 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 05 306 307 308 309 310 311 312 313 314 315 316
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 11 173 174 175 176 177 178 179 180 181 182 183 184 13 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 22 245 246 247 248 249 250 251 252 253 254 255 256 23 269 270 271 272 273 274 275 276 277 278 279 280 29 293 294 295 296 297 298 299 300 301 302 303 304 33 317 318 319 320 321 322 323 324 325 326 327 328 33 341 342 343 344 345 346 347 348 349 350 351 352 36 365 366 367 368 369 370 371 372 373 374 375 376 33 389 390 391 392 393 394 395 396 397 398 399 400 44	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 67 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 05 306 307 308 309 310 311 312 313 314 315 316 29 330 331 332 333 334 335 336 337 338 339 340 53 335 335 335 335 336 337 338 339 340 340 405 403 404 405 406 407 408 409 410 411 412
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 1; 149 150 151 152 153 154 155 166 157 158 159 160 1; 173 174 175 176 177 178 179 180 181 182 183 184 1; 197 198 199 200 201 202 203 204 205 206 207 208 2; 221 222 223 224 225 226 227 228 229 230 231 232 2; 245 246 247 248 249 250 251 252 253 254 255 256 2; 269 270 271 272 273 274 275 276 277 278 279 280 2; 293 294 295 296 297 298 299 300 301 302 303 304 30; 317 318 319 320 321 322 323 324 325 326 327 328 3; 341 342 343 344 345 346 347 348 349 350 351 352 3; 365 366 367 368 369 370 371 372 373 374 375 376 3; 388 390 391 392 393 394 395 396 397 398 399 400 44 413 414 415 416 417 418 419 420 421 422 423 424 4;	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 199 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 57 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 183 293 303 31 332 333 334 335 336 337 338 339 340 35 354 355 356 357 358 359 360 361 362 363 364 77 378 379 380 381 382 383 384 385 386 387 388 10 402 403 404 405 406 407 408 409 410 411 412 25 426 427 428 429 430 431 432 433 434 435 436
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 1; 149 150 151 152 153 154 155 156 157 158 159 160 1; 173 174 175 176 177 178 179 180 181 182 183 184 1; 197 198 199 200 201 202 203 204 205 206 207 208 2; 221 222 223 224 225 226 227 228 229 230 231 232 2; 245 246 247 248 249 250 251 252 253 254 255 256 2; 269 270 271 272 273 274 275 276 277 278 279 280 2; 293 294 295 296 297 298 299 300 301 302 303 304 3; 317 318 319 320 321 322 323 324 325 326 327 328 3; 341 342 343 344 345 346 347 348 349 350 351 352 3; 365 366 367 368 369 370 371 372 373 374 375 376 3; 389 390 391 392 393 394 395 396 397 398 399 400 44 13 414 415 416 417 418 419 420 421 422 423 424 4;	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 199 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 67 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 303 303 331 332 333 334 385 363 37 338 339 340 53 354 355 356 357 358 359 360 361 362 363 364 77 378 379 380 381 382 383 384 385 386 387 388 01 402 403 404 405 406 407 408 409 410 411 412 25 426 427 428 429 430 431 432 433 434 435 436 Name.
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 10 173 174 175 176 177 178 179 180 181 182 183 184 13 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 23 245 246 247 248 249 250 251 252 253 254 255 256 22 269 270 271 272 273 274 275 276 277 278 279 280 29 293 294 295 296 297 298 299 300 301 302 303 304 30 317 318 319 320 321 322 323 324 325 326 327 328 33 341 342 343 344 345 346 347 348 349 350 351 352 33 365 366 367 368 369 370 371 372 373 374 375 376 37 389 390 391 392 393 394 395 396 397 398 399 400 44 413 414 415 416 417 418 419 420 421 422 423 424 43  JobTitle (ifany).	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 199 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 57 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 183 293 303 31 332 333 334 335 336 337 338 339 340 35 354 355 356 357 358 359 360 361 362 363 364 77 378 379 380 381 382 383 384 385 386 387 388 10 402 403 404 405 406 407 408 409 410 411 412 25 426 427 428 429 430 431 432 433 434 435 436
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 10 173 174 175 176 177 178 179 180 181 182 183 184 13 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 23 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 26 269 270 271 272 273 274 275 276 277 278 279 280 20 231 318 319 320 321 322 323 324 325 326 327 328 33 317 318 319 320 321 322 323 324 325 326 327 328 33 341 342 343 344 345 346 347 348 349 350 351 352 33 365 366 367 368 369 370 371 372 373 374 375 376 37 389 390 391 392 393 394 395 396 397 398 399 400 41 3413 414 415 416 417 418 419 420 421 422 423 424 43  JobTitle (ifany).  Typeof Business (ifany)  Do you own a computer?  Yes □ No □	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 57 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 265 286 287 288 289 290 291 292 05 306 307 308 309 310 311 312 313 314 315 316 29 330 331 332 333 334 335 336 337 338 339 340 53 354 355 356 357 358 359 360 361 362 363 364 53 354 355 356 357 358 359 360 361 362 363 364 53 354 355 356 357 358 359 360 361 362 363 364 01 402 403 404 405 406 407 408 409 410 411 412 25 426 427 428 429 430 431 432 433 434 435 436  Name.  Address.
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 16 173 174 175 176 177 178 179 180 181 182 183 184 13 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 23 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 22 289 270 271 272 273 274 275 276 277 278 279 280 20 293 294 295 296 297 298 299 300 301 302 303 304 30 317 318 319 320 321 322 323 324 325 326 327 328 33 341 342 343 344 345 346 347 348 349 350 351 352 33 365 366 367 368 369 370 371 372 373 374 375 376 33 389 390 391 392 393 394 395 396 397 398 399 400 41 3413 414 415 416 417 418 419 420 421 422 423 424 42  JobTitle (ifany)	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 199 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 67 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 285 286 287 288 289 290 291 292 303 303 331 332 333 334 385 363 37 338 339 340 53 354 355 356 357 358 359 360 361 362 363 364 77 378 379 380 381 382 383 384 385 386 387 388 01 402 403 404 405 406 407 408 409 410 411 412 25 426 427 428 429 430 431 432 433 434 435 436 Name.
101 102 103 104 105 106 107 108 109 110 111 112 1 125 126 127 128 129 130 131 132 133 134 135 136 13 149 150 151 152 153 154 155 156 157 158 159 160 10 173 174 175 176 177 178 179 180 181 182 183 184 13 197 198 199 200 201 202 203 204 205 206 207 208 20 221 222 223 224 225 226 227 228 229 230 231 232 23 245 246 247 248 249 250 251 252 253 254 255 256 22 245 246 247 248 249 250 251 252 253 254 255 256 26 269 270 271 272 273 274 275 276 277 278 279 280 20 231 318 319 320 321 322 323 324 325 326 327 328 33 317 318 319 320 321 322 323 324 325 326 327 328 33 341 342 343 344 345 346 347 348 349 350 351 352 33 365 366 367 368 369 370 371 372 373 374 375 376 37 389 390 391 392 393 394 395 396 397 398 399 400 41 3413 414 415 416 417 418 419 420 421 422 423 424 43  JobTitle (ifany).  Typeof Business (ifany)  Do you own a computer?  Yes □ No □	13 114 115 116 117 118 119 120 121 122 123 124 37 138 139 140 141 142 143 144 145 146 147 148 61 162 163 164 165 166 167 168 169 170 171 172 85 186 187 188 189 190 191 192 193 194 195 196 09 210 211 212 213 214 215 216 217 218 219 220 33 234 235 236 237 238 239 240 241 242 243 244 57 258 259 260 261 262 263 264 265 266 267 268 81 282 283 284 265 286 287 288 289 290 291 292 05 306 307 308 309 310 311 312 313 314 315 316 29 330 331 332 333 334 335 336 337 338 339 340 53 354 355 356 357 358 359 360 361 362 363 364 53 354 355 356 357 358 359 360 361 362 363 364 53 354 355 356 357 358 359 360 361 362 363 364 01 402 403 404 405 406 407 408 409 410 411 412 25 426 427 428 429 430 431 432 433 434 435 436  Name.  Address.

#### HAND THIS CARD TO YOUR NEWSAGENT

Why not place a regular monthly order for Practical Computing with your local newsagent? Just fill in the coupon and hand it to

## Practical Computing NEWSAGENT ORDER FORM

your newsagent.	
Please order a copy of Practical Computing for me every month until further notice.	Name
Commencing	Address
I will call and collect it	
Please deliver to my home address	


PRACTICAL COMPUTING SUBSCRIPTION MANAGER BUSINESS PRESS INTERNATIONAL LTD OAKFIELD HOUSE PERRYMOUNT ROAD HAYWARDS HEATH SUSSEX RH16 3DH

Postage will be paid by licensee Do not affix Postage Stamps if posted in Gt Britain, Channel Islands, N Ireland or the Isle of Man

BUSINESS REPLY SERVICE Licence No CY711

PRACTICAL COMPUTING READER SERVICE DEPARTMENT OAKFIELD HOUSE PERRYMOUNT ROAD HAYWARDS HEATH SUSSEX RH16 3DH 2

HAND THIS CARD TO YOUR NEWSAGENT



Read between the lines and you'll see that Personal Computer World's high praise for the Sage accounting program is bad news for our competitors.

Until now, you might have felt justified in paying out £1,000 or more for the complicated 4–7 disk programs which they offer. You might indeed have felt that, at only £375, the Sage program couldn't possibly do the job properly.

After reading PCW's verdict there's no longer any room for doubt!

The Sage book-keeping/accounting program is truly integrated and uses <u>one</u> diskette.

- Sales and Purchase Ledgers,
- Nominal Ledger, Trial Balance,
- ◆ VAT Analysis ◆ Monthly and Annual Accounts ◆ Age Analysis ◆ Statements
- Audit Trail every accounting function in one compact package.
   Its efficiency is built on simplicity – and its simplicity accounts for the price.

Sage is self-installing, easy-tolearn and easy-to-use, comes with a short, clear manual and a tutorial cassette.

Sage is available on most CP/M.

MS-DOS and PC-DOS computers and has so far been implemented on over forty machines including Apple, Apricot, Epson, IBM-PC, Sirius and Zenith. It's as effective in a one-man business as in a

multi-million pound corporation.

<u>We've</u> told you all this before. But now you've seen Personal Computer World's verdict.

Its a death sentence for our competitors!

Return the coupon and we will send you more information on Sage Software systems and the name of your nearest dealer – there are over 400 of them in the UK! NEW PRODUCT - SAGE PLUS

The same brilliant features as SAGE, plus • Invoicing, with Stock Control. • 9999 Ledger Accounts. • Budget

 ● 9999 Ledger Accounts. ● Budget Reports. ● Credit Control Features.
 Still only one program disk.£695.

NEW PRODUCT - SAGE PAYROLL

- Monthly and/or weekly. Automatic SSP. ● 999 Employees.
- Full feature system, £195.



#### If you want it tomorrow . . . call us today 01-455 9823

COMPUTER/CALCULATORS						
HEWLET PACKARD HP 41C (Comp/Cal) HP 41C C/R HP 41CV (Comp/Cal) HP IL Module Printer 82143A Printer 82162A	£126.00 £126.00 £176.00 £78.00 £230.00 £300.00	HP 16C (Hex Con) HP 15C (Adv Sci) HP 75C (Portable) Apple Ile Sirius 1128K with 1.2Mb S/S Disks 160.00 HP Plotter 747A RS232 or HP18				
SHARP PC 1500 Pocket Computer CE 148 RS232 and Cent I/F CE 158 printer/cassette I/F CE 1514 K Add on man CE 152 Cassette CE 155 8K Add on men MZ-80A 48K Computer	£130.00 £130.00 £115.00 £43.00 £36.00 £69.00 £380.00	N Z-8080AEU Exp Unit E86.00 MZ-80FB Dual Floppy Disc Drives for MZ-80AB complete with I/F card, cables, and Sharp Disc BASIC & Manual £650.00				

#### WORD PROCESSING PRINTERS

WORDTHOOLOG	JIII THING I EING
NEC SPINWRITER* (RS232 or Centronics) 7710 RS232/7730 Centronics	BROTHER* HR1*Highly Recomme S e r i a l o r C e HR15 DIABLO 630* 620(RO) 630(RO) 630(RO) 630(RSR) Tractor (BI-DI) Sheet Feeder FUJITSU SP 830 THE FASTEST DAISYI RO (S) Front Pane Tract Ar, Diablo, NEC, R Sterwriter, Olivetti, et HERMES 612-B Centronics Tractor RICOH*
The all new high Speed: — Word Processing/Draft/Data Processing printer using a — 24 wire printhead to give	Model RP 1300 (S) (4K Flowriter (8K) PR 160
exceptionally high letter quality output	Mechanical Sheet Feed

	Serial or Centro HR15	n i	c s - 420.00
	DIABLO 630* 620(RO)	£	550.00
	630 (RO)	., £1	200.00
	630(KSR)	£	136.00
	FUJITSU SP 830 THE FASTEST DAISYW FE RO (S)	-	
	RO (S)	Υr	7
4	BES		*********
1	in s and Tractors in Jablo, NEC, Ricoh, T	or: FC	
4	Starwriter, Olivetti, etc. F		£99.00
	HERMES 612-B Centronics	£1	550.00
	TractorRICOH*		
	Model RP 1300 (S) (4K Buffer) Flowriter (8K) PR 1600		.£1290

368.00

....£210

£245.00 £350.00 £260,00 £380.00

...£487.00

D	OT:	MAT	RIX	PRII	VTE	H.

OKI* M80A	SEIKOSHA GP700A Colour GP-100A (RS232 Option) (GP-100 (ViC 20) GP-250X EPS0N Epson RX80 (100cps)
standard) M84A	Epson HX80 (100cps) Epson RX80 (160cps) Epson RX80FT Epson MX100 Type III Epson FX100FT (160cps)

#### STOP PRESS NOW IN STOCK IBM/PC

IBM/PC SUPPLIED ON VERY COMPETITIVE TERMS. ALSO AVAILABLE EXTENSIVE RANGE OF SUPPORT HARDWARE/SOFTWARE

EPSON HX20 Briefcase computer. Weighs less than 4 lbs. 16K expandable, 64K Rom. 32K Ram. Full size ascii keyboard. Runs on own power for 50 hours. Complete Serial and RS232 interface. £350. Accessories & Software for Foson HX20 available from stock Accessories & Software for

or b	pson	HAZU	ava	lable	from	Stock
_	_			_	_	_

- BANKALINA	SUFF	WARE	_
Word Processing APPLE Applewriter 1.1. Applewriter 2 Wordstar Applewriter Ile Word Processing SIRIUS Supr Calc Multiplan Wordstar Select Mail Merge	£245.00 £245.00 £105.00 £149.00 £149.00 £269.00 £265.00	Word Processing IBM Wordster Easywriter II. Volkwriter Mailmerge Easyspeller Superwriter	£230.00 £149.00 £140.00

Other Softwere including Microsoft/Comsoft/BOS etc. also in stock

GOODS FULLY GUARANTEED PRICES EXCLUDING VAT AND P+P.

Campany and Government orders accepted by phone Barclaycard/Access/Visa accepted by phone.

Tel.: 01-455 9823

MOUNTAINDENE

22 Cowper Street London EC2

• Circle No. 198

## TOP VALUE AND LOWER PRICES AT

ne BBC Microcomputer <b>£399</b> ystem MODEL B <b>£399</b> (cassette lead £4.50) (cover £4.95)	COMMODORE 64	£199.00
IICROVITEC follour Monitor f287	SINCLAIR SPECTRUM 48K .	£129.95
ACORN AP 100A Printer <b>£212.00</b> LVL Dual Disk	TEXAS T199/4A	£89.95
Drive 100K <b>£389.00</b> 200K <b>£573.00</b>	SHARP MZ80A	£389.00
Disk Interface (fitted free)	SORD M5	£149.00
View Word Processor (fitted free) £59.00	PLUS MUCH,	
assette ecorders from £29.95	GOING ANYM	

Sy

from ......

DRAGON

**IORE** FORE

SOFTWARE AVAILABLE FOR ACORN (BBC) ATARI, DRAGON, BUG-BYTE, RABBIT, COMMODORE, LIK.

Send S.A.E. for our Computer News Sheet For Insurance & Postal charges ADD £5 for Hardware £1 for Software

For MAIL ORDER
Phone your ACCESS / VISA on our
HOT LINE 061-832 6345 or send cheque P.O. Payable to LOMAX LTD for IMMEDIATE ATTENTION

LOMAX (Computer Division) 8 EXCHANGE ST (St Anns Sq) MANCHESTER M2 7HL

Circle No. 199

£250

## EROP A

Simulation, training and control packages available

£79.95

£128.00

£159.95

TUTSIM, a powerful digital dynamic simulation tool.

This unique and very popular package can be used for all types of simulations, socio economic,

physiological, electronic, servo mechanism, chemical plant, aero-space Etc.

CONTROL, Comprehensive control design and advanced training tool.

£850 FILTER, Digital filtering tutorial £850

PID, A PID control loop tutorial £850 LEVEL, A level control tutorial £850

All these packages run on the Apple 2/2e system are very interactive, easy to use and make full use of graphics. IBM PC versions are becoming available (Tutsim now). Substantial discounts on the software are available for bonefide educational

For the INSTRUMENT OR CONTROL ENGINEER, we supply a complete "toolkit" comprising the above packages integrated with micro, dual floppy and hard cop printout at a BUNDLED PRICE OF £4190, A SAVING OF OVER £1000, extras include;

Applescope 2 channel fast digital storage scope Control loop draughting system with A3 size plotter and instrument/control symbols £1950 Total bundled price

THINK OF DESIGNING, TESTING, DEBUGGING, TRAINING FOR AND DOCUMENTING ALL YOUR CONTROL SYSTEMS FROM ONE INTEGRATED DESKTOP PACKAGE.!!

SEND FOR DETAILS TO MICROPACS, GRAPHICS HOUSE, 50 GOSPORT STREET, LYMINGTON SO 9BE Tel: 0590 73503.

(Micropacs is a division of Process Automaton And Control Systems Ltd.)

Circle No. 200

# Return of the electronic brain

Chris Naylor sets his grey matter working on itself and comes up with some unexpected predictions of what can be done with a few hundred megabytes.

"OF COURSE," the man is saying, "you can do anything you want with a computer." He smiles and waves an expansive hand over his shelves of shiny machines while, before him, an uncertain customer nervously fingers a cheque book. "Anything," continues the salesman. "Absolutely anything at all. It's entirely up to you what you make it do."

And, at this point, one ceases to eavesdrop and shuffles away out of earshot so that this particular naive end-user may be fleeced in private. Too much, one thinks to oneself, to be both fleeced and to have an audience at the said fleecing.

Pausing to think for a moment about what the salesman said: is it actually incorrect. Can a computer, actually and really, do anything? To us experts, of course, the answer is No. So what, actually, would a do-anything machine look like?

### Rough workings

Now the human brain is, surely the most do-anything machine in the entire known world. While admitting that there are certain difficulties in explaining exactly how it works, it is still possible to give a rough idea. The many thousands of neurons that make up our thinking engine are sufficiently similar for an idealised neuron to be taken as a pretty accurate representation of the whole lot.

Each neuron consists of a cell body out of which appear lots of little branches called dendrites and one big branch called an axon. At the end of the axon there are a lot more branches sticking out which are called terminals. These terminals come very close to the little dendrites sticking out of the cell bodies of other neurons, and sometimes come close to the actual cell bodies themselves. The junction between a terminal and a dendrite is called a synopse.

What happens is this. For some reason one of the cell bodies acquires an electrical charge. When it does so it sends a signal down the long axon to all the terminals at its end. When the signal reaches the terminals they fire the synapses and induce a corresponding signal in the nearby dendrites of other cells. As the cell potential passes a certain threshold it too sends its own signal down its own axon to other neurons. And so the process goes on. Once

started it turns into an avalanche of signals until the whole brain is humming away nicely.

You can get a computer to do the same sort of thing. One bit can represent each cell body firing or not firing according to whether it is 0 or 1. A simple address takes the place of an axon with terminals out to the dendrites on other cells. Allow six terminals to each axon and give one-byte addressing for each terminal. So, connected with the bit for the cell body are six bytes for the terminal address, for other bits representing other cell bodies.

### Pass it on

Now write a short piece of code to allow for the fact that the electronic neurons are not self-acting in the same way that real neurons are. All you need is a loop which scans through each of the cell-body bits, reads it, and if it is set to 1 goes on to read the terminal addresses associated with it and sets the cell bits in those addresses to 1 before passing on to read the next cell body in line.

So far the end result will be that the system jams solid with every bit set to 1 and staying there. This is because all of the electronic synapses are excitatory synapses — that is, they trigger a cell into action. Real brains also have inhibitory synapses which inhibit a cell from triggering. What your electronic analogue needs is another bit to go with each of the terminal addresses to show whether or not it is excitatory or inhibitory. Now the level of firing varies, but the whole thing should neither jam solid nor switch off altogether.

### Time slice

Real axons are surrounded by something called myelin, which insulates it but also alters the speed of transmission of each nerve impulse. In a real brain, the cells can fire or stop firing as soon as they receive the appropriate signals. In the computer they have to be read and fired by a scanning process, which rather upsets the time picture by introducing an order into the events which really should not be there. Each scan should produce an instant slice of time, and if some synapses are triggered at different times due to transmission

delays then you want to be able to represent this somehow or everything will get out of step. So introduce another bit to go with each cell bit, which can be either 0 or 1 depending on whether or not transmission down the axon to the terminals is to be fast or slow.

For the sake of yet more verisimiltude, add in another bit for each cell to represent the threshold level which must be provided to start each cell firing down its axon. As a final touch of accuracy the threshold bit and transmission time bit can be changed to bytes to give more variability.

Each neuron then takes up about 2n + 3 bytes, where n is the number of terminals addressed. That assumes one byte is enough to hold the terminal address — in practice two bytes per address might be better — and with, say, six terminals that gives us 21 bytes per neuron. The control program will not take up much room, so 48K of memory will give you around 2,340 neurons in the machine.

Now the human brain contains around 10° neurons, so machine memory size is going to be a problem. Even adding a 200K floppy gives you not much more than 10,000 neurons.

### Clever snail

Still, all is not lost. A snail or a locust has between 10,000 and 100,000 in its little head and, say what you like, but the locust can fly and even the snail can get about.

So there you have the makings of an intelligent computer which can do anything that, say, a snail can do. The real problem as always, lies in the software — in particular specifying all those terminal addreses and whether they should be excitatory or inhibitory. Somehow the human brain already has it all built-in, and it can alter its own threshold values over a period so that different connections come into play at appropriate times.

If you worked out one address for each of those 10° neurons every five seconds and put it in the machine you'd be through the lot in less than 160 years. Or maybe you could write a program to do it all for you. It is an attractive thought certainly, and there do not seem to be any theoretical problems. Maybe if 160 programmers worked for a year without sleep . . .

### OMPUTER ... ... REFERENCE ... ... BOOKS

### COMPUTER GRAPHICS MARKETPLACE, 1983-84

John Cosentino — Editor

c102pp paper c£25.95 Dec 1983 0 89774 086 6 Reviews of the first edition included: "The directory lists, classifies, and describes (US) manufacturers, consultants and services, professional organisations, educational programs, conferences and conventions, and publications related to the computer graphics area. The section on manufacturers includes vital information on each company plus product description, services, and product area...Names and addresses with telephone numbers of key people in the computer graphics industry complete the book." ARBA 83

### MICROCOMPUTERS: A Planning and Implementation Guide for Librarians and Information Professionals

Robert A. Walton

c104pp paper c£14.80 Jan 1984 0 89774 097 1 Part I covers hardware, Part II is devoted to software and focuses on library applications such as administration, etc. Part III provides detailed information on procurement and management of microcomputer systems.

To order, or request further information contact:

Clio Distribution Services, 55 St Thomas' Street, Oxford OX1 1JG, U.K.

Stuart W. Hubbard

c104pp case c£19.60 Feb 1984 0 89774 072 6 Helps every CAD/CAM professional by providing convenient access to the special language that has emerged. The terms fall into one of two categories. CAD/CAM techology, or CAD/CAM business. The definitions are complemented by illustrations, photographs, and charts.

### COMPUTERS AND INFORMATION PROCESSING WORLD INDEX

c600pp case c£38.40 March 1984 0 89774 116 1 This reference work locates and analyses the key sources throughout the world for information on computers, and computing, information processing.

### DEVELOPING COMPUTER-BASED LIBRARY SYSTEMS John Corbin

240pp casebound £23.95 1981 0 912700 10 6 "... a useful, detailed guide for librarians responsible for developing automated systems. Following a clearly-presented overview of the systems approach, the author introduces definitions and topics in a precise and readable Journal of Academic Librarianship

Circle No. 207

# **VER-WORD**

### THE ULTIMATE WORD PROCESSOR

For your CP/M™Microcomputer

Write now for a full specification brochure.



**VERWOOD SYSTEMS** Verwood House High Street. West Haddon. Northants NN6 7AP.

CP/M Is a registered trade mark of Digital Research, Inc.



### SOFTWARE PROFESSIONALS

THORN EMI is looking for innovative, top-quality software to incorporate into a best-selling range of home computer products.

If you are an experienced software author, and you've come up with an interesting, professionally produced piece of entertainment, educational or home management software, we'd like to hear from you.

Your talents lie in programming and design. Ours are in marketing and distribution. Together, we could put your program into homes all over the world.


So don't waste time.


Call Patricia Mitchell on 01 437 3453

or write to us:

Acquisitions Dept, THORN EMI Software, 5th Floor, Film House, 142 Wardour Street London W1V 4PT

• Circle No. 205





FOR SALE

# EX-RENTAL RAIR MICROS

WE HAVE A NUMBER OF EX-RENTAL MACHINES AVAILABLE FOR SALE WITH ON-SITE MAINTENANCE AVAILABLE.

### PRICES FROM:

3/20A 64K	£750
8MB HARD DISK	£600
3/30A 64K	£1750
3/30S 64K	£2250
3/50 256K	£3000

### CONTACT:

JULIE HEWITT ON:- (01)-897 3071



HEATHROW HOUSE BATH RD, CRANFORD HOUNSLOW MIDDLESEX TW5 90P

Circle No. 202

# Micro Computer Disks Ltd

Computer supplies for the end-user LOWEST PRICES FOR HIGHEST QUALITY PRODUCTS

MAXELL FLOPPY DISKS DYSAN FLOPPY DISKS MEMOREX FLOPPY DISKS prices from £20.50 per box prices from £22.50 per box prices from £13.50 per box

Ribbons (over 50 varieties in stock)

Multistrike High Capacity Ribbons £1.95!!


Diablo/Qume Daisywheels only £3.95 each!!

NO MIDDLE MEN! NO FRILLS! STRAIGHT FROM THE WAREHOUSE!

0990 23002/3


M.C.D. LTD 8 DOWER HOUSE, TRUSSHIL, SOUTH ASCOT, BERKSHIRE SL5 9AN

# MICPOVA LE 80-BUS MULTIBOARDS



### GM813-CPU/64K RAM Board


- 4MHz Z80A C.P.U. \* 64K Dynamic RAM
- RS232 Interface \* Two 8-Bit I/O Ports
- Cassette Interface
- Extended & Page Addressing Modes
- CP/M Compatible Monitor



### GM829-Disk Controller Board

- SASI Hard Disk Interface
- Single & Double Density Operation
- Single & Double Sided Drive Support
- Supports 48 and 96 TPI Drives

£145



### GM833-RAM-DISK Board

- Virtual Disk Operation \* 512K Dynamic RAM
- Port Mapped For Easy Interface Software
- Over 10 Times Faster Than a Floppy Disk


Please note: This board cannot be used as a conventional RAM board



### GM812-Video Controller Board

- 80 Characters x 25 Line Display Format
- On-board Z80A Microprocessor
- Buffered Keyboard Input
- Programmable Character Generator
- 160×75 Pixel Graphics

Light Pen Input



### GM816-Multi I/O Board

- 61/O Ports
- 4 Counter/Timer Channels On-Board Real Time Clock
- Battery Backup
- Further Expansion
- Capability

£125

### PLUTO-Colour **Graphics Board**

- On-Board 16 Bit Microprocessor
- 640×576 Bit Mapped Display
- 192K Of Dual Ported RAM
- Comprehensive
- On-Board Software

£499

### CLIMAX-Colour **Graphics Board**

- 256×256 Pixel Display
- 16 Colours Ultra-fast Vector & Character Generation
- Light Pen Input **UHF or RGB Outputs**
- UHF Version £199

UHF & RGB Version

 $\mathbf{£220}$ 

### GM811-CPU Board

- 4MHz Z80A CPU
- 4 'Bytewide' Memory Sockets
- 2×8-Bit Input/Output Ports
- 8 Bit Input Port
- Cassette Recorder Interface \$125

### GM803-EPROM/ROM Board

- Up to 40K of Firmware
- 2708 or 2716 EPROMS
- Page Mode Operations

€65

### GM802-64K RAM Board

- 64K Dynamic RAM
- 4MHz Operation
- RAM Disable Function
- Page Mode Operation

£125

### MP826-Static RAM Board

- 32K Static RAM
- Battery Backup
- Page Mode Operation

£225

### EV814-IEEE488 (GPIB) Controller

- Cost Effective Controller
- Comprehensive Software Supplied
- **Full Implementation**
- Easy To Use

£140

### GM827-87 Key Keyboard

- User Definable Function Keys
- Numeric Keypad
  - Cursor Control Keys

£85


### GM839—Prototyping Board

- Fibreglass P.C.B.
- 80-BUS Signal Identification
- High Density IC Capability



All the boards and components in the 80-BUS range are fully compatible and offer a very flexible and cost effective solution to your computer needs. For further information about the 80-BUS range contact your nearest MICROVALUE dealer.

# MicroValue - MicroValue



### Power Supplies, **Mother Boards** & Frames

* GM8	307 3A Power Su	pply \$40.00
# GM8	317 6A Switch M	ode P.S.U. £75.00
¥ GM8	343 10A Switch I	Mode P.S.U. £95.00
* GM	556 3 Slot Mothe	erboard £5.00
* GM	554 5 Slot Mothe	erboard £6.00
* GM6	555 8 Slot Mothe	erboard £10.00
* MP8	40 14 Slot Moth	erboard £47.00
* GM6	62 5Board Fra	me £50.00
∗ GM6	10 19" Frame	£37.50



Galaxy 2

"I would place the Galaxy at the top of my list" (Computing Today, April 1983)

- \* Twin Z80A Processors
- \* CP/M 2.2 Operating System
- \* 80×25 Video Display
- \* 64K Dynamic Ram
- \* Light Pen Interface
- \* Up to 1.6Mhz Disk Capacity
- \* Serial RS232 Interface
- \* ParallelInterface
- \* Numeric Keypad
- \* Definable Function Keys
- \* Cassette Interface
- \* 12" Monitor Included

from £1495

# Quantum **System** 2000 THE CONTRACTOR

### Computerise Without Compromise

- 80-BUS Construction
- \* Serial & Parallel Interface
- \* Stylish Design
- Up To 2.4Mhz Disk Capacity
- \* Up To Three 5.25" Drives
- \* Fully Expandable
- \* Twin Z80A Processors
- \* CP/M Operating System
- \* 64K Dynamic Ram
- \* Definable Function Keys

### **Two-Drive** Quantum

£1910

### **Gemini Multinet**

The Gemini Multinet enables as many people as possible to have access to their own microcomputer with mass storage and printer facilities for the lowest possible cost. This is achieved by providing a central 'fileserver' fitted with a Winchester hard disk unit and printer interfaces, in conjunction with a method of interconnecting up to thirty-one workstations to the fileserver. The fileserver and each station are fitted with the Gemini GM836 network interface board. A Micropolis 800K floppy disk drive is incorporated in the fileserver providing backup for the hard disk.

GM910 Galaxy 4 Multinet 5.4 M/byte fileserver

£2600

GM912 Galaxy 4 Multinet 10.8 M/byte fileserver

£2850

GM909 Galaxy 4 Multinet

€650

Both fileservers and workstations are supplied complete with VDU's; the operating software is supplied with the fileserver.

### **Phoenix** P12 Monitor



A high quality 12" data display monitor, ideal for Gemini systems. The P12 is available in both green and amber phosphor versions and has a resolution of 20Mhz.

### BUY FROM THE COMPUTER **PROFESSIONALS**

### MICROVALUE **DEALERS:**

AMERSHAM, BUCKS

Amersham Computer Centre, 18 Woodside Road, Tel: (02403) 22307

BRISTOL

Target Electronics Ltd., 16 Cherry Lane. Tel: (0272) 421196

EGHAM, SURREY

Electrovalue Ltd. 28 St. Judes Road, Englefield Green. Tel: (07843) 3603

Leeds Computer Centre, 55 Wade Lane, Merrion Centre. Tel: (0532) 458877

Henry's Radio, 404 Edgware Road. Tel: 01-402 6822

### LONDON SW11

OFF Records. Computer House, 58 Battersea Rise, Clapham Junction. Tel: 01-223 7730

MANCHESTER M19

EV Computing, 700 Burnage Lane. Tel: 061-431 4866

NOTTINGHAM

Computerama, (Skytronics Ltd.) 357 Derby Road. Tel: (0602) 781742

### Telephone orders welcome





All prices are exclusive of VAT

REAL value - from the Professionals

**FLOPPY** 

### FREEwith EVERY TEN-PACK of diskettes from DISKING at these prices.

The complete DISKING DATA PROCESSING package

1 - SEE 10 LIBRARY BOX



Value £2.50



Value 20p You may purchase these separately at £9.90 for 50 (specify blue or black ink)

\*\* PLUS \*\*

3 - DISK DIRECTORY

Value 99p

You may purchase these at 9.90 for ten



### FREE LORUS GOLD PLATED QUARTZ WATCH WITH GENUINE SOLID LEATHER STRAP

LORUS are part of the SEIKO group of companies



Order FOUR Ten-packs of any brand of diskettes (51/4" or 8") using the coupon opposite, or if telephoning credit card orders mention this ad. At these prices you will receive a FREE Quartz Watch. Order EIGHT Tenpacks and you will recieve TWO Quartz Watches and so on. Please specify when ordering whether you require Gents or Ladies models. Offer ends 28th February 1984.

> All free gift offered at any time by DISKING are subject to availability. Disking reserves the right to substitue any similar alternative item or withdraw the offer without notice.

### **MEMOREX**



### MEMORY EXCELLENT

With their NEW FIVE YEAR WARRANTY MEMOREX prove once again their reputation for high quality media. Specify MEMOREX diskettes and you can be sure of reliable pro-ducts with specifications far exceeding those stated on the label.

### \* \* \* FREE \* \* \*

### \* \* MEMOREX C-90 CASSETTE \* \* \*

A FREE MEMOREX C-90 CASSETTE TAPE will be packed with every ten-pack of any MEMOREX diskettes purchased at these prices. This offer does not affect any other promotions and is in addition to them. Offer ends June 30th 1984.

### 5.25" DISKETTES PRICES EXC VAT

		JU-SU		
3481 S/S 48 tpi Soft Sect				
3491 D/S 48 tip Soft Sect	27.90	26.90	25.90	
3504 S/S 96 tpi Soft Sect	27.90	26.90	25.90	
3501 D/S 96 tpi Soft Sect				

48 tpi suitable for 35 or 40 track operation 96 tpi suitable for 77 or 80 track operation 10 & 16 Hard Sector available at same prices

DISKING stock ground 80,000 of the world's finest diskettes and normally ship within FOUR working hours! Whether you want 1 or 100 ten-packs we are

Call Joan or Roger on 0428 722563 anytime. ACCESS, VISA or DINERS cards welcome.

### Verbatim<sub>®</sub>



### Datalife by Verbatim - With Five Year Warranty

VERBATIM have not become the World's lavourite floppy disks by accident. Perfect magnetic media is their stock in trade, and to prove it they now offer an unconditional FIVE YEAR warranty on all DATALIFE

5) "DISKETTES Certified for single OR double density and with hub ring reinforcement.

PRICES EXC VAT	10-40	50-90	100+
MDS25 S/S 48 tpi Soft Sect	22.90	21.90	20.90
MD550 D/S 48 tpi Soft Sect	29.90	28.90	27.90
MD577 S/S 96 tpi Soft Sect	28.90	27.90	26.90
MD557 D/S 96 tpi Soft Sect	36.90	35.90	34.90

48 tpi suitable for 35 or 40 track operation 96 tpi suitable for 77 or 80 track operation 10 & 16 Hard Sector available at same prices

### O" DICUETTEC

PRICES EXC VAT	10-40	50-90	100+
FD34-9000 S/S S/Dens Soft Sect	31.90	30.90	29.90
FD34-8000 S/S D/Dens Soft Sect	31.90	30.90	29.90
DD34-4001 D/S D/Dens Soft Sect	36.90	35.90	34.90
32 Hard Sector available at same prices			

### Verex



THE VERBATIM PROMISE AT POPULAR PRICES

### 5%" DISKETTES PRICES EXC VAT

S/S S/Dens. Solt Sect	19.90	50-90 18.90 18.90	17.90

### 8" DISKETTES PRICES EXC VAT

FD34-1500 S/S S/Dens Soft Sect.... FD32-1500 S/S S/Dens: 32 Hard Sect. DD34-1501 D/S D/Dens: Soft Sect....

### DISKETTE CARE AND MAILING

MMM NEW PRICES MMM DISK DRIVE HEAD CLEANING KITS

We're fed up with being asked whether our disk drive head cleaning kit actually works. So here's the proof:







Can you really risk that breakdown?

CK5 for 5¼" disk drives..... CK8 for 8" disk drives .....

The NEW DISKING 'SUPERMAILER'

(51/4" only)



Part No. DSM

- COPYRIGHT DESIGN Unlike the rest, this ingenious mailer has a flute crossing action when folded, resulting in a virtually unbendable mailer.
- \* CAVERNOUS CAPACITY will take, one, two, three or even four diskettes WITH envelopes.
- \* FULL INSTRUCTIONS Each DISKING 'SUPERMAILER' is printed with full instructions

\*PACKED IN 100'S - For convenience

1 PACK 2 PACKS 3+PACKS 24.90 22.90 19.90

ATTENTION ALL PRESTEL USERS, SEE US ON PAGE 2477310 & ORDER DIRECT FROM YOUR TERMINAL BY CREDIT CARD

### DISKING INTERNATIONAL

FREEPOST, LIPHOOK, HANTS GU30 7BR, UK TELEPHONE (0428) 722563 TELEX 858623 Telbur G or FAX (0252) 721521



### DYSAN - For The Decisive

When you think of disks you aften think of DYSAN. DYSAN have the reputation for TOTAL dependability whatever the application. They may cost a little more but data is irreplaceable.

### 5¼" DISKETTES

SONY

OM-D3320 S/Sided Auto Shutter

31" MICRODISK

Certified for Single OR Double Density, and all with Hub-

PRICES EXC VAT	10-40	50-90	100+	
104/1D S/S 48 tpi Soft Sect		24.90		
104/2D D/3 48 tpi Soft Sect		36.90		
204/1D S/S 96 tpi Soft Sect			34.90	
204/2D S/S 96 toi Soft Sect	46.90	45.90	44.90	

48 tpi suitable for 35 or 40 track operation 96 tpi suitable for 77 or 80 track operation 10 & 16 Hard Sector available at same prices

8" DISKETTES				
PRICES EXC VAT		50-90		
3740/1 S/S S/Dens Soft Sect	30.90	29.90	28.90	
3740/1D S/S D/Dens Soft Sect	37.90	36.90	35.90	
3740/2D D/S D/Dens Soft Sect	41.90	40.90	39.90	
DI IOING BIN WINDOWS				

10-40 50-90 100+ 42.90 41.90 40.90

32 Hard Sector available at same prices

(There is no free library box with these yet)

**ZORBA** Portable Microcomputer

Whether Businessman, Programmer or begin-ner THIS Portable Business Micro is for YOU. We defy ANYBODY to match it's value ANYWHERE!

For ONLY . . . £1395.00 EXC VAT (UK dly free) you can baffle your Bank Manager and

impress your Secretary.

MORE STORAGE - 800 KBytes on twin 5.25"
floppy disks plus 64 KBytes User Memory.

MORE SCREEN — Compact 7" Green screen with full 80 columns by 25 lines means

MORE KEYBOARD — Profes-

sional/detachable Qwerty format, caps & shift

LIB 80 & CREF 80.

ners Manuals.

LOCKABLE DISKETTE STORAGE

DISKETTE STORAGE

These anti-static, ABS plastic diskette storage boxes come in four sizes, two for mini disks and two for 8" disks.
They have a white base with a transparent smoked lockable hid, and hold 40 or 80 diskettes.
They come complete with keys and dividers

PRICES EXC VAT M35 40 minidisk capacity M85 80 minidisk capacity

F40 40 8" diskette capacity F90 80 8" diskette capacity

### LIBRARY BOXES





PRICES EXC VAT SEE 10 for minidisks only	1-49 2.50	59+ 2.20	
	1-47	48+	
8" LIBRARY BOX	2.50	2.20	

(NOT SEE 10 Design)

The new SEE 10 us probably the best 514" library box

around. (FREE with every ten disks ordered).

### 5. 10. 15 & 20MB Hard Disks for YOUR Micro.



We just bought a 20MB sub-system for our micro., to service the ever increasing number of you lovely people who keep ordering diskettes, adn were so impressed with the performance, service and price, that we decided you'd all like one of these magic boxes. So we now sell them.

They come in four sizes, and there's one for YOUR.

They come in four sizes, and there's one for YOUR machine:-

APPLE II 1190.00 1290.00 1390.00 1490.00 18M-PC 1290.00 1390.00 1390.00 1490.00 18F0.00 1290.00 1390.00 1490.00 18F0.00 1390.00 1390.00 1490.00 18F0.00 1390.00 1490.00 18F0.00 1290.00 1390.00 1490.00 18F0.00 1290.00 1390.00 1490.00 18F0.00 18F0.0

OTY PART NO.

### UK SHIPPING RATES EXC VAT

1 2 Packs each pack @ £1 60 3-5 Packs each pack @ £1 20 5-9 Packs each pack @ 90p 10+ Packs # POST FREE #

same postal rate as pac's of 8 distense. 10+ POST FREE

8" CLEANING KITS

8" LIBRARY BOXES LSB 1 4 of @ 60p LSB 5 9 of @ 45p LSB 10+ of @ 30p

### 5%" DISKETTES

1-2 Pocks each pack @ 95p 3-5 Pocks each pack @ 75p 6-9 Packs each pack @ 60p 10+ Packs #POST FREE\*

5%" CLEANING KITS

Same postal rate as packs of 5 - diskettes 10+ POST FREE

5%"NEW 'SEE 10' LIBRARY BOXES SEE 10 1-4 oil @ 40p SEE 10 5-9 oil @ 30p SEE 10 10+ @ 20p

DISKING SUPERLUXE DISK LIBRARY (5%" ONLY)
Same postol rate as 5% diskettes 10+ POST FREE

DISKING SUPERMAILERS (5% ONLY)

DISKING DISK DIRECTORIES 10-Peck 2.00

DISKING DISKWRITERS

All versions £2.00 each for one, £1.30 each for 2-7, 8+ postiree.

NORMAL ORDERS. We now walcome any obtacl Government orders.

We are now happy to accept any obtacl orders with a minimum value of £X0.00 ham Covernment begaments. Ministers and Ecocl Authorities. We do this nor the understanding that invaries will be settled within thiny doys to preferably less please. Alternately, you now york your unreintance with your order by you so with Alternately, you now york your unreintance with your order by you so with Alternately and the properties of the properti

organist.
Also bear in mind, that you do have to pary VAT, which will be added to these prices.
If you are in any doubt, please see the order form on this brochure in help you with you calculations, or telephone us for assistance.

We welcome Access (Mostercharge), Barclay cond (VISA) & Diners Club International, & their is NO credit and surcharge. You may write your cream to on you obey at telephone the outer days or onthis 255 days a report. You may speak to be slong as you like, (tast don't here we long opps afterwise our machine thints you've gone home) and don't longe to give the following details. The Carabidete Name, Address and day time ledephone number.

2. Delivery Address it deferent.

3. Fact Class, orkinary or special post.

4. Your Credit Card Number.

5. What you wish to Order.

- may leave the cest to US

### URGENT ORDERS

Il you're posting your order, omit the word TREEPOST born out address, and use out normal protected 6030 TEI and do not longer to stamp a FIRST CLASS. If you are a Government body as debredt under NORMAL ORDERS' and are relephonany your obtained note of the order of the protection of the present of company using you credit out of Ro. please make it clear that you wish to pay for your goods to be sent to you by FIRST CLASS POST.

TIRST CLASS RAITES EXC VAT.

MINIDISKS.

8" DISKLITES
TENTEN PACK.

1.50

2.00

DESPERARE ORDERS IL EX.

DESPERATE ORDERS U.K.

Discrement is Children U.S.

Your options are DATAPOST Which will deliver the got its within the United Kingdam overnight insually before 10 am the next day) provided they are ordered and point for mo DISKING by 30 00 pm or EXPRESSPOST Which will deliver the gloods the SAME DAY provided they are ordered and point for time DISKING by 10 30 am, and provided you are no further north than

danchester These services put geed stives on our sales order processing and packaging depar lease therefore, space a thought for our quis, and make sure that "The required goods are in stock and 1 A full complement of manpower and vehicles are available at DISKING

TRADE CORNER
Write or call for our 1984 Trade pack, including our FREE sample unlabelled diskette.

### A Seasonal Message to all our Customers

You'll find our prices good, and our service even better. Cheaper products you may find, but anyone can advertise anything at a silly price. Just try buying it — it's always next week! Like car salesman with the new £1000.00 cars, he had plenty of orders, but he just couldn't get the stock! surprise

plenty of orders, but he just the just surprise.

Our thanks this month go to Alistair who always leaves his order for 1000 diskettes until 6.15pm and then wants delivery in London next morning — A Hapy New Year to him from DISK-ING, and from our local taxi driver who's getting to know the route quite well. To ALL our customers both Trade AND End User, without whom we wouldn't be here:

\* \* \* A HAPPY AND PROSPEROUS NEW YEAR \* \* \*

CTOP PRESS \* STOP PRESS \* STOP PRESS \*

STOP PRESS \* STOP PRESS \* STOP PRESS \*

400 Brand New, Unlabeled Grey Superbuxe Disk Libraries (20 minidisk capacity) at half price to Clear. Minimum order quantity 10 pieces.
Only . . . 4.90 each. (3.00 P&P per 10, 30+ FREE)
This offer is open to the trade 08 end users. First come, first served.

lock & 19 programmable MORE EXPANDABILITY — Serial/Parallel & MORE SOFTWARE - CP/M 2.2, M 80, L 80, Plus the incredible: CBASIC, WORDSTAR,
MAILMERGE & CALCSTAR
Plus COMPATABILITY SOFTWARE for Plus COMPATABILITY SOFTWARE for reading, writing and formatting ACCESS. IBM-PC, KAYPRO, MAX 80, MORROW, NEC-PC. OSBORNE, SUPERBRAIN, SYSTEL or OLYMPIA, DEC VT-180, XEROX. ZENITH Z90 or Z100 or Double Sided — AVATAR, CASIO, COLUMBIA, EPSON, HP 125 or 87. IBM-PC, OTRONO, PMC, SANYO, SUPERBRAIN, SYSTEL, TELEVIDEO, ZENITH Z100, ZORBRA. More handbooks including: CP/M, Zorba, WordStar, Mailmerge, Calcstar AND Beginners Manuals.

Order any 4 Ten-packs of diskettes use this coupon and you will receive a FREE Quartz watch, specify

Gents Qty ..... Ladies Qty .....

\_\_\_





TOTAL GOODS VALUE EXC VAT TOTAL DELIVERY AND INSURANCE SUB TOTAL EXC VAT VAT VALUE OF CHEQUE PAYABLE TO DISKING Name: \_\_\_ Address:\_

DESCRIPTION

Please charge my credit card No:. ACCESS, VISA AND DINERS cards welcome

• Circle No. 204

PRICEEXCVAT

### This man can use...

### 46 Microcomputers 6 Word Processors 16 Printers 2 Mini Computers



...all without leaving his seat!

is a low cost Networking device allowing ALL minis, micros, printers, mainframes etc. to communicate with each other.



- From £150 per connection (node)
- No controller needed.
- Easy installation
- Connects any hardware device through an RS232 interface
- Up to 99 nodes on the same ring
- File sharing software available
- Enables printer sharing
- Has special hunting feature Other models available
- Over 3000 nodes currently installed
- Manufactured and supported in UK

Mail the coupon now for full information
Real Time Developments Limited, Lynchlord House, Lynchlord Lane, Famborough,
Hampshire GU14 6JA, Telephone: Famborough (0252) 546213 Telex: 858893 Fletel G

I am interested in Clearway - the low cost Networking device, please Telephone

nd to: Real Time Developments
Lynchford House, Lynchford Lane, Farnborough, Hampshire GU14 6JA
Telephone: Farnborough (0252) 546213 Telex: 858893 Fletel G

# MAILING

The Swan Disc Pack combines great strength with simplicity of use. Made from rigid white corrugated, it is a self assembly package



• Circle No. 254

If you are interested in a particular article/special feature or advertisement in this journal

### HAVE A GOOD LOOK AT OUR REPRINT SERVICE!

We offer an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigeous addition to your promotional material. (Minimum order 250 copies).

Telephone Michael Rogers on 01-661 3457 or complete and return the form below.

To: Michael Rogers, Practical Computing, Reprint Department, Quadrant House, Sutton, Surrey SM2 5AS.

I am interested in . ..... copies of article/advert. headed ...... featured in this journal on pages ...... issue dated ..... Please send me full details of your reprint service by return of post. Name ..... Company ..... ..... Tel No ......

# **EuroBEEB** – basically the best controller

How to make small control systems easy:-

- Plug the EuroBEEB ROM and the EuroBEEB power lead into the BBC
- Connect the BBC serial port the EuroBEEB serial port
- 3. Switch on, and type \*TERM. and press return
- 4. You now have control of the EuroBEEB through the BBC
- 5. You can now write BASIC programs directly into the battery-backed memory of the EuroBEEB, and upload or down from it to the BBC disk or cassette
- 6. You can program an EPROM, and use it to replace the CMOS RAM on the EuroBEEB (using CU-PROM)
- 7. You can program a "turnkey" line in the EuroBEEB's operating system EPROM so that it runs its program as soon as it is powered up
- 8. You can add an enormous range of CUBE modules through a backplane, including hi-res colour video, analog, digital and serial i/o, industrial i/o, printers, liquid crystal display, etc.,
- 9. You can use any RS-423 terminal instead of the BBC
- 10. EuroBEEB, complete with sideways ROM and cables, costs only £249. ex. VAT (order code CUU6592)



Send for free 150 page Catalogue to:-

Control Universal Ltd Anderson's Court Newnham Road, Cambridge CB3 9EZ Tel 0223 358757 Telex 995801

Circle No. 209

# **PANASONIC** 12" MONITORS

monochrome green screen high quality and reliability genuine 80 character and high resolution display

RING NOW ON OUR HOTLINE 0865 726639

Circle No. 208



If 21 megabytes of fast storage with five users and two printers sounds useful and £2000 per user seems unbelievable —give us a call and ask us to prove it!

We will explain how your sales clerk, accounts clerk, secretary and you can access your business files at the same time! And there's still that other terminal for expansion!

At COMCEN we make our own computers - Ask our advice your alternative may be learning the



A COMPUPRO SYSTEMS CENTRE



Comcert Technology Ltd 45/46 Wychtree Street. Morriston. Swansea SA6 BEX Tell (0792) 796000 (0792) 798337 (24 hdurs) Telex 48297 Joytel.

360-366 Oxford SI Landon WIN 9HA Tel: 01-491-4536 Telex 28800 Land

## (THE KEY \* TO SUCCESSFUL SOFTWARE SALES)



182

EXHIBITION AND CONFERENCE

# Practical

# Telephone 01-661 3612 to reserve your space

**ADVERTISEMENT RATES** 

£15.00 per single column centimetre (minimum 5 cms x 1 col.) Series discounts available, details on request.

**COPY DATES** 

4 weeks preceding Publication date.

### : GO FORTH & \*:

Laboratory Microsystems FORTHs - the professional FORTHs complete with editors, assemblers, turn-key compiler, many system utilities, multi-tasking, and extensive documentation. These FORTHs are available for 8080, Z80, 8086/88, and 68000 processors using CPM-80, CPM-86, MSDOS/PCDOS, or CPM-68K.
CPM-80 £60 CPM-86
MSDOS/PCDOS £105 CPM-68K

NEW – FORTH+ packages have 32-bit stacks and can access the processor's full address space for both program and data.

CPM-86/MSDOS/PCDOS £190 CPM-68K £29

Nautilus Systems Cross-compilers — transport FORTH to different processors, generate ROMmable code, these compilers will run on any of the FORTHs above. The complete development system — a real time saver. Choose targets from — 8080, 8086/88, Z80, 6800, 6301/6801, 6809, 68000, 1802, Z8, 9900/99000, Z8000, LSI-11, First compiler from £230, additional targets from £95.

NEWBRAIN FORTH in PROM — includes screen editor, full integration to NEWBRAIN 1/o handlers, a complete Z80 assembler, decompiler, utilities and manual — £55 + VAT EPROM/RS232 card and comms software also

DRAGON FORTH cartridge — full fig-FORTH with editor, colour management, sound facilities, and manual — £45 + VAT


??? !!! JUPITER ACE DISC CONTROLLER !!! ??? Well ain't that magic — just add 12 volts and a disc drive — 3' or 8". Includes full FORTH DOS software. A snip at £98 + VAT. Additional disc utilities £15.

DIY FORTH Kits Installation manual - How to do it,

model, definitions, editor £7

Source code listing for one processor — choose from 6502, 6800, 6809, 8080, Z80, 8086/8088, 9900, 1802, 68000, Z8000, VAX, Apple II, LSI-11, Eclipse £7

Comprehensive range of FORTH books includes – 'Starting FORTH' by Brodie — the classic 'Systems Guide to fig-FORTH' by Ting





Circle No. 215

### POOLS PREDICTION

The most sophisiteated Pools Prediction Aid available. Gives probabilities of score draws, draws, homes or aways, based on two databases holding over 20,000 matches (included).

The databases are automatically updated as results are entered.

Can be used in simple mode, or with parameter adjustments to develop your n unique forecast method.

Folly documented, available now for Apple, Spectrum (48K), Dragon, ZX81 (16K), BBC Model B, Commodore 64 (others — please enquire).
£15.80 (discs(tages)

"POOLSDATA"

Complete record of all English Football League matches 1978-83. Teams, scores and dates of 10,000 matches held in simple format, ready for your analysis. Starter analysis programs and full documentation included. Available for Apple. Spectrum, 2X61, BBC, Dragon, Commodore series.

Discs. (5 year) £15.00

Tapes (5 year) £12.50 all prices
Tapes (2 year) £7.70 (p8p included)

### SELEC SOFTWARE (PC)



37 Councillor Lane Cheadle, Cheshire 061-428 7425



Circle No. 216

### MJ MICRO SUPPLIERS

Disks Wabash - Box of	Ten		
SSDD 5.25"	15.10	SSSD 8"	17.90
SSDD	19.16	SSDD	22.33
DSDD	21.60	DSDD	26.30
Samsom Data Binder		Disk Storage Box 5"	20.00
9.5" × 12" ea.	1.15	ABA 30/40	16.00
14.5" × 11" ea.	1.22	ABA 60/80	22.00
Listing Paper 9.5" ×11"		A4 Clean-Edge	
500	2.84	500	6.82
1000	5.43	1000	13.02
2000	10.36	2000	24.80
Listing Paper 14.5" × 11"	H	Labels 3.5" × 1.5"	
500	3.61	1000 tup	5.35
1000	6.91	4000 1uo	20.45
2000	13.18	8000	38.97
All cirne	of ctal	ionory proitable	

All sizes of stationery available.
Prices excl. P&P and VAT.
Ribbons-Apple Peripheral Cards-Disk Drives
Pre-printed Stationery-Cassettes-Printers
For all your supplies, write for full prices to
MJ MICRO SUPPLIES, FREEPOST (BS3661),

NAILSEA, BRISTOL BS19 2BB. No stamp required Tel: Nailsea (0272) 857354

Circle No. 217

### FULL COLOUR Inlay Cards



Sell your programs with colour inlay cards and add that professional sales appeal from as little as £28 per 1,000. A.W.P. are the specialist trade colour printers for trade colour printers for both Audio and Com-puter cassette inlay cards. They are produced in two types the deluxe finish (min, 1,000) and the standard finish (min. 8,000).

Details and samples from A.W.P. Ltd. 5 Bexley Squ., Salford, Manchester. 061832 4533.

### The Trade Colour Printers

Circle No. 218

Circle No. 219



### **HAVE YOU** CONSIDERED **BAR CODES**

Bar-codes give a speedy bar-codes give a speedy and error free means of data entry and provide a foolproof method of identification for any item or document. Typical uses include stock control,

libraries, filing systems, security & checkpoint verifica-tion, point of sale terminals, spare parts identification, etc. etc. Already most grocery products are bar-coded at source and many other areas of industry and com-merce are following. Bar-codes will soon be commonplace

### APPLE 2 PET BBC micro

A complete low cost bar-code identification system is available for these micros. It contains all the hardware, software and documentation needed to read and print bar-codes (using an Epson dot matrix printer). Most bar-code (using an Epson dot matrix printer). Most bar-code formats may be read and the system may easily be patched into an existing applications program.

£199.00 + VAT \*\*\* NEW \*\*\* RS232 bar-code reader

This new stand-alone unit decodes the bar-code and converts it into ASCII for transmission to the host computer via a RS232 port. Complete with scanning wand, power supply & cables. Works with virtually any computer.

£385.00 + VAT

More information on these products is available on request. Please state your micro & area of interest. The decoder board is available separately to OEMs.

### **DOT MATRIX & DAISYWHEEL PRINTERS** LOWEST PRICES GUARANTEED!

EPSON FX80 RX80 NEC 8023 STAR BROTHER TEC etc. etc. etc.

Our pricing policy is to match or better an other advertiser. In addition . . . enthusiastic and knowledgeable technical advice and backup is available to all our customers. Delivery is from stock to your door, often within 24 hours. Phone for a quote or write for full

ALTEK (PC) 1 GREEN LANE WALTON ON THAMES SURREY

please phone before calling (0932) 244110



### APPLE CARDS

AT INCREDIBLE PRICE	5!	
RAM Card 16k	£34	.50
RAM Card 128k £	151	.95
80-Column Card	£46	.95
Z-80 Card	£37	.95
PAL Colour Card	£29	.95
EPROM Writer	£41	.50
Talking Card	£25	.95
Drive Controller Card	£25	.95

Prices include air postage to U.K. COMMUNICATIONS ASSOCIATES Dept. PC, GPO Box 7779, Hong Kong





Piesse-state)

NEW!
EXCLUSIVE!

CONTROL

OR COLUMN

Can say anything!

Genuine phoneme synthesis - not just recorded speech - hence unlimited vocabulary.

Programmable pitch for more natural intonation (exclusive to Wm Stuart Systems) - solid lone cabinet for quality sound - integral beep/music amplifler. PLUS expansion socket for BIG EARS voice recognition system. Full instructions technical notes and software supplied with this outstanding educational unit.

DEALER ENQUIRIES WELCOME

~ BBC TV "Computer Programme

### \*BIG EARS\* " S

SPEECH INPUT



Hugely successful Speech Regnition System complete with microphone, software and full ONLY £49 instructions.

BUILT TESTED & GUARANTEED
PLEASE STATE COMPUTER: UK101,
SPECTRUM, ATOM, NASCOM2. Vic 20, Micron,
ZX80:81, PET. TRS80. MZ80K. APPLE II. BBC MICRO

### ZX81/SPECTRUM

Play 3-part music, sound effects, drums etc. Full Control of attack, decay and frequency, input/Cutput lines provide control and monitor facility for Home Security, Robot Control, Model Railway etc. etc. Works with or without 16K RAM.

Fall instructions software included.
Add keyboard to make a live performance polyphonic synthesiser!
Note: up to 3 units can be used simultaneously: giving 9 music channels & 48 li0 lines

AMAZING VALUE AT ONLY £19.50 (KIT) £25.50 (BUILT)

NEW!

VIBRATO

0



TALKING HANGMAN
For Chatterbox!
The classic game

ZX ARP/DRUMSEQ CHROMACODE?????? 26

**COLOUR MODULATOR** ки £16

Please add VAT at 15% to prices. Barclay Access orders accepted by telephone

BUILT £22 All enquiries S.A.E. please

WILLIAM STUART SYSTEMS Ltd

A

R

Ouariey Down House Chalderton Nr. Salisbury Wiltshire: SP4 ODZ Tel: 098 064 235

69

Circle No. 221

Soft Sector Nashua Xidex 5.25" Diskettes Dysan SS/SD 48 SS/DD 48 DS/DD 48 15.00 25 00 31 00 8" Diskettes \$5/\$0.48 20.00 DS/DD 48 21.00 DS/DD 48 22.00 Sony 3.5" (Apricot) Diskettes £40.00

Add carriage (£1 per box) and V.A.f. (15%) Prices correct at time of going to press Please write for full-range price list

KINGSLEY ENTERPRISES 87 Whitefield Road Stockton Heath Warrington WA4 6NB

Organise your files on Cen Tech Colour

3

Software

Snail

INCOMPLETE RECORDS/
NOMINAL LEDGER PLUS (IRNLP)
Finished accounts from incomplete records. Full nominal ledger, running totals of all debtors, creditors, stock and capital assets. Weekly and quarterly cash, bank, VAT and nominal accounts summaries. Detailed profit and loss and balance sheet. Comprehensive manual.

RNLP Single Disc Sanyo M8C 1000/1150	57.50
RNLP Single Disc BBC B	27.50
RNLP Single Disc TRS 80	27.50
RNLP Cassette 48K TRS 80/GENIE	27.50

\* SPECIAL OFFERS \* SCRIPT 32 with manual Dragon 32 MAILBAG with manual Dragon 32/BBC B DRAWER with manual Video Genie POKER BBC B

Dealer enquiries welcome, SNAIL SOFTWARE, 21 Bell Lane, Ludlow, Shropshire, SY8 18N. Telephone (0584) 4303.

• Circle No. 223

### SCIENTIFIC SUBROUTINE LIBRARY

VOLUME 1 — STATISTICS AND FITTING FUNCTIONS

Mean, SD, normal distribution, partial expectation, Chauvenets criterion, least squares fit to polynominal

Chauvenets criterion, least squares fit to polynominal and arbitrary function, repetitive least squares fits, covariance matrix, chi-squared statistic, matrix inversion, solution of simultaneous equations.

VOLUME 2 — LINEAR PROGRAMMING
Reduction of a Simplex tableau, integer programming, partial integer programming, conversational linear programming system, least cost mix problem.

mix problem **VOLUME 3 — FURTHER STATISTICS** 

VOLUME 3 — FURTHER STATISTICS
Ranking, quantiles, frequency, 2-way table, correlation coefficient, T, chi-squared and F distributions and their inverses, T test, chi-squared test, Wilcoxson test, linear and multiple regression, ANOVA 1-way and 2-way.
VOLUME 4 — TRANSFORMATIONS & SORTING ALGORITHMS
Fourier, FFT, Laplace, numerical integration and differentiation. Exchange sort, Quicksort, Shell sort, Tree sort.

differentiation. Exchange sort, Quicksort, Shell sort, Tree sort.

Manuals including full source listings with implementation notes and documentation —

BASIC \$252 per volume

PASCAL £30 per volume

Software in CP/M (8" SSSD) or DEC RT-II (RXOI) formats — £75 + VAT per volume.

CP/M TO DEC FILE TRANSER

Software to read and write RTII format RXOI diskettes under CP/M, Supplied on 8" SSSD diskette — £25 + VAT.

MICRO LOGIC CONSULTANTS LTD. 57, Station Rd., Southwater, Horsham, W. Sussex.

Telephone: 0403 731818

• Circle No. 224

### ON SITE TRAINING

Phone Mike Gardner on

01-421 0266

cats software

96 Grimsdyke Road, Hatch End Pinner Middx HA5 4PW

Circle No. 225

### **NEWBURY DATA PRINTERS**

8510 from ...... £480.00 1550 from ...... £600.00 are, what other printers want to be Continuous Stationary 1000 SHTS 11 x 14 plain/lined ......£7.00 Min. Quantity = 1 Box (2,000 sheets)

Contact Chris Pearce CDP Consultants Ltd. Wicken Rd., Clavering, Essex CB11 4QT. (079985 617)

Circle No. 226

### SOFTWARE

For simple bookkeeping & VAT record: Designed for small business & the self employed. A simple to use program combining sales cash book and purchase day book, included VAT calculation and analysis can be printed

For Apple II 48K Disc £9.99 inc. For Spectrum 48K Tape £7.99 inc.

> JADE TRADING 409 ILFORD LANE, ILFORD, ESSEX

> > • Circle No. 227

### MICROCOMPUTER INSURANCE

Comprehensive cover at a reasonable premium:

- All Risks Cover (incl. Transit) up to £8,000 for £20
- Increased Cost of Working to reinstate lost data
- Breakdown & Derangement alternative to maintenance agreement

Write with details of equipment to:

Geoffrey Hoodless & Associates Freepost (no stamp required) Woking

Surrey GU21 3BR Tel: Woking (04862) 61082 (24 hrs)

Circle No. 228

### ZORBA

THE SERIOUS PERSONS PORTABLE **PLUS** 

LUCAS LOGIC LX80 The Low Cost 80cps Printer (A great Parternship) ADD

### DBASEII

The Most Powerful Micro Database (Now the system is complete) And you can take it anywere Deliveries are immediate

Contact Chris Pearce **CDP Consultants Ltds** Wicken Rd., Clavering, Essex. CB11 4QT (0799 85) 617

Circle No. 229



**POSEIDON** COMPUTER SERVICES LTD.

Of Hampton S.W. London Dealer FOR SIRIUS 1 APRICOT & PULSAR

COMPETITIVE PRICES - FULL UK DELIVERY

Bespoke Scftware and Consultancy

01 941 1447/5986 TELEX 8954665 GITS

FOB

EXPORT/IMPORT SPECIALISTS I O FOR COMPUTER EQUIPMENT AND SOFTWARE

POSEIDON COMPUTER SERVICES LTD 01 941 1447/5986 TELEX 8954665 GITS

### Superbrain Z80 100K CP/M

Software: MBASIC5, WORDMASTER etc. New Drives & Power Supply

£1000 o.n.o

### TANDY TRS80 Level II 32K

Individual numeric key pad. Two micropolis disc drives 5½ 100K+, Centronics printer 707 missing wire in printer head Software, £675.00 o.n.o.

Mr Wright 01-852-7507 after 6pm 01-467-3742

Circle No. 231

### DISK COPYING SERVICE

Moving data and program files from one machine to another is often made difficult because different manufacturers have adopted different disk format standards.

We can copy your files to and from almost any disk format including CP/M, MSDOS, PCDOS, TRSDOS, ISIS, APPLE, SIRIUS, PDPll, VAX, and IBM.

Disks are normally despatched on the day they are received.

Our charge is £10.00 + disk + VAT. Special prices for quantities and tape to disk transfers.

For more information call us.

### GREY MATTER

4 Prigg Meadow, Ashburton, Devon TQ13 7DF. TEL. (0364) 53499

• Circle No. 232

### **ATARIOWNERS**

Send for details on how to obtain

### FREE SOFTWARE

and an exciting new **CP/M** add on for the ATARI 400/800

Send large SAE to; TOLLGATE COMPUTERS LTD Dept PC1, 35 CLAYDOWN WAY LUTON, BEDS, LU1 4DU

• Circle No. 233

8032 PET with 2023 printer £600 Robert Chrismas Gosport (0705) 526950 evenings.

ALTOS 8000/2 64K Ram twin 8" double density discs 1 mega bites — Soror IQ120 VDU and OKI80 printer all in perfect working order. Integrated purchase/Nominal ledger. Wordprocessing, Cobol, Games £1500.00. Tel. 01-460 0284 Daytime.

TRS80 compatible video genie plus expansion interface and software for sale £250 ono 'phone 0829-40569.

BBC to EPSON FX-80 High-Res. Screendump. Listing: £2.00 send to 55 Ballycrune Road, Hillsborough Co. Down.

TRS-80 MDI 48K two 40TR drives new DOS80 LDOS manuals plus software incl. games and business programs. Value £500 total cost £750 ono. Tel. 0702-587210 evenings.

APPLE SOFTWARE — Send SAE for full list. Business, utilities, games available. J. Davey, 44 Hazelmere Road, Stevenage, Herts.!

TEC 10/40 daisywheel printer unused £900 ono. Phoenix Hi-Res green screen monitor £60 ono. Exchange W.H.Y. Tel. 0268 285406 evenings.



EXCHANGE unused Hitachi VT14E video in unopened carton, value £500 plus, for BBC-B with accessories. 0525 221187.

TRS-80/1 48K disk programmes. Data writer £70, forbidden city £15, Balrog £15, also smal-LDOS £30, Defend £10, Jovian £10, Colin Erith 38298 after 6.00pm.

NORTHSTAR HORIZON 32K GT100A VDU excellent condition with about 200 D/D floppy disks £1125 also Epson MX100 £300. Forrester Tel. Plymouth 0752 29638 (491960 evenings).

AMDEK DXY100 Plotter A3 size programme in Basic, brochure available, cost £699 £299! As new works with any computer, warranty. Taylor 0245 352490.

TELEVIDEO (1983) TS802H 10 MBYTE Microcomputer, Wordstar, Mailmerge, Datastar, Calcstar, Spellstar, Supersoft, Bstam, DBase2, CBasic, MBasic, Cobal, Pascal, PL/1, List over £8,000 accept £3,800 plus VAT. Telephone 01-486 1670 anytime.

BUSINESS SOFTWARE for the Newbrain Computer Invoice & Credit Note; Cash Book; Purchase Day Book; Sales Day Book. Full Details & Sample Output from: Cornix-Micro, 16 Kneesworth Street, Royston, Herts. Tel: Royston (0763) 46065.

SHARPMZ-80B Software sale including many useful adapted CP/M utilities. Enquiries Peter Philips GP0 7849 Hong Kong.

TELEVIDEO (1983) TS802H 10 MByte Microcomputer, Wordstar, Mailmerge, Datastar, Calcstar, Spellstar,Supersort, BStam, DBase2, CBasic, MBasic, Cobal, Pascal, PL/1, List over £8,000 accept £3,800 plus VAT. Telephone 01-486 1670 anytime.

WANTED NASCOM 2 or 3 preferably with disc controller and Zeap (0272) 518597

# MICROADS ORDER FORM-25p per word

Micro Ads are accepted from PRIVATE readers only and must be submitted on (or a photocopy of) the order form below. All advertisements must be PRE PAID — Help our typesetter to help you by PRINTING your advertisement clearly. Please make cheques or postal orders payable to 'PRACTICAL COMPUTING' and enclose it with your advertisement to Room 317a, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

			£2.50
			£3.75
			£5.00
			£6.25
			£7.50
			£8.25
			£9.50
		0	£10.75

NOTE: Advertisements will be published in the next available issue and we cannot guarantee to print an advertisement in any specific issue.

# TA DISK LTD.

Data Disk Ltd. 67, Swan Street Boxford

### 0787210091 Suffolk **COMPARE OUR PRICES**

### PRINTERS The New "JUKI" 610 Daisywheel

(RRP £399 + VAT)

JUST ARRIVED

Our own brand of covers for the Commodore 20, 64 & the B.B.C./V computer £3.95 + VAT Colours black or beige.

The small Company with the big name in consumables

> **OUR PRICE** ONLY £375 + VAT "Free Delivery" No Extras

Our own brand of disk binders with a capacity of 20 £3.95 + VAT Colours black or beige.

# Floppy Disks by BASF

51 Single Sided/Single Density = £15.00 for 10 + VAT Single Sided/Double Density = £22.00 for 10 + VAT Double Sided/Double Density = £24.00 for 10 + VAT

Disks and Quad Density also available

51" Plastic Library Cases £2.75 + VAT each

### **NEW FROM FRANCE!**

LIBRARY CASES IN BROWN/CREAM.

 $5\frac{1}{4}$ " 20 - Capacity = £2.80 + VAT 8" 25 - Capacity = £5.75 + VAT

Lockable Filing Cases with carrying handle Brown/Cream for 51" disks × 100 capacity ONLY £18.50 + VAT

### Other lockable filing cases;

5¼" 40 - Capacity = £15.50 + VAT 5¼" 90 - Capacity = £21.95 + VAT 8" 40 - Capacity = £22.95 + VAT 8" 90 - Capacity = £31.95 + VAT

Contact us for all your computer needs. Anything from ribbons, listing paper, labels, disks, printers etc. etc.

Everything on mail order, enquire for our comprehensive price lists.

\*Free delivery on all printers and disks\* Nominal charge for all other ranges.

(RRP £438.00 + VAT)

OUR PRICE ONLY £425.00 including VAT. "Free Delivery" No Extras.

EPSON RX-80 (RRP £298.00 + VAT) OUR PRICE ONLY £285.00 including VAT "Free Delivery" No Extras

OUR PRICE EPSON RX-80 FP

ONLY £315.00 including VAT

"Free Delivery" No Extras.
OKI MICROLINE 83a = £525.00 including VAT OKI MICROLINE 80a = £225.00 including VAT

LISTING PAPER 11"  $\times 9\frac{1}{2}$ " Single pt = £9.60 + VAT per box of 2000  $11'' \times 14\frac{1}{2}''$  Single pt = £12.40 + VAT per box of 2000 All other sizes available. Either plain or green lined.

To Data Disk. Please Supply ..... Please Supply ..... Please Supply ..... Please Supply ..... Enclosed my cheque/money order Total ..... Delivery to:- (Name) ..... Address .....

Telephone No ..... Trade and Dealer Enquiries Welcomed. More Agents Urgently Needed Nationwide.

Circle No. 245

### **Advertisement Index**

A	0.0	D		K Keele Codes Ltd	0.0	0		
A&G Computerware A-Line Computer Systems	60 98	DRG Business Systems Data Disk	134,135 186	Keele Codes Ltd	32	Qubie		53
ACT Pulsar	62.63	Dennison Kybe Corp	IFC			Qudos Systems Ltd		148
ADP	175	Digital Equip Co.	38,39,40	L				
ATA	117	Digital Equipes:	153	LSI Computers Ltd	10,11	R		
AWS Computer Supplies	58	Direct Disk Supplies	93	Lantech	69	Real Time Developments		180
ActHardware	46,47		144	Laserbug	114	Research Machines		181
AculabLtd	69	Disking International	178.179	Lomax	172			
Akhter Instruments	76	Diskotek	157	London Computer Centre	44,124	S		
Anglia Computer Centre	175	Dynotech Microsoftware	151	London Computer Fair	154	SMSoftware		25
Asco Business	60					Sage Systems		171
						Sanyo Marubeni	3	8,19 BC
		E		M	4.00	Sanyo Marubeni Sapphire Systems	100	3,166
В		Epson HX20	12	Mannesman Tally	128 114	Sirton Computer Systems	133	16
BFI/Diskpost	163	Epson Printer	120	Mayfair Micros Memotech	26,27,28	Soft Option		59
Barley Mow Workspace	58	Epson QX10	48	Micro Peripherals	IBC	Software84		182
Beebug British Data Capture	97,124			Micro Research Ltd	168	SoftwareLtd		73
British Data Capture British Micro	125			Microcomputer Products	14	Swan Packaging	98	1.180
Bromcom	54,55	F		Microcomputer Disks	175	o train danaging		,
Bromcom	54,55	Ferranti	126,127	Micropacs	172	T		
		Fox & Geller	136	Microsoft	20	Tandata		168
C		Fraser Assoc.	98	Microtrend	141	Tandy Corp		9
C/WP Services	151,153	Hasel Assoc.	30	Microvalue	176,177	Tashki Computers		160
CAETeleprinter	56			Microware Ltd	57	Teledigital Computers		36
CDPConsultants	169			Midland Computer Fair	115	Thorn EMI		174
CLIO Press	174	G		Mountaindene	172	**		
Calco Software	167	GCC Cambridge Ltd	148	3m Data	42,43	U		CO
Cambridge Comp Consults	79	GW Computers	30,31			U Micro		69
Cambridge Micro Electric	60			0		٧		
Camden Computers Chiltern Electronics	116 22			OKI Electric	147	V Verelco Ltd		0.7
Comcen Technology	181	H		Oasis Software	167	Verwood Systems		97
Compsoft Ltd	17	Hal Computers	97	Opus Supplies	41	verwood Systems		174
Computech Systems	45	Hotel Micro Systems	142,143	Oxford Computer Systems	58	***		
Computer Fair	125					W		
Computer Interface Design	169					Wordflow Elec Office		32
Computer Trade Show	180	İ		P				
Computer Town	158,159	IBC Computer Systems	114	Page Plus	24	X		
Comshare	122,123	ITL Kathmill Ltd	33	Pete & Pam Computers	164,165	X-Data		37
Control Universal	181	Icarus Computer Systems	85	Pinner Wordpro	168			
Crowther Cosine	32	Intec	61	Power Testing (sales)	167	Z		- 2
Cyber Robotics Ltd	116	Interam	170	Precision Software	34	Zero Electronics		116



GEMINI and DELTA, a new range of Star Performers —the ideal complement to any computer system. At prices starting from £219 + VAT, the GEMINI and DELTA open up a new world of printing power - quiet, fast printing in a range of different character types, print pitches and print densities and ultra high resolution graphics and programmable downloadable characters for good measure.

GEMINI and DELTA - professional solutions to the printer problem.

### KEY FEATURES:

- 120 CPS (Gemini), 160 CPS + 8K buffer (Delta)
- Friction, tractor and roll feed
- Ultra high resolution graphics
- Normal, expanded and condensed print
- Emphasized and double strike print
- Superscripts and subscripts
- True underlining
- Italics and international characters
- Downloadable character set
- Interface Gemini (parallel), Delta (parallel & RS232)
- Full one year parts and labour warranty



69 The Street, Basing, Basingstoke, Hants. RG24 0BY

Telex: 859669 MICROP G Tel: 0256 3232 (12 lines)

Call your local dealer now for full information on the GEMINI and DELTA printers or clip this coupon and we'll send you brochures and print samples.	
Name	
Address	
Tel. No	,

# THIS YEAR WILL BE AS IMPORTANT TO THE COMPUTER INDUSTRY AS 1959 WAS TO THE MOTOR INDUSTRY.



1959 saw a revolutionary development in the evolution of the motor car that shook the industry. The launch of the Mini.

Twenty five years later, Sanyo are set to cause a similar stir in the world of computers with the launch of the first ever Small Business Micro. The Sanyo MBC 550. The first machine of its kind to offer the performance, compatibility and range of software of a true business micro for just £699.\* Which is

considerably less than the cheapest business micro.

So if your business requirements are too great for a personal computer and you can't justify the expense of a business micro, phone Logitek on 0257-426644, or STC on 0279-26777 or ICARUS on 01-485 5574 or clip the coupon and we'll show you the Sanyo MBC 550 or the more powerful twin drive Sanyo 555, two revolutionary new micros that mean business.

See Sanyo's new small business computer at the "Which Computer? Show," N.E.C. 17th – 20th Jan. 1984.



Name

SEE SANYO, THEN DECIDE

SANYO

Address

Company

Position in Company

- PCI

Tel po

Return to: Marketing Dept., Sanyo Marubeni (UK) Ltd., Sanyo House, 8 Greycaine Road, Watford, Herts